



CONNECTOR SELECTOR

A Reference Guide to AMPSEAL, AMPSEAL 16, and DEUTSCH Electrical Connectors and Accessories

LADD
DISTRIBUTION
a TE Connectivity Company



LADD specializes in the sales, marketing, distribution, and technical support for TE Connectivity's Industrial & Commercial Transportation products.

LADD is more than just a distributor. We haven't forgotten the importance of personal service. The Customer Service department can assist you with technical answers, pricing, orders, and more.

Contact Us

US & Canada

LADD Distribution

Tel: +1-800-223-1236

Fax: +1-937-438-9755

Email: ladd.us@te.com

ladd.canada@te.com

China

LADD Distribution

Deutsch Connectors Trading
(Shanghai) Co., Ltd.

Tel: +8621-33981423

Email: ladd.china@te.com

EMEA

LADD Distribution

Tyco Electronics AMP GmbH

Tel: +49-89-899157-0

Fax: +49-89-8574684

Email: ladd.emea@te.com

Japan

LADD Distribution Ltd.

Tel: +81-3-5922-1345

Email: ladd.japan@te.com



INTERACTIVE PRODUCT FINDER

Additional information including drawings, technical specifications, and an interactive product finder is available online at laddinc.com.




TABLE OF CONTENTS

2	DEUTSCH Performance Specifications General Technical Specifications of AMPSEAL, AMPSEAL 16, and DEUTSCH Products
5	Connector Series Overview Features of AMPSEAL, AMPSEAL 16, and DEUTSCH Connector Series
8	Electrical Connectors Environmentally Sealed Connectors, 1-128 Cavities
63	Secondary Wedgelocks Wedgelocks Required for Connector Series
66	Connector Accessories Enclosures, Backshells, Boots, Dust Covers, Strain Relief, Sealing Plugs, Removal Tools, Mounting Accessories, Replacement Components
78	Contacts Solid and Stamped & Formed Pins, Receptacles, and Sockets
82	Crimp Tooling-Solid Contacts Production/Hand Crimp Tools for Solid Contacts
83	Crimp Tooling-Stamped & Formed Contacts Production/Hand Crimp Tools for Stamped & Formed Contacts, Die Replacement Components
87	DEUTSCH Modification List Common DEUTSCH Connector Modifications
93	Glossary Common Terms and Definitions

Performance Specifications

AMPSEAL Connectors

Current	Up to 17 amps gold, up to 8 amps tin
Durability	See note. Mate and unmate specimens for 10 cycles at maximum rate of 600 cycles per hour.
Immersion	Leakage current not to exceed 50 micro-amperes at 48 volts DC. TE Spec 109-74-5. Immerse specimens to a depth of 100 mm in 5% salt water at a temperature of $23 \pm 5^{\circ}\text{C}$ for 1 hour. Check between adjacent circuits and each surface to reference electrode.
Insulation Resistance	100 megohms minimum. TE Spec 109-28-4. Test between adjacent contacts of mated specimens.
Physical Shock	No discontinuities of 1 microsecond or longer duration. TE Spec 109-26-1. Subject mated specimens to 50 G's half-sine shock pulses of 11 milliseconds duration. Three shocks in each direction applied along 3 mutually perpendicular planes, 18 total shocks. See Fig 5 in TE product document 108-1329.
Random Vibration	See note. TE Spec 109-21-7, Condition G, except 10-500 Hz frequency range. Subject mated specimens to 10 Gs for 8 hours each plane.
Temperature	Operating at temperatures from -40°C to $+125^{\circ}\text{C}$ for gold plated, -40°C to $+105^{\circ}\text{C}$ for tin plated.
Voltage	250 volts AC

Note: Shall meet visual requirements, show no physical damage and shall meet requirements of additional tests as specified in Test Sequence in Figure 3 of TE product document 108-1329.

AMPSEAL 1.3 mm Contacts

Contact Retention	TE Spec 109-30. Apply an axial load of 115 N to contacts in the axial direction with wedge lock in locked position. Contacts shall not dislodge.	
Contact Current Rating	Up to 17 amps gold, up to 8 amps tin, consult TE product document 108-1329.	
Contact Durability	TE Spec 109-27. Mate and unmate specimens for 10 cycles at maximum rate of 600 cycles per hour. See note.	
Crimp Tensile Strength	<u>Contact Size</u>	<u>Tensile Strength</u>
	16	150 lbs
	18	90 lbs.
	20	80 lbs.

Note: Shall meet visual requirements, show no physical damage and shall meet requirements of additional tests as specified in Test Sequence in Figure 3 of TE product document 108-1329.

Performance Specifications

AMPSEAL 16 Connectors

Current	Up to 13 amps
Durability	See note. 50 cycles.
Immersion	IP67 rating
Insulation Resistance	20 megohms minimum. SAE J2030 6.3. Insulation resistance at 1000 volts DC adjacent terminals measured after 60 seconds or until stabilization occurs.
Random Vibration	No discontinuities. See note. EIA-364-28 Subject mated specimens to 21 G's rms between 25 to 2000 Hz. Twenty hours in each of three mutually perpendicular planes.
Temperature	Operating at temperatures -40° C to +125° C.
Voltage	250 volts DC

Note: Shall meet visual requirements, show no physical damage, and meet requirements of additional tests as specified in the Product Qualification and Requalification Test Sequence in Figure 3 of TE product document 108-2184.

AMPSEAL 16 1.58 mm Contacts

Contact Retention	IEC 512-8, Test 51a. Apply axial load of 111 N to contacts at a maximum rate of 10 N per second (or 50mm per minute) and hold for 10 seconds. Contacts shall not dislodge.	
Contact Current Rating	Up to 13 amps, consult TE product document 108-2184.	
Contact Durability	SAE J2030 6.11. 50 cycles. See note.	
Crimp Tensile Strength	USCAR 21 @ 50mm/min	
	<u>Wire Gauge</u>	<u>Tensile Strength</u>
	14	180 N Min
	16	120 N Min
	18	90 N Min

Note: Shall meet visual requirements, show no physical damage, and meet requirements of additional tests as specified in the Product Qualification and Requalification Test Sequence in Figure 3 of TE product document 108-2184. USCAR is a trademark.

Performance Specifications

DEUTSCH Connectors

Dielectric Withstanding Voltage	Current leakage less than 2 milliamps at 1500 VAC.
Durability	No electrical or mechanical defects after 100 cycles of engagement or disengagement.
Fluid Resistance	Connectors show no damage when exposed to most fluids used in industrial applications.
Insulation Resistance	1000 megohms minimum at 25° C.
Moisture Resistance	Properly wired and mated connections will withstand immersion under three feet of water without loss of electronic qualities or leakage.
Physical Shock	No unlocking, unmating, or other unsatisfactory result during or after 50 G's in each of three mutually perpendicular planes. No electrical discontinuities longer than 1 microsecond. MIL-STD 202, Method 213, Condition "C".
Temperature	Operating at temperatures from -55° C to +125° C continuous at rated current. DTMH Series: -55° C to +150° C.
Thermal Cycle	No cracking, chipping, or leaking after 20 test cycles from -55° C to +125° C.
Vibration	No unlocking or unmating and exhibits no mechanical or physical damage after sinusoidal vibration levels of 20 G's at 10 to 2000 Hz in each of the three mutually perpendicular planes. No electrical discontinuities longer than 1 microsecond.

DEUTSCH Contacts

Contact Retention Contacts withstand a minimum load of:

<u>Contact Size</u>	<u>Load</u>
4	35 lbs. [156 N]
8	35 lbs. [156 N]
12	30 lbs. [134 N]
16	25 lbs. [111 N]
20	20 lbs. [89 N]

Contact Current Rating @ 125° C (continuous)	<u>Contact Size</u>	<u>Max. Current</u>
	4	100 amps
	8	60 amps
	12	25 amps
	16	13 amps
	20	7.5 amps

Contact Millivolt Drop	<u>Wire AWG</u>	<u>Test Current</u>	<u>Millivolt Drop* Solids</u>	<u>Millivolt Drop* S&F</u>
	4	100 amps	60	N/A
	8	60 amps	60	N/A
	12	25 amps	60	100
	16	13 amps	60	100
	20	7.5 amps	60	100

*Less drop through wire

Crimp Tensile Strength	<u>Contact Size</u>	<u>Tensile Strength Solids</u>	<u>Tensile Strength S&F</u>
	4	300 lbs. [1334 N]	N/A
	8	90 lbs. [400 N]	N/A
	12	70 lbs. [311 N]	70 lbs. [311 N]
	16	25 lbs. [111 N]	25 lbs. [111 N]
	20	20 lbs. [89 N]	20 lbs. [89 N]


Connector Series Overview

AEC Series




- Accepts contact size 16 (13 amps)
- 14-20 AWG [2.00-0.50 mm²]
- 40 cavity arrangement
- In-line or PCB mount
- Square, thermoplastic housing
- Jackscrew for mating

AMPSEAL Connectors



- Accepts contact size 1.3 mm (up to 17 amps gold, up to 8 amps tin)
- 16-20 AWG [1.25-0.50 mm²]
- 8, 14, 23, and 35 cavity arrangements
- PCB mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Integrated wedgelock confirms contact alignment and retention
- Product specification documents: 108-1329 and 114-16016

AMPSEAL 16 Connectors



- Accepts contact sizes 1.58 mm (up to 13 amps)
- 14-20 AWG [2.00-0.50 mm²]
- 2, 3, 4, 6, 8, and 12 cavity arrangements
- In-line mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Integrated PLR confirms contact alignment and retention
- Product specification documents: 108-2184, 114-13045, and 114-13065

DRB Series



- Accepts contact sizes 4 (100 amps), 8 (60 amps), 12 (25 amps), 16 (13 amps), and 20 (7.5 amps)
- 6-22 AWG [16.00-0.35 mm²]
- 48, 60, 102, and 128 cavity arrangements
- Flange mount
- Rectangular, thermoplastic housing
- Jackscrew for mating
- Wedgelocks confirm contact alignment and retention


Connector Series Overview

DRC Series



- Accepts contact sizes 16 (13 amps) and 20 (7.5 amps)
- 14-22 AWG [2.50-0.35 mm²]
- 24, 38, 40, 50, 60, 64, and 70 cavity arrangements
- In-line, flange, or PCB mount
- Rectangular, thermoplastic housing
- Jackscrew for mating

DT Series




- Accepts contact size 16 (13 amps)
- 14-20 AWG [2.00-0.50 mm²]
- 2, 3, 4, 6, 8, and 12 cavity arrangements
- In-line, flange, or PCB mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks confirm contact alignment and retention

DTHD Series




- Accepts contact sizes 4 (100 amps), 8 (60 amps), and 12 (25 amps)
- 6-14 AWG [16.00-2.00 mm²]
- 1 cavity arrangement
- In-line or flange mount
- Circular, thermoplastic housing
- Integrated latch for mating

DTM Series



- Accepts contact size 20 (7.5 amps)
- 14-22 AWG [2.50-0.35 mm²]
- 2, 3, 4, 6, 8, and 12 cavity arrangements
- In-line, flange, or PCB mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks confirm contact alignment and retention


DTP Series



- Accepts contact size 12 (25 amps)
- 10-14 AWG [6.00-2.00 mm²]
- 2 and 4 cavity arrangements
- In-line, flange, or PCB mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks confirm contact alignment and retention


Connector Series Overview

DTV Series




- Accepts contact size 16 (13 amps)
- 14-20 AWG [2.00-0.50 mm²]
- 18 cavity arrangement
- Flange mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks confirm contact alignment and retention

HD10 Series




- Accepts contact sizes 4 (100 amps), 12 (25 amps), and 16 (13 amps)
- 6-20 AWG [16.00-0.50 mm²]
- 3, 4, 5, 6, and 9 cavity arrangements
- In-line, flange, or PCB mount
- Circular, thermoplastic housing
- Coupling ring for mating

HD30 Series




- Accepts contact sizes 4 (100 amps), 8 (60 amps), 12 (25 amps), 16 (13 amps), and 20 (7.5 amps)
- 6-22 AWG [13.00-0.35 mm²]
- 2, 6, 8, 9, 14, 16, 18, 19, 20, 21, 23, 29, 31, 33, 35 and 47 cavity arrangements
- In-line or flange mount
- Circular, aluminum housing
- Coupling ring for mating

HDP20 Series



- Accepts contact sizes 4 (100 amps), 8 (60 amps), 12 (25 amps), 16 (13 amps), and 20 (7.5 amps)
- 4-22 AWG [25.00-0.35 mm²]
- 2, 6, 7, 8, 9, 14, 16, 18, 19, 20, 21, 23, 29, 31, 33, 35 and 47 cavity arrangements
- In-line or flange mount
- Circular, thermoplastic housing
- Coupling ring for mating

STRIKE Series



- Accepts contact sizes 16 (13 amps) and 20 (7.5 amps)
- 14-22 AWG [2.50-0.35 mm²]
- 32 and 64 cavity arrangements
- In-line, flange, or PCB mount
- Square, thermoplastic housing
- Lever for mating
- TPA confirms contact alignment and retention

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
1 CAVITY CONNECTORS				
DTCE Series				
1	4	Recept., DTCE, 1 way, black, end cap	DTCE04-1-4P-E003	N/A
1	4	Recept., DTCE, 1 way, black, end cap, sealed flange, inside mount	DTCE04-1-4P-LE03	N/A
1	4	Plug, DTCE, 1 way, black, end cap	DTCE06-1-4S-E003	N/A
DTHD Series				
1	4	Recept., DTHD, 1 way, black	DTHD04-1-4P	N/A
1	4	Recept., DTHD, 1 way, black, end cap	DTHD04-1-4P-E003	N/A
1	4	Recept., DTHD, 1 way, black, sealed flange, inside mount	DTHD04-1-4P-L009	N/A
1	4	Recept., DTHD, 1 way, black, sealed flange, outside mount	DTHD04-1-4P-L013	N/A
1	8	Recept., DTHD, 1 way, black	DTHD04-1-8P	N/A
1	8	Recept., DTHD, 1 way, black, end cap	DTHD04-1-8P-E003	N/A
1	12	Recept., DTHD, 1 way, black	DTHD04-1-12P	N/A
1	12	Recept., DTHD, 1 way, black, end cap	DTHD04-1-12P-E003	N/A
1	4	Plug, DTHD, 1 way, black	DTHD06-1-4S	N/A
1	4	Plug, DTHD, 1 way, black, end cap	DTHD06-1-4S-E003	N/A
1	8	Plug, DTHD, 1 way, black	DTHD06-1-8S	N/A
1	8	Plug, DTHD, 1 way, black, end cap	DTHD06-1-8S-E003	N/A
1	12	Plug, DTHD, 1 way, black	DTHD06-1-12S	N/A
1	12	Plug, DTHD, 1 way, black, end cap	DTHD06-1-12S-E003	N/A
Jiffy Splices				
1	4	Splice, Jiffy, sz. 4	JS-04-00	N/A
1	12	Splice, Jiffy, sz. 12	JS-12-00	N/A
1	16	Splice, Jiffy, sz. 16	JS-16-00	N/A
2 CAVITY CONNECTORS				
AMPSEAL 16				
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, A key, black, red PLR, standard dia. seal	776428-1	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, A key, black, red PLR, standard dia. seal, reverse mount	1717672-1	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, A key, black, red PLR, reduced dia. seal	776534-1	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, A key, black, red PLR, reduced dia. seal, reverse mount	1871412-1	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, B key, black, gray PLR, standard dia. seal	776428-2	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, B key, black, gray PLR, standard dia. seal, reverse mount	1717672-2	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, B key, black, gray PLR, reduced dia. seal	776534-2	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, B key, black, gray PLR, reduced dia. seal, reverse mount	1871412-2	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, C key, black, yellow PLR, standard dia. seal	776428-3	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, C key, black, yellow PLR, standard dia. seal, reverse mount	1717672-3	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, C key, black, yellow PLR, reduced dia. seal	776534-3	Included

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, D key, black, green PLR, standard dia. seal	776428-4	Included
2	1.58 mm	Cap (pin housing), AMPSEAL 16, 2 way, D key, black, green PLR, reduced dia. seal	776534-4	Included
2	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 2 way, A key, black, red PLR, standard dia. seal	776427-1	Included
2	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 2 way, A key, black, red PLR, reduced dia. seal	776522-1	Included
2	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 2 way, B key, black, gray PLR, standard dia. seal	776427-2	Included
2	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 2 way, B key, black, gray PLR, reduced dia. seal	776522-2	Included
2	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 2 way, C key, black, yellow PLR, standard dia. seal	776427-3	Included
2	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 2 way, C key, black, yellow PLR, reduced dia. seal	776522-3	Included
2	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 2 way, D key, black, green PLR, standard dia. seal	776427-4	Included
2	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 2 way, D key, black, green PLR, reduced dia. seal	776522-4	Included

DT Series

2	16	Recept., DT, 2 way, gray	DT04-2P	W2P
2	16	Recept., DT, 2 way, gray, reduced dia. seals	DT04-2P-C015	W2P
2	16	Recept., DT, 2 way, gray, solid rear grommet	DT04-2P-C017	N/A
2	16	Recept., DT, 2 way, gray, reduced dia. seals, end cap	DT04-2P-CE01	W2P
2	16	Recept., DT, 2 way, black, reduced dia. seals	DT04-2P-CE02	W2P
2	16	Recept., DT, 2 way, black, reduced dia. seals, end cap	DT04-2P-CE03	W2P
2	16	Recept., DT, 2 way, gray, reduced dia. seals, shrink boot adapter	DT04-2P-CE04	W2P
2	16	Recept., DT, 2 way, black, reduced dia. seals, shrink boot adapter	DT04-2P-CE09	W2P
2	16	Recept., DT, 2 way, gray, end cap	DT04-2P-E003	W2P
2	16	Recept., DT, 2 way, black	DT04-2P-E004	W2P
2	16	Recept., DT, 2 way, black, end cap	DT04-2P-E005	W2P
2	16	Recept., DT, 2 way, gray, shrink boot adapter	DT04-2P-E008	W2P
2	16	Recept., DT, 2 way, gray, flange	DT04-2P-L012	W2P
2	16	Recept., DT, 2 way, black, 90° molded pins, feed-thru	DT04-2P-N006	N/A
2	16	Recept., DT, 2 way, black, (1) 2 pin buss, nickel contacts	DT04-2P-P060	Included
2	16	Recept., DT, 2 way, black, snap-in design, molded pins, wire leads with crimped terminals	DT04-2P-RL01	N/A
2	16	Recept., DT, 2 way, black, molded-in diode (MUR460)	DT04-2P-RT01	N/A
2	16	Recept., DT, 2 way, black, molded-in diode (Toshiba)	DT04-2P-RT02	N/A
2	16	Recept., DT, 2 way, green, molded-in diode	DT04-2P-RT06	N/A
2	16	Recept., DT, 2 way, black, molded-in resistor	DT04-2P-RT25	N/A
2	16	Plug, DT, 2 way, gray	DT06-2S	W2S
2	16	Plug, DT, 2 way, gray, reduced dia. seals	DT06-2S-C015	W2S
2	16	Plug, DT, 2 way, gray, solid rear grommet	DT06-2S-C017	Included
2	16	Plug, DT, 2 way, gray, reduced dia. seals, end cap	DT06-2S-CE01	W2S
2	16	Plug, DT, 2 way, gray, reduced dia. seals, shrink boot adapter	DT06-2S-CE04	W2S
2	16	Plug, DT, 2 way, black, enhanced seal ret., reduced dia. seals, end cap	DT06-2S-CE05	W2S-P012
2	16	Plug, DT, 2 way, black, enhanced seal ret., reduced dia. seals	DT06-2S-CE06	W2S-P012

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
2	16	Plug, DT, 2 way, black, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-2S-CE13	W2S-P012
2	16	Plug, DT, 2 way, gray, end cap	DT06-2S-E003	W2S
2	16	Plug, DT, 2 way, black	DT06-2S-E004	W2S
2	16	Plug, DT, 2 way, black, end cap	DT06-2S-E005	W2S
2	16	Plug, DT, 2 way, gray, shrink boot adapter	DT06-2S-E008	W2S
2	16	Plug, DT, 2 way, gray, fluorosilicone seal, end cap	DT06-2S-EF01	W2S
2	16	Plug, DT, 2 way, black, enhanced seal ret., end cap	DT06-2S-EP06	W2S-P012
2	16	Plug, DT, 2 way, black, enhanced seal ret., shrink boot adapter	DT06-2S-EP11	W2S-P012
2	16	Plug, DT, 2 way, black, enhanced seal ret., fluorosilicone, end cap	DT06-2S-FP02	W2S-P012
2	16	Plug, DT, 2 way, black, enhanced seal ret.	DT06-2S-P012	W2S-P012
DT13/15 Series				
2	16	Recept., DT13, 2 way, gray, 90° molded pins, PCB mount	DT13-2P	N/A
2	16	Recept., DT15, 2 way, gray, straight molded pins, PCB mount	DT15-2P	N/A
2	16	Recept., DT15, 2 way, gray, straight molded pins, PCB mount, 5 P.S.I.	DT15-2P-P010	N/A
DTF13 Series				
2	16	Recept., DTF13, 2 way, black, 90° molded pins, flangeless PCB mount	DTF13-2P	N/A
2	16	Recept., DTF13, 2 way, A key, black, 90° molded pins, flangeless PCB mount	DTF13-2PA	N/A
2	16	Recept., DTF13, 2 way, B key, black, 90° molded pins, flangeless PCB mount	DTF13-2PB	N/A
DTM Series				
2	20	Recept., DTM, 2 way, gray	DTM04-2P	WM-2P
2	20	Recept., DTM, 2 way, gray, end cap	DTM04-2P-E003	WM-2P
2	20	Recept., DTM, 2 way, black	DTM04-2P-E004	WM-2P
2	20	Recept., DTM, 2 way, black, end cap	DTM04-2P-E005	WM-2P
2	20	Recept., DTM, 2 way, gray, shrink boot adapter	DTM04-2P-E007	WM-2P
2	20	Recept., DTM, 2 way, B key, black, terminating resistor, gold pins, J1939	DTM04-2P-EP10	Included
2	20	Recept., DTM, 2 way, gray, terminating resistor, gold pins, J1939, A key	DTM04-2P-P006	Included
2	20	Recept., DTM, 2 way, black, "Y" connector, molded gold pins, J1939	DTM04-2P-P007	N/A
2	20	Plug, DTM, 2 way, gray	DTM06-2S	WM-2S
2	20	Plug, DTM, 2 way, gray, end cap	DTM06-2S-E003	WM-2S
2	20	Plug, DTM, 2 way, black	DTM06-2S-E004	WM-2S
2	20	Plug, DTM, 2 way, black, end cap	DTM06-2S-E005	WM-2S
2	20	Plug, DTM, 2 way, gray, shrink boot adapter	DTM06-2S-E007	WM-2S
2	20	Plug, DTM, 2 way, black, shrink boot adapter	DTM06-2S-EE03	WM-2S
2	20	Plug, DTM, 2 way, B key, black, terminating resistor, gold sockets, J1939	DTM06-2S-EP10	Included
2	20	Plug, DTM, 2 way, A key, gray, terminating resistor, gold sockets, J1939	DTM06-2S-P006	Included
DTMH Series				
2	20	Recept., DTMH, 2 way, A key, black, high temp	DTMH04-2PA	Included
2	20	Recept., DTMH, 2 way, B key, black, high temp	DTMH04-2PB	Included
2	20	Recept., DTMH, 2 way, C key, black, high temp	DTMH04-2PC	Included
2	20	Recept., DTMH, 2 way, D key, black, high temp	DTMH04-2PD	Included
2	20	Plug, DTMH, 2 way, A key, black, high temp	DTMH06-2SA	Included
2	20	Plug, DTMH, 2 way, B key, black, high temp	DTMH06-2SB	Included
2	20	Plug, DTMH, 2 way, C key, black, high temp	DTMH06-2SC	Included
2	20	Plug, DTMH, 2 way, D key, black, high temp	DTMH06-2SD	Included

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
DTMN Series				
2	20	Recept., DTMN, 2 way, black, non-environmental	DTMN04-2P	N/A
2	20	Plug, DTMN, 2 way, black, non-environmental	DTMN06-2S	N/A
DTP Series				
2	12	Recept., DTP, 2 way, gray	DTP04-2P	WP-2P
2	12	Recept., DTP, 2 way, gray, reduced dia. seals	DTP04-2P-C015	WP-2P
2	12	Recept., DTP, 2 way, gray, end cap	DTP04-2P-E003	WP-2P
2	12	Recept., DTP, 2 way, black	DTP04-2P-E004	WP-2P
2	12	Plug, DTP, 2 way, gray	DTP06-2S	WP-2S
2	12	Plug, DTP, 2 way, gray, reduced dia. seals	DTP06-2S-C015	WP-2S
2	12	Plug, DTP, 2 way, gray, end cap	DTP06-2S-E003	WP-2S
2	12	Plug, DTP, 2 way, black	DTP06-2S-E004	WP-2S
HD30 Series				
(6)2	2 sz. 4	Recept., HD30, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked	HD34-18-6PN-C030	N/A
(6)2	2 sz. 4	Recept., HD30, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked, cable clamp	HD34-18-6PN-C030-059	N/A
(6)2	2 sz. 4	Plug, HD30, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked	HD36-18-6SN-C030	N/A
(6)2	2 sz. 4	Plug, HD30, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked, cable clamp	HD36-18-6SN-C030-059	N/A
HDP20 Series				
(6)2	2 sz. 4	Recept., HDP20, 18 shell, 2 way, black, N seal, cavities 1, 2, 5, 6 blocked	HDP24-18-6PN-C030	N/A
(6)2	2 sz. 4	Plug, HDP20, 18 shell, 2 way, black, N seal, cavities 1, 2, 5, 6 blocked	HDP26-18-6SN-C030	N/A

3 CAVITY CONNECTORS

AMPSEAL 16				
3	1.58 mm	Cap (pin housing), AMPSEAL 16, 3 way, A key, black, red PLR, standard dia. seal	776430-1	Included
3	1.58 mm	Cap (pin housing), AMPSEAL 16, 3 way, A key, black, red PLR, standard dia. seal, reverse mount	1717673-1	Included
3	1.58 mm	Cap (pin housing), AMPSEAL 16, 3 way, A key, black, red PLR, reduced dia. seal	776535-1	Included
3	1.58 mm	Cap (pin housing), AMPSEAL 16, 3 way, A key, black, red PLR, reduced dia. seal, reverse mount	1871413-1	Included
3	1.58 mm	Cap (pin housing), AMPSEAL 16, 3 way, B key, black, gray PLR, standard dia. seal	776430-2	Included
3	1.58 mm	Cap (pin housing), AMPSEAL 16, 3 way, B key, black, gray PLR, reduced dia. seal	776535-2	Included
3	1.58 mm	Cap (pin housing), AMPSEAL 16, 3 way, C key, black, yellow PLR, standard dia. seal	776430-3	Included
3	1.58 mm	Cap (pin housing), AMPSEAL 16, 3 way, C key, black, yellow PLR, reduced dia. seal	776535-3	Included
3	1.58 mm	Cap (pin housing), AMPSEAL 16, 3 way, D key, black, green PLR, standard dia. seal	776430-4	Included
3	1.58 mm	Cap (pin housing), AMPSEAL 16, 3 way, D key, black, green PLR, reduced dia. seal	776535-4	Included
3	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 3 way, A key, black, red PLR, standard dia. seal	776429-1	Included
3	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 3 way, A key, black, red PLR, reduced dia. seal	776523-1	Included
3	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 3 way, B key, black, gray PLR, standard dia. seal	776429-2	Included

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
3	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 3 way, B key, black, gray PLR, reduced dia. seal	776523-2	Included
3	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 3 way, C key, black, yellow PLR, standard dia. seal	776429-3	Included
3	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 3 way, C key, black, yellow PLR, reduced dia. seal	776523-3	Included
3	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 3 way, D key, black, green PLR, standard dia. seal	776429-4	Included
3	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 3 way, D key, black, green PLR, reduced dia. seal	776523-4	Included

DT Series

3	16	Recept., DT, 3 way, gray	DT04-3P	W3P
(3)2	2 sz. 16	Recept., DT, 3 way, gray, C cavity blocked	DT04-3P-C008	W3P
3	16	Recept., DT, 3 way, gray, reduced dia. seals	DT04-3P-C015	W3P
3	16	Recept., DT, 3 way, gray, solid rear grommet	DT04-3P-C017	N/A
3	16	Recept., DT, 3 way, gray, reduced dia. seals, end cap	DT04-3P-CE01	W3P
3	16	Recept., DT, 3 way, black, reduced dia. seals	DT04-3P-CE02	W3P
3	16	Recept., DT, 3 way, black, reduced dia. seals, end cap	DT04-3P-CE03	W3P
3	16	Recept., DT, 3 way, gray, reduced dia. seals, shrink boot adapter	DT04-3P-CE04	W3P
3	16	Recept., DT, 3 way, black, reduced dia. seals, shrink boot adapter	DT04-3P-CE09	W3P
3	16	Recept., DT, 3 way, gray, end cap	DT04-3P-E003	W3P
3	16	Recept., DT, 3 way, black	DT04-3P-E004	W3P
3	16	Recept., DT, 3 way, black, end cap	DT04-3P-E005	W3P
3	16	Recept., DT, 3 way, gray, shrink boot adapter	DT04-3P-E008	W3P
3	16	Recept., DT, 3 way, black, shrink boot adapter	DT04-3P-EE01	W3P
3	16	Recept., DT, 3 way, black, terminating resistor, gold pins, J1939	DT04-3P-EP10	Included
3	16	Recept., DT, 3 way, gray, flange	DT04-3P-L012	W3P
3	16	Recept., DT, 3 way, gray, flange, shrink boot adapter	DT04-3P-LE08	W3P
3	16	Recept., DT, 3 way, black, flange, shrink boot adapter	DT04-3P-LE12	W3P
3	16	Recept., DT, 3 way, gray, terminating resistor, gold pins, J1939	DT04-3P-P006	Included
3	16	Recept., DT, 3 way, gray, "Y" connector, molded gold pins, J1939	DT04-3P-P007	N/A
3	16	Plug, DT, 3 way, gray	DT06-3S	W3S
(3)2	2 sz. 16	Plug, DT, 3 way, gray, C cavity blocked	DT06-3S-C008	W3S
3	16	Plug, DT, 3 way, gray, reduced dia. seals	DT06-3S-C015	W3S
3	16	Plug, DT, 3 way, gray, solid rear grommet	DT06-3S-C017	Included
3	16	Plug, DT, 3 way, gray, reduced dia. seals, end cap	DT06-3S-CE01	W3S
3	16	Plug, DT, 3 way, black, reduced dia. seals	DT06-3S-CE02	W3S
3	16	Plug, DT, 3 way, gray, reduced dia. seals, shrink boot adapter	DT06-3S-CE04	W3S
3	16	Plug, DT, 3 way, black, enhanced seal ret., reduced dia. seals, end cap	DT06-3S-CE05	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., reduced dia. seals	DT06-3S-CE06	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-3S-CE13	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., reduced dia. seals, latch guard end cap	DT06-3S-CE14	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., reduced dia. seals, flange, disabled latch	DT06-3S-CL08	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., solid rear grommet, end cap	DT06-3S-CP01	Included
3	16	Plug, DT, 3 way, gray, end cap	DT06-3S-E003	W3S

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
3	16	Plug, DT, 3 way, black	DT06-3S-E004	W3S
3	16	Plug, DT, 3 way, black, end cap	DT06-3S-E005	W3S
3	16	Plug, DT, 3 way, gray, shrink boot adapter	DT06-3S-E008	W3S
3	16	Plug, DT, 3 way, gray, fluorosilicone seal, latch guard end cap	DT06-3S-EF02	W3S
3	16	Plug, DT, 3 way, gray, latch guard end cap	DT06-3S-EP05	W3S
3	16	Plug, DT, 3 way, black, enhanced seal ret., end cap	DT06-3S-EP06	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., latch guard end cap	DT06-3S-EP09	W3S-P012
3	16	Plug, DT, 3 way, black, terminating resistor, gold sockets, end cap, J1939	DT06-3S-EP10	Included
3	16	Plug, DT, 3 way, black, enhanced seal ret., shrink boot adapter	DT06-3S-EP11	W3S-P012
3	16	Plug, DT, 3 way, gray, terminating resistor, gold sockets, end cap, J1939	DT06-3S-P006	Included
3	16	Plug, DT, 3 way, black, enhanced seal ret.	DT06-3S-P012	W3S-P012
3	16	Plug, DT, 3 way, black, enhanced seal ret., single piece shrink boot adapter	DT06-3S-P032	W3S-P012
3	16	Plug, DT, 3 way, gray, terminating resistor, gold sockets, latch guard end cap, J1939	DT06-3S-PE01	Included
3	16	Plug, DT, 3 way, black, enhanced seal ret., terminating resistor, gold sockets, end cap, J1939	DT06-3S-PP01	Included
DTF13 Series				
3	16	Recept., DTF13, 3 way, black, 90° molded pins, flangeless PCB mount	DTF13-3P	N/A
3	16	Recept., DTF13, 3 way, black, 90° molded pins, flangeless PCB mount, J1939	DTF13-3P-1939	N/A
DTM Series				
3	20	Recept., DTM, 3 way, gray	DTM04-3P	WM-3P
3	20	Recept., DTM, 3 way, gray, end cap	DTM04-3P-E003	WM-3P
3	20	Recept., DTM, 3 way, black	DTM04-3P-E004	WM-3P
3	20	Recept., DTM, 3 way, black, end cap	DTM04-3P-E005	WM-3P
3	20	Plug, DTM, 3 way, gray	DTM06-3S	WM-3S
3	20	Plug, DTM, 3 way, black	DTM06-3S-E004	WM-3S
3	20	Plug, DTM, 3 way, gray, shrink boot adapter	DTM06-3S-E007	WM-3S
DTMH Series				
3	20	Recept., DTMH, 3 way, A key, black, high temp	DTMH04-3PA	Included
3	20	Plug, DTMH, 3 way, A key, black, high temp	DTMH06-3SA	Included
DTMN Series				
3	20	Recept., DTMN, 3 way, black, non-environmental	DTMN04-3P	N/A
3	20	Plug, DTMN, 3 way, black, non-environmental	DTMN06-3S	N/A
HD10 Series				
3	16	Recept., HD10, 3 way, gray, flange, threaded rear	HD10-3-96P	N/A
3	16	Recept., HD10, 3 way, gray, in-line, non-threaded rear	HD14-3-16P	N/A
3	16	Recept., HD10, 3 way, gray, in-line, threaded rear	HD14-3-96P	N/A
3	16	Plug, HD10, 3 way, gray, non-threaded rear	HD16-3-16S	N/A
3	16	Plug, HD10, 3 way, gray, threaded rear	HD16-3-96S	N/A

4 CAVITY CONNECTORS

AMPSEAL 16				
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, A key, black, red PLR, standard dia. seal	776488-1	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, A key, black, red PLR, standard dia. seal, reverse mount	1717674-1	Included

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, A key, black, red PLR, reduced dia. seal	776536-1	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, A key, black, red PLR, reduced dia. seal, reverse mount	1871414-1	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, B key, black, gray PLR, standard dia. seal	776488-2	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, B key, black, gray PLR, standard dia. seal, reverse mount	1717674-2	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, B key, black, gray PLR, reduced dia. seal	776536-2	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, B key, black, gray PLR, reduced dia. seal, reverse mount	1871414-2	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, C key, black, yellow PLR, standard dia. seal	776488-3	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, C key, black, yellow PLR, standard dia. seal, reverse mount	1717674-3	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, C key, black, yellow PLR, reduced dia. seal	776536-3	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, D key, black, green PLR, standard dia. seal	776488-4	Included
4	1.58 mm	Cap (pin housing), AMPSEAL 16, 4 way, D key, black, green PLR, reduced dia. seal	776536-4	Included
4	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 4 way, A key, black, red PLR, standard dia. seal	776487-1	Included
4	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 4 way, A key, black, red PLR, reduced dia. seal	776524-1	Included
4	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 4 way, B key, black, gray PLR, standard dia. seal	776487-2	Included
4	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 4 way, B key, black, gray PLR, reduced dia. seal	776524-2	Included
4	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 4 way, C key, black, yellow PLR, standard dia. seal	776487-3	Included
4	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 4 way, C key, black, yellow PLR, reduced dia. seal	776524-3	Included
4	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 4 way, D key, black, green PLR, standard dia. seal	776487-4	Included
4	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 4 way, D key, black, green PLR, reduced dia. seal	776524-4	Included

DT Series

4	16	Recept., DT, 4 way, gray	DT04-4P	W4P
4	16	Recept., DT, 4 way, gray, reduced dia. seals	DT04-4P-C015	W4P
4	16	Recept., DT, 4 way, gray, solid rear grommet	DT04-4P-C017	N/A
4	16	Recept., DT, 4 way, gray, reduced dia. seals, end cap	DT04-4P-CE01	W4P
4	16	Recept., DT, 4 way, black, reduced dia. seals	DT04-4P-CE02	W4P
4	16	Recept., DT, 4 way, black, reduced dia. seals, end cap	DT04-4P-CE03	W4P
4	16	Recept., DT, 4 way, gray, reduced dia. seals, shrink boot adapter	DT04-4P-CE04	W4P
4	16	Recept., DT, 4 way, black, reduced dia. seals, shrink boot adapter	DT04-4P-CE09	W4P
4	16	Recept., DT, 4 way, gray, reduced dia. seals, flange	DT04-4P-CL03	W4P
4	16	Recept., DT, 4 way, gray, end cap	DT04-4P-E003	W4P
4	16	Recept., DT, 4 way, black	DT04-4P-E004	W4P
4	16	Recept., DT, 4 way, black, end cap	DT04-4P-E005	W4P
4	16	Recept., DT, 4 way, gray, shrink boot adapter	DT04-4P-E008	W4P

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
4	16	Recept., DT, 4 way, black, (1) 4 pin buss, nickel contacts	DT04-4P-EP13	Included
4	16	Recept., DT, 4 way, gray, flange	DT04-4P-L012	W4P
4	16	Recept., DT, 4 way, black, flange, end cap	DT04-4P-LE11	W4P
4	16	Recept., DT, 4 way, black, round housing, end cap, one piece design	DT04-4P-LE13	W4P
4	16	Recept., DT, 4 way, gray, (1) 4 pin buss, nickel contacts	DT04-4P-P021	Included
4	16	Recept., DT, 4 way, black, molded-in diode (MUR460)	DT04-4P-RT01	N/A
4	16	Recept., DT, 4 way, gray, two molded-in diodes (MUR460)	DT04-4P-RT03	N/A
4	16	Plug, DT, 4 way, gray	DT06-4S	W4S
4	16	Plug, DT, 4 way, gray, reduced dia. seals	DT06-4S-C015	W4S
4	16	Plug, DT, 4 way, gray, solid rear grommet	DT06-4S-C017	Included
4	16	Plug, DT, 4 way, gray, reduced dia. seals, end cap	DT06-4S-CE01	W4S
4	16	Plug, DT, 4 way, black, reduced dia. seals	DT06-4S-CE02	W4S
4	16	Plug, DT, 4 way, gray, reduced dia. seals, shrink boot adapter	DT06-4S-CE04	W4S
4	16	Plug, DT, 4 way, black, enhanced seal ret., reduced dia. seals, end cap	DT06-4S-CE05	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret., reduced dia. seals	DT06-4S-CE06	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-4S-CE13	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret., solid rear grommet, end cap	DT06-4S-CP01	Included
4	16	Plug, DT, 4 way, gray, end cap	DT06-4S-E003	W4S
4	16	Plug, DT, 4 way, black	DT06-4S-E004	W4S
4	16	Plug, DT, 4 way, black, end cap	DT06-4S-E005	W4S
4	16	Plug, DT, 4 way, gray, shrink boot adapter	DT06-4S-E008	W4S
4	16	Plug, DT, 4 way, black, enhanced seal ret., end cap	DT06-4S-EP06	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret., shrink boot adapter	DT06-4S-EP11	W4S-P012
4	16	Plug, DT, 4 way, black, enhanced seal ret.	DT06-4S-P012	W4S-P012
DT13/15 Series				
4	16	Recept., DT13, 4 way, gray, 90° molded pins, PCB mount	DT13-4P	N/A
4	16	Recept., DT13, 4 way, gray, 90° molded gold pins, PCB mount	DT13-4P-G003	N/A
4	16	Recept., DT15, 4 way, gray, straight molded pins, PCB mount	DT15-4P	N/A
4	16	Recept., DT15, 4 way, gray, straight molded gold pins, PCB mount	DT15-4P-G003	N/A
DTF13 Series				
4	16	Recept., DTF13, 4 way, black, 90° molded pins, flangeless PCB mount	DTF13-4P	N/A
4	16	Recept., DTF13, 4 way, black, 90° molded gold pins, flangeless PBC mount	DTF13-4P-G003	N/A
DTM Series				
4	20	Recept., DTM, 4 way, gray	DTM04-4P	WM-4P
4	20	Recept., DTM, 4 way, gray, end cap	DTM04-4P-E003	WM-4P
4	20	Recept., DTM, 4 way, black	DTM04-4P-E004	WM-4P
4	20	Recept., DTM, 4 way, black, end cap	DTM04-4P-E005	WM-4P
4	20	Plug, DTM, 4 way, gray	DTM06-4S	WM-4S
4	20	Plug, DTM, 4 way, black	DTM06-4S-E004	WM-4S
4	20	Plug, DTM, 4 way, gray, shrink boot adapter	DTM06-4S-E007	WM-4S
DTMH Series				
4	20	Recept., DTMH, 4 way, A key, black, high temp	DTMH04-4PA	Included
4	20	Recept., DTMH, 4 way, B key, black, high temp	DTMH04-4PB	Included
4	20	Recept., DTMH, 4 way, C key, black, high temp	DTMH04-4PC	Included
4	20	Recept., DTMH, 4 way, D key, black, high temp	DTMH04-4PD	Included

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
4	20	Plug, DTMH, 4 way, A key, black, high temp	DTMH06-4SA	Included
4	20	Plug, DTMH, 4 way, B key, black, high temp	DTMH06-4SB	Included
4	20	Plug, DTMH, 4 way, C key, black, high temp	DTMH06-4SC	Included
4	20	Plug, DTMH, 4 way, D key, black, high temp	DTMH06-4SD	Included

DTP Series

4	12	Recept., DTP, 4 way, gray	DTP04-4P	WP-4P
4	12	Recept., DTP, 4 way, gray, reduced dia. seals	DTP04-4P-C015	WP-4P
4	12	Recept., DTP, 4 way, gray, end cap	DTP04-4P-E003	WP-4P
4	12	Recept., DTP, 4 way, black	DTP04-4P-E004	WP-4P
4	12	Recept., DTP, 4 way, gray, flange	DTP04-4P-L012	WP-4P
4	12	Recept., DTP, 4 way, gray, flange, end cap	DTP04-4P-LE07	WP-4P
4	12	Plug, DTP, 4 way, gray	DTP06-4S	WP-4S
4	12	Plug, DTP, 4 way, gray, reduced dia. seals	DTP06-4S-C015	WP-4S
4	12	Plug, DTP, 4 way, black, reduced dia. seals	DTP06-4S-CE02	WP-4S
4	12	Plug, DTP, 4 way, gray, end cap	DTP06-4S-E003	WP-4S
4	12	Plug, DTP, 4 way, black	DTP06-4S-E004	WP-4S
4	12	Plug, DTP, 4 way, black, shrink boot adapter	DTP06-4S-EE01	WP-4S

DTP10/13/15 Series

4	12	Recept., DTP10, 4 way, black, straight molded pins, PCB outside mount	DTP10-4P	N/A
4	12	Recept., DTP13, 4 way, black, 90° molded pins, PCB inside mount	DTP13-4P	N/A
4	12	Recept., DTP15, 4 way, black, straight molded pins, PCB inside mount	DTP15-4P	N/A

HD10 Series

4	1 sz. 4, 3 sz. 16	Recept., HD10, 4 way, gray, flange, threaded rear	HD10-4-4P	N/A
4	1 sz. 4, 3 sz. 16	Plug, HD10, 4 way, gray, threaded rear	HD16-4-4S	N/A

5 CAVITY CONNECTORS

HD10 Series

5	16	Recept., HD10, 5 way, gray, flange, non-threaded rear	HD10-5-16P	N/A
5	16	Recept., HD10, 5 way, gray, flange, non-threaded rear, key removed from flange	HD10-5-16P-B009	N/A
5	16	Recept., HD10, 5 way, gray, in-line, non-threaded rear	HD14-5-16P	N/A
5	16	Plug, HD10, 5 way, gray, non-threaded rear	HD16-5-16S	N/A

6 CAVITY CONNECTORS

AMPSEAL 16

6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, A key, black, red PLR, standard dia. seal	776434-1	Included
6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, A key, black, red PLR, standard dia. seal, reverse mount	1717675-1	Included
6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, A key, black, red PLR, reduced dia. seal	776537-1	Included
6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, A key, black, red PLR, reduced dia. seal, reverse mount	1717975-1	Included
6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, B key, black, gray PLR, standard dia. seal	776434-2	Included
6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, B key, black, gray PLR, standard dia. seal, reverse mount	1717675-2	Included
6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, B key, black, gray PLR, reduced dia. seal	776537-2	Included

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, B key, black, gray PLR, reduced dia. seal, reverse mount	1717975-2	Included
6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, C key, black, yellow PLR, standard dia. seal	776434-3	Included
6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, C key, black, yellow PLR, standard dia. seal, reverse mount	1717675-3	Included
6	1.58 mm	Cap (pin housing), AMPSEAL 16, 6 way, C key, black, yellow PLR, reduced dia. seal	776537-3	Included
6	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 6 way, A key, black, red PLR, standard dia. seal	776433-1	Included
6	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 6 way, A key, black, red PLR, reduced dia. seal	776531-1	Included
6	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 6 way, B key, black, gray PLR, standard dia. seal	776433-2	Included
6	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 6 way, B key, black, gray PLR, reduced dia. seal	776531-2	Included
6	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 6 way, C key, black, yellow PLR, standard dia. seal	776433-3	Included
6	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 6 way, C key, black, yellow PLR, reduced dia. seal	776531-3	Included

DT Series

6	16	Recept., DT, 6 way, gray	DT04-6P	W6P
6	16	Recept., DT, 6 way, gray, reduced dia. seals	DT04-6P-C015	W6P
6	16	Recept., DT, 6 way, gray, solid rear grommet	DT04-6P-C017	N/A
6	16	Recept., DT, 6 way, gray, reduced dia. seals, end cap	DT04-6P-CE01	W6P
6	16	Recept., DT, 6 way, black, reduced dia. seals	DT04-6P-CE02	W6P
6	16	Recept., DT, 6 way, black, reduced dia. seals, end cap	DT04-6P-CE03	W6P
6	16	Recept., DT, 6 way, black, reduced dia. seals, sealed flange, end cap	DT04-6P-CL09	W6P
6	16	Recept., DT, 6 way, gray, end cap	DT04-6P-E003	W6P
6	16	Recept., DT, 6 way, black	DT04-6P-E004	W6P
6	16	Recept., DT, 6 way, black, end cap	DT04-6P-E005	W6P
6	16	Recept., DT, 6 way, black, (1) 6 pin buss, nickel contacts	DT04-6P-EP13	Included
6	16	Recept., DT, 6 way, black, (2) 3 pin busses, nickel contacts	DT04-6P-EP14	Included
6	16	Recept., DT, 6 way, black, DIN backshell adapter	DT04-6P-L019	W6P
6	16	Recept., DT, 6 way, gray, (1) 6 pin buss, nickel contacts	DT04-6P-P021	Included
6	16	Plug, DT, 6 way, gray	DT06-6S	W6S
6	16	Plug, DT, 6 way, gray, reduced dia. seals	DT06-6S-C015	W6S
6	16	Plug, DT, 6 way, gray, solid rear grommet	DT06-6S-C017	Included
6	16	Plug, DT, 6 way, gray, reduced dia. seals, end cap	DT06-6S-CE01	W6S
6	16	Plug, DT, 6 way, black, reduced dia. seals	DT06-6S-CE02	W6S
6	16	Plug, DT, 6 way, black, enhanced seal ret., reduced dia. seals, end cap	DT06-6S-CE05	W6S-P012
6	16	Plug, DT, 6 way, black, enhanced seal ret., reduced dia. seals	DT06-6S-CE06	W6S-P012
6	16	Plug, DT, 6 way, gray, end cap	DT06-6S-E003	W6S
6	16	Plug, DT, 6 way, black	DT06-6S-E004	W6S
6	16	Plug, DT, 6 way, black, end cap	DT06-6S-E005	W6S
6	16	Plug, DT, 6 way, black, enhanced seal ret., end cap	DT06-6S-EP06	W6S-P012
6	16	Plug, DT, 6 way, black, enhanced seal ret., shrink boot adapter	DT06-6S-EP11	W6S-P012
6	16	Plug, DT, 6 way, black, enhanced seal ret.	DT06-6S-P012	W6S-P012

DT13/15 Series

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
6	16	Recept., DT13, 6 way, gray, 90° molded pins, PCB mount	DT13-6P	N/A
6	16	Recept., DT13, 6 way, gray, 90° molded gold pins, PCB mount	DT13-6P-G003	N/A
6	16	Recept., DT15, 6 way, gray, straight molded pins, PCB mount	DT15-6P	N/A
6	16	Recept., DT15, 6 way, gray, straight molded gold pins, PCB mount	DT15-6P-G003	N/A
6	16	Recept., DT15, 6 way, gray, straight molded gold pins, PCB mount, 5 P.S.I.	DT15-6P-GP01	N/A
DT16 Series				
6	16	Plug, DT16, 6 way, green, end cap	DT16-6S-KP01	N/A
DTF13 Series				
6	16	Recept., DTF13, 6 way, black, 90° molded pins, flangeless PCB mount	DTF13-6P	N/A
6	16	Recept., DTF13, 6 way, black, 90° molded gold pins, flangeless PCB mount	DTF13-6P-G003	N/A
DTM Series				
6	20	Recept., DTM, 6 way, gray	DTM04-6P	WM-6P
6	20	Recept., DTM, 6 way, gray, end cap	DTM04-6P-E003	WM-6P
6	20	Recept., DTM, 6 way, black	DTM04-6P-E004	WM-6P
6	20	Recept., DTM, 6 way, black, end cap	DTM04-6P-E005	WM-6P
6	20	Recept., DTM, 6 way, black, high temp	DTM04-6P-EE04	WM-6P
6	20	Plug, DTM, 6 way, gray	DTM06-6S	WM-6S
6	20	Plug, DTM, 6 way, black	DTM06-6S-E004	WM-6S
6	20	Plug, DTM, 6 way, black, end cap	DTM06-6S-E005	WM-6S
6	20	Plug, DTM, 6 way, gray, shrink boot adapter	DTM06-6S-E007	WM-6S
6	20	Plug, DTM, 6 way, black, shrink boot adapter	DTM06-6S-EE03	WM-6S
6	20	Plug, DTM, 6 way, black, high temp	DTM06-6S-EE04	WM-6S
HD10 Series				
6	12	Recept., HD10, 6 way, gray, flange, threaded rear	HD10-6-12P	N/A
6	12	Recept., HD10, 6 way, black, flange, threaded rear	HD10-6-12P-E004	N/A
6	16	Recept., HD10, 6 way, gray, flange, threaded rear	HD10-6-96P	N/A
6	16	Recept., HD10, 6 way, black, flange, straight molded pins, PCB mount	HD10-6-96P-N005	N/A
6	16	Recept., HD10, 6 way, gray, in-line, threaded rear	HD14-6-96P	N/A
6	12	Plug, HD10, 6 way, gray, threaded rear, no coupling ring	HD16-6-12S	N/A
6	12	Plug, HD10, 6 way, gray, threaded rear, with coupling ring	HD16-6-12S-B010	N/A
6	16	Plug, HD10, 6 way, gray, threaded rear	HD16-6-96S	N/A
HD30 Series				
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal	HD34-18-6PN	N/A
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, cable clamp	HD34-18-6PN-059	N/A
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, adapter	HD34-18-6PN-072	N/A
(6)2	2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked	HD34-18-6PN-C030	N/A
(6)2	2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked, cable clamp	HD34-18-6PN-C030-059	N/A
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, reverse	HD34-18-6SN	N/A
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, reverse, cable clamp	HD34-18-6SN-059	N/A
6	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, reverse, adapter	HD34-18-6SN-072	N/A
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, reverse	HD36-18-6PN	N/A
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, reverse, cable clamp	HD36-18-6PN-059	N/A
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, reverse, adapter	HD36-18-6PN-072	N/A
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal	HD36-18-6SN	N/A
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, cable clamp	HD36-18-6SN-059	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
6	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, adapter	HD36-18-6SN-072	N/A
(6)2	2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked	HD36-18-6SN-C030	N/A
(6)2	2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked, cable clamp	HD36-18-6SN-C030-059	N/A

HDP20 Series

6	4 sz. 16, 2 sz. 4	Recept., HDP20, 18 shell, 6 way, black, N seal	HDP24-18-6PN	N/A
(6)2	2 sz. 4	Recept., HDP20, 18 shell, 6 way, black, N seal, cavities 1, 2, 5, 6 blocked	HDP24-18-6PN-C030	N/A
6	4 sz. 16, 2 sz. 4	Recept., HDP20, 18 shell, 6 way, black, N seal, ring adapter	HDP24-18-6PN-L017	N/A
6	4 sz. 16, 2 sz. 4	Plug, HDP20, 18 shell, 6 way, black, N seal	HDP26-18-6SN	N/A
(6)2	2 sz. 4	Plug, HDP20, 18 shell, 6 way, black, N seal, cavities 1, 2, 5, 6 blocked	HDP26-18-6SN-C030	N/A
6	4 sz. 16, 2 sz. 4	Plug, HDP20, 18 shell, 6 way, black, N seal, ring adapter	HDP26-18-6SN-L017	N/A

7 CAVITY CONNECTORS

HDP20 Series

7	4 sz. 16, 3 sz. 4	Recept., HDP20, 24 shell, 7 way, black, N seal, 5960-203-04141 contact only	HDP24-24-7PN-C038	N/A
7	4 sz. 16, 3 sz. 4	Plug, HDP20, 24 shell, 7 way, black, N seal, 5962-203-04141 contact only	HDP26-24-7SN-C038	N/A

8 CAVITY CONNECTORS

AMPSEAL

8	1.3 mm	Header, AMPSEAL, 8 way, A key, black, straight molded tin pins, PCB mount, without seal	776275-1	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, A key, black, straight molded tin pins, PCB mount, with seal	776276-1	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, A key, black, straight molded gold pins, PCB mount, without seal	1-776275-1	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, A key, black, straight molded gold pins, PCB mount, with seal	1-776276-1	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, A key, black, 90° molded tin pins, PCB mount, without seal	776279-1	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, A key, black, 90° molded tin pins, PCB mount, with seal	776280-1	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, A key, black, 90° molded gold pins, PCB mount, without seal	1-776279-1	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, A key, black, 90° molded gold pins, PCB mount, with seal	1-776280-1	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, B key, natural, straight molded tin pins, PCB mount, without seal	776275-2	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, B key, natural, straight molded tin pins, PCB mount, with seal	776276-2	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, B key, natural, straight molded gold pins, PCB mount, without seal	1-776275-2	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, B key, natural, straight molded gold pins, PCB mount, with seal	1-776276-2	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, B key, natural, 90° molded tin pins, PCB mount, without seal	776279-2	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, B key, natural, 90° molded tin pins, PCB mount, with seal	776280-2	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, B key, natural, 90° molded gold pins, PCB mount, without seal	1-776279-2	N/A
8	1.3 mm	Header, AMPSEAL, 8 way, B key, natural, 90° molded gold pins, PCB mount, with seal	1-776280-2	N/A
8	1.3 mm	Plug (receptacle housing), AMPSEAL, 8 way, A key, black	776286-1	Included

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
8	1.3 mm	Plug (receptacle housing), AMPSEAL, 8 way, B key, natural	776286-2	Included
AMPSEAL 16				
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, A key, black, red PLR, standard dia. seal	776495-1	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, A key, black, red PLR, standard dia. seal, reverse mount	1717676-1	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, A key, black, red PLR, reduced dia. seal	776538-1	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, A key, black, red PLR, reduced dia. seal, reverse mount	1871415-1	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, B key, black, gray PLR, standard dia. seal	776495-2	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, B key, black, gray PLR, standard dia. seal, reverse mount	1717676-2	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, B key, black, gray PLR, reduced dia. seal	776538-2	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, B key, black, gray PLR, reduced dia. seal, reverse mount	1871415-2	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, C key, black, yellow PLR, standard dia. seal	776495-3	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, C key, black, yellow PLR, standard dia. seal, reverse mount	1717676-3	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, C key, black, yellow PLR, reduced dia. seal	776538-3	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, C key, black, yellow PLR, reduced dia. seal, reverse mount	1871415-3	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, D key, black, green PLR, standard dia. seal	776495-4	Included
8	1.58 mm	Cap (pin housing), AMPSEAL 16, 8 way, D key, black, green PLR, reduced dia. seal	776538-4	Included
8	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 8 way, A key, black, red PLR, standard dia. seal	776494-1	Included
8	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 8 way, A key, black, red PLR, reduced dia. seal	776532-1	Included
8	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 8 way, B key, black, gray PLR, standard dia. seal	776494-2	Included
8	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 8 way, B key, black, gray PLR, reduced dia. seal	776532-2	Included
8	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 8 way, C key, black, yellow PLR, standard dia. seal	776494-3	Included
8	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 8 way, C key, black, yellow PLR, reduced dia. seal	776532-3	Included
8	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 8 way, D key, black, green PLR, standard dia. seal	776494-4	Included
8	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 8 way, D key, black, green PLR, reduced dia. seal	776532-4	Included
DT Series				
8	16	Recept., DT, 8 way, A key, gray	DT04-08PA	W8P
8	16	Recept., DT, 8 way, A key, gray, reduced dia. seals	DT04-08PA-C015	W8P
8	16	Recept., DT, 8 way, A key, gray, reduced dia. seals, end cap	DT04-08PA-CE01	W8P
8	16	Recept., DT, 8 way, A key, black, reduced dia. seals	DT04-08PA-CE02	W8P
8	16	Recept., DT, 8 way, A key, black, reduced dia. seals, end cap	DT04-08PA-CE03	W8P
8	16	Recept., DT, 8 way, A key, black, reduced dia. seals, flange	DT04-08PA-CL03	W8P

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
8	16	Recept., DT, 8 way, A key, gray, reduced dia. seals, sealed flange, shrink boot adapter	DT04-08PA-CL07	W8P
8	16	Recept., DT, 8 way, A key, gray, end cap	DT04-08PA-E003	W8P
8	16	Recept., DT, 8 way, A key, black	DT04-08PA-E004	W8P
8	16	Recept., DT, 8 way, A key, black, end cap	DT04-08PA-E005	W8P
8	16	Recept., DT, 8 way, A key, gray, shrink boot adapter	DT04-08PA-E008	W8P
8	16	Recept., DT, 8 way, A key, gray, sealed flange, shrink boot adapter	DT04-08PA-LE03	W8P
8	16	Recept., DT, 8 way, A key, black, flange, end cap	DT04-08PA-LE11	W8P
8	16	Recept., DT, 8 way, A key, gray, flange	DT04-08PA-L012	W8P
8	16	Recept., DT, 8 way, A key, gray, (1) 8 pin buss, nickel contacts	DT04-08PA-P021	Included
8	16	Recept., DT, 8 way, A key, gray, (2) 4 pin busses, nickel contacts	DT04-08PA-P026	Included
8	16	Recept., DT, 8 way, A key, gray, (1) 3 pin buss/(1) 5 pin buss, nickel contacts	DT04-08PA-P028	Included
8	16	Recept., DT, 8 way, B key, black	DT04-08PB	W8P
8	16	Recept., DT, 8 way, B key, black, reduced dia. seals, end cap	DT04-08PB-CE01	W8P
8	16	Recept., DT, 8 way, B key, black, end cap	DT04-08PB-E003	W8P
8	16	Recept., DT, 8 way, B key, black, flange	DT04-08PB-L012	W8P
8	16	Recept., DT, 8 way, B key, black, (1) 8 pin buss, nickel contacts	DT04-08PB-P021	Included
8	16	Recept., DT, 8 way, B key, black, (2) 4 pin busses, nickel contacts	DT04-08PB-P026	Included
8	16	Recept., DT, 8 way, B key, black, (1) 3 pin buss/(1) 5 pin buss, nickel contacts	DT04-08PB-P028	Included
8	16	Recept., DT, 8 way, C key, green	DT04-08PC	W8P
8	16	Recept., DT, 8 way, C key, green, reduced dia. seals	DT04-08PC-C015	W8P
8	16	Recept., DT, 8 way, C key, green, reduced dia. seals, end cap	DT04-08PC-CE01	W8P
8	16	Recept., DT, 8 way, C key, green, end cap	DT04-08PC-E003	W8P
8	16	Recept., DT, 8 way, D key, brown	DT04-08PD	W8P
8	16	Recept., DT, 8 way, D key, brown, reduced dia. seals, end cap	DT04-08PD-CE01	W8P
8	16	Recept., DT, 8 way, D key, brown, end cap	DT04-08PD-E003	W8P
8	16	Plug, DT, 8 way, A key, gray	DT06-08SA	W8S
8	16	Plug, DT, 8 way, A key, gray, reduced dia. seals	DT06-08SA-C015	W8S
8	16	Plug, DT, 8 way, A key, gray, solid rear grommet	DT06-08SA-C017	Included
8	16	Plug, DT, 8 way, A key, gray, reduced dia. seals, end cap	DT06-08SA-CE01	W8S
8	16	Plug, DT, 8 way, A key, gray, reduced dia. seals, shrink boot adapter	DT06-08SA-CE04	W8S
8	16	Plug, DT, 8 way, A key, gray, enhanced seal ret., reduced dia. seals, end cap	DT06-08SA-CE05	W8S-P012
8	16	Plug, DT, 8 way, A key, gray, enhanced seal ret., reduced dia. seals	DT06-08SA-CE06	W8S-P012
8	16	Plug, DT, 8 way, A key, black, enhanced seal ret., reduced dia. seals	DT06-08SA-CE10	W8S-P012
8	16	Plug, DT, 8 way, A key, black, enhanced seal ret., reduced dia. seals, end cap	DT06-08SA-CE11	W8S-P012
8	16	Plug, DT, 8 way, A key, gray, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-08SA-CE13	W8S-P012
8	16	Plug, DT, 8 way, A key, gray, end cap	DT06-08SA-E003	W8S
8	16	Plug, DT, 8 way, A key, black, end cap	DT06-08SA-E005	W8S
8	16	Plug, DT, 8 way, A key, gray, shrink boot adapter	DT06-08SA-E008	W8S
8	16	Plug, DT, 8 way, A key, gray, enhanced seal ret., end cap	DT06-08SA-EP06	W8S-P012
8	16	Plug, DT, 8 way, A key, black, enhanced seal ret.	DT06-08SA-EP07	W8S-P012
8	16	Plug, DT, 8 way, A key, black, enhanced seal ret., end cap	DT06-08SA-EP08	W8S-P012
8	16	Plug, DT, 8 way, A key, gray, enhanced seal ret.	DT06-08SA-P012	W8S-P012

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
8	16	Plug, DT, 8 way, B key, black	DT06-08SB	W8S
8	16	Plug, DT, 8 way, B key, black, reduced dia. seals	DT06-08SB-C015	W8S
8	16	Plug, DT, 8 way, B key, black, solid rear grommet	DT06-08SB-C017	Included
8	16	Plug, DT, 8 way, B key, black, reduced dia. seals, end cap	DT06-08SB-CE01	W8S
8	16	Plug, DT, 8 way, B key, black, enhanced seal ret., reduced dia. seals, end cap	DT06-08SB-CE05	W8S-P012
8	16	Plug, DT, 8 way, B key, black, enhanced seal ret., reduced dia. seals	DT06-08SB-CE06	W8S-P012
8	16	Plug, DT, 8 way, B key, black, enhanced seal ret., end cap	DT06-08SB-EP06	W8S-P012
8	16	Plug, DT, 8 way, B key, black, enhanced seal ret.	DT06-08SB-P012	W8S-P012
8	16	Plug, DT, 8 way, C key, green	DT06-08SC	W8S
8	16	Plug, DT, 8 way, C key, green, reduced dia. seals	DT06-08SC-C015	W8S
8	16	Plug, DT, 8 way, C key, green, solid rear grommet	DT06-08SC-C017	Included
8	16	Plug, DT, 8 way, C key, green, reduced dia. seals, end cap	DT06-08SC-CE01	W8S
8	16	Plug, DT, 8 way, C key, green, enhanced seal ret., reduced dia. seals, end cap	DT06-08SC-CE05	W8S-P012
8	16	Plug, DT, 8 way, C key, green, enhanced seal ret., end cap	DT06-08SC-EP06	W8S-P012
8	16	Plug, DT, 8 way, C key, green, enhanced seal ret.	DT06-08SC-P012	W8S-P012
8	16	Plug, DT, 8 way, D key, brown	DT06-08SD	W8S
8	16	Plug, DT, 8 way, D key, brown, solid rear grommet	DT06-08SD-C017	Included
8	16	Plug, DT, 8 way, D key, brown, reduced dia. seals, end cap	DT06-08SD-CE01	W8S
8	16	Plug, DT, 8 way, D key, brown, enhanced seal ret., reduced dia. seals, end cap	DT06-08SD-CE05	W8S-P012
8	16	Plug, DT, 8 way, D key, brown, enhanced seal ret., end cap	DT06-08SD-EP06	W8S-P012
8	16	Plug, DT, 8 way, D key, brown, enhanced seal ret.	DT06-08SD-P012	W8S-P012

DT13/15 Series

8	16	Recept., DT13, 8 way, A key, gray, 90° molded pins, PCB mount	DT13-08PA	N/A
8	16	Recept., DT13, 8 way, A key, gray, 90° molded gold pins, PCB mount	DT13-08PA-G003	N/A
8	16	Recept., DT13, 8 way, B key, black, 90° molded pins, PCB mount	DT13-08PB	N/A
8	16	Recept., DT13, 8 way, B key, black, 90° molded gold pins, PCB mount	DT13-08PB-G003	N/A
8	16	Recept., DT13, 8 way, C key, green, 90° molded pins, PCB mount	DT13-08PC	N/A
8	16	Recept., DT13, 8 way, D key, brown, 90° molded pins, PCB mount	DT13-08PD	N/A
8	16	Recept., DT15, 8 way, A key, gray, straight molded pins, PCB mount	DT15-08PA	N/A
8	16	Recept., DT15, 8 way, A key, gray, straight molded gold pins, PCB mount	DT15-08PA-G003	N/A
8	16	Recept., DT15, 8 way, B key, black, straight molded pins, PCB mount	DT15-08PB	N/A
8	16	Recept., DT15, 8 way, B key, black, straight molded gold pins, PCB mount	DT15-08PB-G003	N/A
8	16	Recept., DT15, 8 way, C key, green, straight molded pins, PCB mount	DT15-08PC	N/A
8	16	Recept., DT15, 8 way, C key, green, straight molded gold pins, PCB mount	DT15-08PC-G003	N/A
8	16	Recept., DT15, 8 way, D key, brown, straight molded pins, PCB mount	DT15-08PD	N/A

DTM Series

8	20	Recept., DTM, 8 way, A key, gray	DTM04-08PA	WM-8P
8	20	Recept., DTM, 8 way, A key, gray, end cap	DTM04-08PA-E003	WM-8P
8	20	Recept., DTM, 8 way, A key, black, end cap	DTM04-08PA-E005	WM-8P
8	20	Recept., DTM, 8 way, A key, black, high temp	DTM04-08PA-EE04	WM-8P
8	20	Recept., DTM, 8 way, B key, black	DTM04-08PB	WM-8P
8	20	Recept., DTM, 8 way, C key, green	DTM04-08PC	WM-8P
8	20	Recept., DTM, 8 way, D key, brown	DTM04-08PD	WM-8P
8	20	Plug, DTM, 8 way, A key, gray	DTM06-08SA	WM-8S

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
8	20	Plug, DTM, 8 way, A key, gray, solid rear grommet	DTM06-08SA-C017	Included
8	20	Plug, DTM, 8 way, A key, gray, shrink boot adapter	DTM06-08SA-E007	WM-8S
8	20	Plug, DTM, 8 way, A key, black, high temp	DTM06-08SA-EE04	WM-8S
8	20	Plug, DTM, 8 way, B key, black	DTM06-08SB	WM-8S
8	20	Plug, DTM, 8 way, B key, black, shrink boot adapter	DTM06-08SB-E007	WM-8S
8	20	Plug, DTM, 8 way, C key, green	DTM06-08SC	WM-8S
8	20	Plug, DTM, 8 way, D key, brown	DTM06-08SD	WM-8S

DTM13 Series

8	20	Recept., DTM13, 8 way, A key, gray, custom flange, PCB mount	DTM13-08PA-R004	N/A
---	----	--	-----------------	-----

HD30 Series

8	12	Recept., HD30, 18 shell, 8 way, E seal	HD34-18-8PE	N/A
8	12	Recept., HD30, 18 shell, 8 way, E seal, cable clamp	HD34-18-8PE-059	N/A
8	12	Recept., HD30, 18 shell, 8 way, E seal, adapter	HD34-18-8PE-072	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal	HD34-18-8PN	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal, cable clamp	HD34-18-8PN-059	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal, adapter	HD34-18-8PN-072	N/A
8	12	Recept., HD30, 18 shell, 8 way, E seal, reverse	HD34-18-8SE	N/A
8	12	Recept., HD30, 18 shell, 8 way, E seal, reverse, cable clamp	HD34-18-8SE-059	N/A
8	12	Recept., HD30, 18 shell, 8 way, E seal, reverse, adapter	HD34-18-8SE-072	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal, reverse	HD34-18-8SN	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal, reverse, cable clamp	HD34-18-8SN-059	N/A
8	12	Recept., HD30, 18 shell, 8 way, N seal, reverse, adapter	HD34-18-8SN-072	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal, reverse	HD36-18-8PE	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal, reverse, cable clamp	HD36-18-8PE-059	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal, reverse, adapter	HD36-18-8PE-072	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal, reverse	HD36-18-8PN	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal, reverse, cable clamp	HD36-18-8PN-059	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal, reverse, adapter	HD36-18-8PN-072	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal	HD36-18-8SE	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal, cable clamp	HD36-18-8SE-059	N/A
8	12	Plug, HD30, 18 shell, 8 way, E seal, adapter	HD36-18-8SE-072	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal	HD36-18-8SN	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal, cable clamp	HD36-18-8SN-059	N/A
8	12	Plug, HD30, 18 shell, 8 way, N seal, adapter	HD36-18-8SN-072	N/A

HDB Series

8	12	Plug, HDB30, 18 shell, 8 way, N seal, reverse, breakaway	HDB36-18-8PN	N/A
8	12	Plug, HDB30, 18 shell, 8 way, N seal, reverse, breakaway, cable clamp	HDB36-18-8PN-059	N/A
8	12	Plug, HDB30, 18 shell, 8 way, N seal, breakaway	HDB36-18-8SN	N/A
8	12	Plug, HDB30, 18 shell, 8 way, N seal, breakaway, cable clamp	HDB36-18-8SN-059	N/A

HDP20 Series

8	12	Recept., HDP20, 18 shell, 8 way, black, E seal	HDP24-18-8PE	N/A
8	12	Recept., HDP20, 18 shell, 8 way, black, E seal, ring adapter	HDP24-18-8PE-L017	N/A
8	12	Recept., HDP20, 18 shell, 8 way, black, N seal	HDP24-18-8PN	N/A
8	12	Recept., HDP20, 18 shell, 8 way, black, N seal, reverse	HDP24-18-8SN	N/A
8	12	Plug, HDP20, 18 shell, 8 way, black, N seal, reverse	HDP26-18-8PN	N/A
8	12	Plug, HDP20, 18 shell, 8 way, black, E seal	HDP26-18-8SE	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
8	12	Plug, HDP20, 18 shell, 8 way, black, E seal, ring adapter	HDP26-18-8SE-L017	N/A
8	12	Plug, HDP20, 18 shell, 8 way, black, N seal	HDP26-18-8SN	N/A

9 CAVITY CONNECTORS

HD10 Series

9	16	Recept., HD10, 9 way, gray, flange, non-threaded rear	HD10-9-16P	N/A
9	16	Recept., HD10, 9 way, gray, flange, non-threaded rear, key removed from front of flange	HD10-9-16P-B009	N/A
9	16	Recept., HD10, 9 way, black, flange, threaded rear, J1939	HD10-9-1939P	N/A
9	16	Recept., HD10, 9 way, black, flange, threaded rear, J1939, panel nut mount	HD10-9-1939P-B022	N/A
9	16	Recept., HD10, 9 way, green, flange, threaded rear, J1939 type II, panel nut mount	HD10-9-1939P-BP03	N/A
9	16	Recept., HD10, 9 way, green, flange, threaded rear, J1939 type II	HD10-9-1939P-P080	N/A
9	16	Recept., HD10, 9 way, black, flange, threaded rear, J1939, E seal	HD10-9-1939PE	N/A
9	16	Recept., HD10, 9 way, black, flange, threaded rear, J1939, E seal, panel nut mount	HD10-9-1939PE-B022	N/A
9	16	Recept., HD10, 9 way, green, flange, threaded rear, J1939 type II, E seal, panel nut mount	HD10-9-1939PE-BP03	N/A
9	16	Recept., HD10, 9 way, gray, flange, threaded rear	HD10-9-96P	N/A
9	16	Recept., HD10, 9 way, gray, flange, non-threaded rear, key removed from front of flange	HD10-9-96P-B009	N/A
9	16	Recept., HD10, 9 way, black, flange, non-threaded rear, panel nut mount	HD10-9-96P-B025	N/A
9	16	Recept., HD10, 9 way, black, flange, threaded rear, straight molded pins, PCB mount	HD10-9-96P-N005	N/A
9	16	Recept., HD10, 9 way, gray, flange, threaded rear, E seal	HD10-9-96PE	N/A
9	16	Recept., HD10, 9 way, gray, in-line, non-threaded rear	HD14-9-16P	N/A
9	16	Recept., HD10, 9 way, black, in-line, threaded rear, J1939	HD14-9-1939P	N/A
9	16	Recept., HD10, 9 way, green, in-line, threaded rear, J1939 type II	HD14-9-1939P-P080	N/A
9	16	Recept., HD10, 9 way, black, in-line, threaded rear, J1939, E seal	HD14-9-1939PE	N/A
9	16	Recept., HD10, 9 way, gray, in-line, threaded rear	HD14-9-96P	N/A
(9)7	7 sz. 16	Recept., HD10, 9 way, gray, in-line, threaded rear, cavities H, J blocked	HD14-9-96P-C016	N/A
9	16	Recept., HD10, 9 way, gray, in-line, threaded rear, E seal	HD14-9-96PE	N/A
9	16	Plug, HD10, 9 way, gray, non-threaded rear	HD16-9-16S	N/A
9	16	Plug, HD10, 9 way, black, threaded rear, J1939	HD16-9-1939S	N/A
9	16	Plug, HD10, 9 way, green, threaded rear, J1939 type II	HD16-9-1939S-P080	N/A
9	16	Plug, HD10, 9 way, black, threaded rear, J1939, E seal	HD16-9-1939SE	N/A
9	16	Plug, HD10, 9 way, gray, threaded rear	HD16-9-96S	N/A
(9)7	7 sz. 16	Plug, HD10, 9 way, gray, threaded rear, cavities H, J blocked	HD16-9-96S-C016	N/A
9	16	Plug, HD10, 9 way, black, threaded rear, no coupling ring, J1939	HD17-9-1939S	N/A
9	16	Plug, HD10, 9 way, green, threaded rear, no coupling ring, J1939 type II	HD17-9-1939S-P080	N/A
9	16	Plug, HD10, 9 way, black, threaded rear, no coupling ring, J1939, E seal	HD17-9-1939SE	N/A

HD30 Series

9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal	HD34-24-9PN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, cable clamp	HD34-24-9PN-059	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, adapter	HD34-24-9PN-072	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, reverse	HD34-24-9SN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, reverse, cable clamp	HD34-24-9SN-059	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, reverse, adapter	HD34-24-9SN-072	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, E seal, HDBox arrangement	HD34-24-91PE	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, E seal, HDBox arrangement, cable clamp	HD34-24-91PE-059	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, E seal, HDBox arrangement, adapter	HD34-24-91PE-072	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, N seal, HDBox arrangement	HD34-24-91PN	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, N seal, HDBox arrangement, cable clamp	HD34-24-91PN-059	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HD30, 24 shell, 9 way, N seal, HDBox arrangement, adapter	HD34-24-91PN-072	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, reverse	HD36-24-9PN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, reverse, cable clamp	HD36-24-9PN-059	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, reverse, adapter	HD36-24-9PN-072	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal	HD36-24-9SN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, cable clamp	HD36-24-9SN-059	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, adapter	HD36-24-9SN-072	N/A
HDB Series				
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, reverse, breakaway	HDB36-24-9PN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, reverse, breakaway, cable clamp	HDB36-24-9PN-059	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, breakaway	HDB36-24-9SN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, breakaway, cable clamp	HDB36-24-9SN-059	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, E seal, breakaway, HDBox arrangement, cavities 4 & 5 connected internally	HDB36-24-91SE	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, E seal, breakaway, HDBox arrangement, cavities 4 & 5 connected internally, cable clamp	HDB36-24-91SE-059	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, N seal, breakaway, HDBox arrangement, cavities 4 & 5 connected internally	HDB36-24-91SN	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, N seal, breakaway, HDBox arrangement, cavities 4 & 5 connected internally, cable clamp	HDB36-24-91SN-059	N/A
HDP20 Series				
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, E seal	HDP24-24-9PE	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, E seal, threaded adapter	HDP24-24-9PE-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, E seal, ring adapter	HDP24-24-9PE-L017	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, E seal, wide threaded adapter	HDP24-24-9PE-L024	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal	HDP24-24-9PN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal, threaded adapter	HDP24-24-9PN-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal, ring adapter	HDP24-24-9PN-L017	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, E seal, reverse, threaded adapter	HDP24-24-9SE-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal, reverse	HDP24-24-9SN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal, reverse, threaded adapter	HDP24-24-9SN-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, black, N seal, reverse, ring adapter	HDP24-24-9SN-L017	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HDP20, 24 shell, 9 way, black, E seal, HDBox arrangement, threaded adapter	HDP24-24-91PE-L015	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HDP20, 24 shell, 9 way, black, E seal, HDBox arrangement, wide threaded adapter	HDP24-24-91PE-L024	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Recept., HDP20, 24 shell, 9 way, black, N seal, HDBox arrangement	HDP24-24-91PN-P064	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal, reverse	HDP26-24-9PN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal, reverse, threaded adapter	HDP26-24-9PN-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal, reverse, ring adapter	HDP26-24-9PN-L017	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, E seal	HDP26-24-9SE	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, E seal, threaded adapter	HDP26-24-9SE-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, E seal, ring adapter	HDP26-24-9SE-L017	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, E seal, wide threaded adapter	HDP26-24-9SE-L024	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal	HDP26-24-9SN	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal, threaded adapter	HDP26-24-9SN-L015	N/A
9	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, black, N seal, ring adapter	HDP26-24-9SN-L017	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDP20, 24 shell, 9 way, black, E seal, HDBox arrangement, cavities 4 & 5 connected internally, threaded adapter	HDP26-24-91SE-L015	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDP20, 24 shell, 9 way, black, E seal, HDBox arrangement, wide threaded adapter	HDP26-24-91SE-L024	N/A
9	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDP20, 24 shell, 9 way, black, N seal, HDBox arrangement, no internal jumper	HDP26-24-91SN-P064	N/A

12 CAVITY CONNECTORS

AMPSEAL 16

12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, A key, black, red PLR, standard dia. seal	776438-1	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, A key, black, red PLR, reduced dia. seal	776539-1	Included

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, A key, black, red PLR, reduced dia. seal, reverse mount	1717934-1	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, B key, black, gray PLR, standard dia. seal	776438-2	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, B key, black, gray PLR, standard dia. seal, reverse mount	1717677-2	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, B key, black, gray PLR, reduced dia. seal	776539-2	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, B key, black, gray PLR, reduced dia. seal, reverse mount	1717934-2	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, C key, black, yellow PLR, standard dia. seal	776438-3	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, C key, black, yellow PLR, standard dia. seal, reverse mount	1717677-3	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, C key, black, yellow PLR, reduced dia. seal	776539-3	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, C key, black, yellow PLR, reduced dia. seal, reverse mount	1717934-3	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, D key, black, green PLR, standard dia. seal	776438-4	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, D key, black, green PLR, reduced dia. seal	776539-4	Included
12	1.58 mm	Cap (pin housing), AMPSEAL 16, 12 way, D key, black, green PLR, reduced dia. seal, reverse mount	1717934-4	Included
12	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 12 way, A key, black, red PLR, standard dia. seal	776437-1	Included
12	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 12 way, A key, black, red PLR, reduced dia. seal	776533-1	Included
12	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 12 way, B key, black, gray PLR, standard dia. seal	776437-2	Included
12	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 12 way, B key, black, gray PLR, reduced dia. seal	776533-2	Included
12	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 12 way, C key, black, yellow PLR, standard dia. seal	776437-3	Included
12	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 12 way, C key, black, yellow PLR, reduced dia. seal	776533-3	Included
12	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 12 way, D key, black, green PLR, standard dia. seal	776437-4	Included
12	1.58 mm	Plug (receptacle housing), AMPSEAL 16, 12 way, D key, black, green PLR, reduced dia. seal	776533-4	Included
DT Series				
12	16	Recept., DT, 12 way, A key, gray	DT04-12PA	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray	DT04-12PA-B016	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, end cap	DT04-12PA-BE02	W12P
12	16	Recept., DT, 12 way, enhanced A key, black, end cap	DT04-12PA-BE03	W12P
12	16	Recept., DT, 12 way, enhanced A key, black, reduced dia. seals, end cap	DT04-12PA-BE04	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, flange	DT04-12PA-BL04	W12P
12	16	Recept., DT, 12 way, enhanced A key, black, flange	DT04-12PA-BL08	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, reduced dia. seals, sealed flange, shrink boot adapter	DT04-12PA-BL10	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, reduced dia. seals, sealed flange, end cap	DT04-12PA-BL11	W12P
12	16	Recept., DT, 12 way, A key, gray, reduced dia. seals	DT04-12PA-C015	W12P

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	16	Recept., DT, 12 way, A key, gray, solid rear grommet	DT04-12PA-C017	N/A
12	16	Recept., DT, 12 way, A key, gray, reduced dia. seals, end cap	DT04-12PA-CE01	W12P
12	16	Recept., DT, 12 way, A key, black, reduced dia. seals	DT04-12PA-CE02	W12P
12	16	Recept., DT, 12 way, A key, black, reduced dia. seals, end cap	DT04-12PA-CE03	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, reduced dia. seals, end cap	DT04-12PA-CE07	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, reduced dia. seals	DT04-12PA-CE08	W12P
12	16	Recept., DT, 12 way, A key, gray, reduced dia. seals, flange	DT04-12PA-CL03	W12P
12	16	Recept., DT, 12 way, A key, gray, end cap	DT04-12PA-E003	W12P
12	16	Recept., DT, 12 way, A key, black	DT04-12PA-E004	W12P
12	16	Recept., DT, 12 way, A key, black, end cap	DT04-12PA-E005	W12P
12	16	Recept., DT, 12 way, A key, gray, shrink boot adapter	DT04-12PA-E008	W12P
12	16	Recept., DT, 12 way, A key, gray, flange	DT04-12PA-L012	W12P
12	16	Recept., DT, 12 way, A key, gray, sealed black flange, gasket, end cap	DT04-12PA-LE01	W12P
12	16	Recept., DT, 12 way, A key, gray, sealed flange, gasket (sold separately), end cap	DT04-12PA-LE03	W12P
12	16	Recept., DT, 12 way, A key, gray, sealed flange, gasket, end cap	DT04-12PA-LE05	W12P
12	16	Recept., DT, 12 way, A key, gray, reduced dia. seals, sealed flange, gasket, end cap	DT04-12PA-LE06	W12P
12	16	Recept., DT, 12 way, A key, gray, flange, end cap	DT04-12PA-LE07	W12P
12	16	Recept., DT, 12 way, A key, black, sealed flange, gasket (sold separately), end cap	DT04-12PA-LE09	W12P
12	16	Recept., DT, 12 way, A key, black, sealed flange, gasket, end cap	DT04-12PA-LE10	W12P
12	16	Recept., DT, 12 way, A key, black, flange	DT04-12PA-LE14	W12P
12	16	Recept., DT, 12 way, enhanced A key, black, sealed flange, gasket (sold separately), end cap	DT04-12PA-LE17	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, reduced dia. seals, sealed flange, end cap, one piece design	DT04-12PA-LE21	W12P
12	16	Recept., DT, 12 way, enhanced A key, gray, (1) 12 pin buss, gold contacts	DT04-12PA-P016	Included
12	16	Recept., DT, 12 way, enhanced A key, gray, (1) 12 pin buss, nickel contacts	DT04-12PA-P021	Included
12	16	Recept., DT, 12 way, enhanced A key, gray, (2) 6 pin busses, nickel contacts	DT04-12PA-P026	Included
12	16	Recept., DT, 12 way, enhanced A key, gray, (4) 3 pin busses, nickel contacts	DT04-12PA-P030	Included
12	16	Recept., DT, 12 way, enhanced A key, gray, (4) 3 pin busses, gold contacts	DT04-12PA-P031	Included
12	16	Recept., DT, 12 way, enhanced A key, gray, (3) 4 pin busses, nickel contacts	DT04-12PA-P075	Included
12	16	Recept., DT, 12 way, B key, black	DT04-12PB	W12P
12	16	Recept., DT, 12 way, enhanced B key, black	DT04-12PB-B016	W12P
12	16	Recept., DT, 12 way, enhanced B key, black, end cap	DT04-12PB-BE02	W12P
12	16	Recept., DT, 12 way, enhanced B key, black, flange	DT04-12PB-BL04	W12P
12	16	Recept., DT, 12 way, enhanced B key, black, reduced dia. seals, sealed flange, end cap	DT04-12PB-BL11	W12P
12	16	Recept., DT, 12 way, B key, black, reduced dia. seals	DT04-12PB-C015	W12P
12	16	Recept., DT, 12 way, B key, black, reduced dia. seals, end cap	DT04-12PB-CE01	W12P
12	16	Recept., DT, 12 way, enhanced B key, black, reduced dia. seals, end cap	DT04-12PB-CE07	W12P
12	16	Recept., DT, 12 way, enhanced B key, gray, reduced dia. seals	DT04-12PB-CE08	W12P
12	16	Recept., DT, 12 way, B key, black, reduced dia. seals, flange	DT04-12PB-CL03	W12P
12	16	Recept., DT, 12 way, B key, black, end cap	DT04-12PB-E003	W12P
12	16	Recept., DT, 12 way, B key, black, flange	DT04-12PB-L012	W12P
12	16	Recept., DT, 12 way, B key, black, sealed black flange, gasket, end cap	DT04-12PB-LE01	W12P

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	16	Recept., DT, 12 way, enhanced B key, black, reduced dia. seals, sealed flange, end cap, one piece design	DT04-12PB-LE21	W12P
12	16	Recept., DT, 12 way, enhanced B key, black, (1) 12 pin buss, gold contacts	DT04-12PB-P016	Included
12	16	Recept., DT, 12 way, enhanced B key, black, (1) 12 pin buss, nickel contacts	DT04-12PB-P021	Included
12	16	Recept., DT, 12 way, enhanced B key, black, (2) 6 pin busses, nickel contacts	DT04-12PB-P026	Included
12	16	Recept., DT, 12 way, enhanced B key, black, (2) 6 pin busses, gold contacts	DT04-12PB-P027	Included
12	16	Recept., DT, 12 way, enhanced B key, black, (4) 3 pin busses, nickel contacts	DT04-12PB-P030	Included
12	16	Recept., DT, 12 way, enhanced B key, black, (4) 3 pin busses, gold contacts	DT04-12PB-P031	Included
12	16	Recept., DT, 12 way, C key, green	DT04-12PC	W12P
12	16	Recept., DT, 12 way, enhanced C key, green	DT04-12PC-B016	W12P
12	16	Recept., DT, 12 way, enhanced C key, green, end cap	DT04-12PC-BE02	W12P
12	16	Recept., DT, 12 way, enhanced C key, green, flange	DT04-12PC-BL04	W12P
12	16	Recept., DT, 12 way, enhanced C key, green, flange, end cap	DT04-12PC-BL05	W12P
12	16	Recept., DT, 12 way, C key, green, reduced dia. seals	DT04-12PC-C015	W12P
12	16	Recept., DT, 12 way, C key, green, reduced dia. seals, end cap	DT04-12PC-CE01	W12P
12	16	Recept., DT, 12 way, enhanced C key, green, reduced dia. seals, end cap	DT04-12PC-CE07	W12P
12	16	Recept., DT, 12 way, C key, green, flange	DT04-12PC-L012	W12P
12	16	Recept., DT, 12 way, C key, green, sealed black flange, gasket, end cap	DT04-12PC-LE01	W12P
12	16	Recept., DT, 12 way, enhanced C key, gray, reduced dia. seals, sealed flange, end cap, one piece design	DT04-12PC-LE21	W12P
12	16	Recept., DT, 12 way, D key, brown	DT04-12PD	W12P
12	16	Recept., DT, 12 way, enhanced D key, brown	DT04-12PD-B016	W12P
12	16	Recept., DT, 12 way, enhanced D key, brown, end cap	DT04-12PD-BE02	W12P
12	16	Recept., DT, 12 way, enhanced D key, brown, flange	DT04-12PD-BL04	W12P
12	16	Recept., DT, 12 way, D key, brown, reduced dia. seals	DT04-12PD-C015	W12P
12	16	Recept., DT, 12 way, D key, brown, reduced dia. seals, end cap	DT04-12PD-CE01	W12P
12	16	Recept., DT, 12 way, enhanced D key, brown, reduced dia. seals, end cap	DT04-12PD-CE07	W12P
12	16	Recept., DT, 12 way, D key, brown, flange	DT04-12PD-L012	W12P
12	16	Recept., DT, 12 way, enhanced D key, gray, reduced dia. seals, sealed flange, end cap, one piece design	DT04-12PD-LE21	W12P
12	16	Plug, DT, 12 way, A key, gray	DT06-12SA	W12S
12	16	Plug, DT, 12 way, A key, gray, reduced dia. seals	DT06-12SA-C015	W12S
12	16	Plug, DT, 12 way, A key, gray, solid rear grommet	DT06-12SA-C017	Included
12	16	Plug, DT, 12 way, A key, gray, reduced dia. seals, end cap	DT06-12SA-CE01	W12S
12	16	Plug, DT, 12 way, A key, black, reduced dia. seals	DT06-12SA-CE02	W12S
12	16	Plug, DT, 12 way, A key, gray, reduced dia. seals, shrink boot adapter	DT06-12SA-CE04	W12S
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret., reduced dia. seals, end cap	DT06-12SA-CE05	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret., reduced dia. seals	DT06-12SA-CE06	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, black, enhanced seal ret., reduced dia. seals	DT06-12SA-CE10	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, black, enhanced seal ret., reduced dia. seals, end cap	DT06-12SA-CE11	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-12SA-CE13	W12S-P012
12	16	Plug, DT, 12 way, A key, gray, end cap	DT06-12SA-E003	W12S

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	16	Plug, DT, 12 way, A key, black, end cap	DT06-12SA-E005	W12S
12	16	Plug, DT, 12 way, A key, gray, shrink boot adapter	DT06-12SA-E008	W12S
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret., end cap	DT06-12SA-EP06	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, black, enhanced seal ret.	DT06-12SA-EP07	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, black, enhanced seal ret., end cap	DT06-12SA-EP08	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret., shrink boot adapter	DT06-12SA-EP20	W12S-P012
12	16	Plug, DT, 12 way, enhanced A key, gray, enhanced seal ret.	DT06-12SA-P012	W12S-P012
12	16	Plug, DT, 12 way, B key, black	DT06-12SB	W12S
12	16	Plug, DT, 12 way, B key, black, reduced dia. seals	DT06-12SB-C015	W12S
12	16	Plug, DT, 12 way, B key, black, reduced dia. seals, end cap	DT06-12SB-CE01	W12S
12	16	Plug, DT, 12 way, B key, black, reduced dia. seals, shrink boot adapter	DT06-12SB-CE04	W12S
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret., reduced dia. seals, end cap	DT06-12SB-CE05	W12S-P012
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret., reduced dia. seals	DT06-12SB-CE06	W12S-P012
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret., reduced dia. seals, shrink boot adapter	DT06-12SB-CE13	W12S-P012
12	16	Plug, DT, 12 way, B key, black, end cap	DT06-12SB-E003	W12S
12	16	Plug, DT, 12 way, B key, black, shrink boot adapter	DT06-12SB-E008	W12S
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret., end cap	DT06-12SB-EP06	W12S-P012
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret., shrink boot adapter	DT06-12SB-EP20	W12S-P012
12	16	Plug, DT, 12 way, enhanced B key, black, enhanced seal ret.	DT06-12SB-P012	W12S-P012
12	16	Plug, DT, 12 way, C key, green	DT06-12SC	W12S
12	16	Plug, DT, 12 way, C key, green, reduced dia. seals	DT06-12SC-C015	W12S
12	16	Plug, DT, 12 way, C key, green, solid rear grommet	DT06-12SC-C017	Included
12	16	Plug, DT, 12 way, C key, green, reduced dia. seals, end cap	DT06-12SC-CE01	W12S
12	16	Plug, DT, 12 way, C key, green, reduced dia. seals, shrink boot adapter	DT06-12SC-CE04	W12S
12	16	Plug, DT, 12 way, enhanced C key, green, enhanced seal ret., reduced dia. seals, end cap	DT06-12SC-CE05	W12S-P012
12	16	Plug, DT, 12 way, enhanced C key, green, enhanced seal ret., reduced dia. seals	DT06-12SC-CE06	W12S-P012
12	16	Plug, DT, 12 way, C key, green, end cap	DT06-12SC-E003	W12S
12	16	Plug, DT, 12 way, enhanced C key, green, enhanced seal ret., end cap	DT06-12SC-EP06	W12S-P012
12	16	Plug, DT, 12 way, enhanced C key, green, enhanced seal ret.	DT06-12SC-P012	W12S-P012
12	16	Plug, DT, 12 way, D key, brown	DT06-12SD	W12S
12	16	Plug, DT, 12 way, D key, brown, reduced dia. seals	DT06-12SD-C015	W12S
12	16	Plug, DT, 12 way, D key, brown, solid rear grommet	DT06-12SD-C017	Included
12	16	Plug, DT, 12 way, D key, brown, reduced dia. seals, shrink boot adapter	DT06-12SD-CE04	W12S
12	16	Plug, DT, 12 way, enhanced D key, brown, enhanced seal ret., reduced dia. seals, end cap	DT06-12SD-CE05	W12S-P012
12	16	Plug, DT, 12 way, enhanced D key, brown, enhanced seal ret., reduced dia. seals	DT06-12SD-CE06	W12S-P012
12	16	Plug, DT, 12 way, enhanced D key, brown, enhanced seal ret., end cap	DT06-12SD-EP06	W12S-P012
12	16	Plug, DT, 12 way, enhanced D key, brown, enhanced seal ret.	DT06-12SD-P012	W12S-P012

DT13/15 Series

12	16	Recept., DT13, 12 way, A key, gray, 90° molded pins, PCB mount	DT13-12PA	N/A
12	16	Recept., DT13, 12 way, enhanced A key, gray, 90° molded pins, PCB mount	DT13-12PA-B016	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	16	Recept., DT13, 12 way, A key, gray, 90° molded gold pins, PCB mount	DT13-12PA-G003	N/A
12	16	Recept., DT13, 12 way, B key, black, 90° molded pins, PCB mount	DT13-12PB	N/A
12	16	Recept., DT13, 12 way, enhanced B key, black 90° molded pins, PCB mount	DT13-12PB-B016	N/A
12	16	Recept., DT13, 12 way, B key, black, 90° molded gold pins, PCB mount	DT13-12PB-G003	N/A
12	16	Recept., DT13, 12 way, C key, green, 90° molded pins, PCB mount	DT13-12PC	N/A
12	16	Recept., DT13, 12 way, enhanced C key, green, 90° molded pins, PCB mount	DT13-12PC-B016	N/A
12	16	Recept., DT13, 12 way, C key, green, 90° molded gold pins, PCB mount	DT13-12PC-G003	N/A
12	16	Recept., DT13, 12 way, D key, brown, 90° molded pins, PCB mount	DT13-12PD	N/A
12	16	Recept., DT13, 12 way, enhanced D key, brown, 90° molded pins, PCB mount	DT13-12PD-B016	N/A
12	16	Recept., DT13, 12 way, D key, brown, 90° molded gold pins, PCB mount	DT13-12PD-G003	N/A
12	16	Recept., DT15, 12 way, A key, gray, straight molded pins, PCB mount	DT15-12PA	N/A
12	16	Recept., DT15, 12 way, enhanced A key, gray, straight molded pins, PCB mount	DT15-12PA-B016	N/A
12	16	Recept., DT15, 12 way, A key, gray, straight molded pins, PCB mount, 5 P.S.I.	DT15-12PA-B028	N/A
12	16	Recept., DT15, 12 way, A key, gray, straight molded gold pins, PCB mount	DT15-12PA-G003	N/A
12	16	Recept., DT15, 12 way, B key, black, straight molded pins, PCB mount	DT15-12PB	N/A
12	16	Recept., DT15, 12 way, enhanced B key, black, straight molded pins, PCB mount	DT15-12PB-B016	N/A
12	16	Recept., DT15, 12 way, B key, black, straight molded pins, PCB mount, 5 P.S.I.	DT15-12PB-B028	N/A
12	16	Recept., DT15, 12 way, B key, black, straight molded gold pins, PCB mount	DT15-12PB-G003	N/A
12	16	Recept., DT15, 12 way, C key, green, straight molded pins, PCB mount	DT15-12PC	N/A
12	16	Recept., DT15, 12 way, enhanced C key, green, straight molded pins, PCB mount	DT15-12PC-B016	N/A
12	16	Recept., DT15, 12 way, C key, green, straight molded gold pins, PCB mount	DT15-12PC-G003	N/A
12	16	Recept., DT15, 12 way, D key, brown, straight molded pins, PCB mount	DT15-12PD	N/A
12	16	Recept., DT15, 12 way, enhanced D key, brown, straight molded pins, PCB mount	DT15-12PD-B016	N/A
12	16	Recept., DT15, 12 way, D key, brown, straight molded gold pins, PCB mount	DT15-12PD-G003	N/A
DT13 EEC Headers				
12	16	Recept., DT13, 12 way, enhanced A key, black, 90° molded pins, DT EEC PCB header	DT13-12PA-R015	N/A
DTF13/15 Series				
12	16	Recept., DTF13, 12 way, enhanced A key, gray, 90° molded pins, flangeless PCB mount	DTF13-12PA	N/A
12	16	Recept., DTF13, 12 way, enhanced A key, gray, 90° molded gold pins, flangeless PCB mount	DTF13-12PA-G003	N/A
12	16	Recept., DTF13, 12 way, enhanced B key, black, 90° molded pins, flangeless PCB mount	DTF13-12PB	N/A
12	16	Recept., DTF13, 12 way, enhanced C key, green, 90° molded pins, flangeless PCB mount	DTF13-12PC	N/A
12	16	Recept., DTF13, 12 way, enhanced D key, brown, 90° molded pins, flangeless PCB mount	DTF13-12PD	N/A
12	16	Recept., DTF15, 12 way, enhanced A key, gray, straight molded pins, flangeless PCB mount	DTF15-12PA	N/A
12	16	Recept., DTF15, 12 way, enhanced A key, gray, straight molded gold pins, flangeless PCB mount	DTF15-12PA-G003	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	16	Recept., DTF15, 12 way, enhanced B key, black, straight molded pins, flangeless PCB mount	DTF15-12PB	N/A
12	16	Recept., DTF15, 12 way, enhanced B key, black, straight molded gold pins, flangeless PCB mount	DTF15-12PB-G003	N/A
12	16	Recept., DTF15, 12 way, enhanced C key, green, straight molded pins, flangeless PCB mount	DTF15-12PC	N/A
12	16	Recept., DTF15, 12 way, enhanced D key, brown, straight molded pins, flangeless PCB mount	DTF15-12PD	N/A

DTM Series

12	20	Recept., DTM, 12 way, A key, gray	DTM04-12PA	WM-12P
12	20	Recept., DTM, 12 way, A key, gray, end cap	DTM04-12PA-E003	WM-12P
12	20	Recept., DTM, 12 way, A key, black, end cap	DTM04-12PA-E005	WM-12P
12	20	Recept., DTM, 12 way, A key, black, high temp	DTM04-12PA-EE04	WM-12P
12	20	Recept., DTM, 12 way, A key, gray, flange	DTM04-12PA-L012	WM-12P
12	20	Recept., DTM, 12 way, B key, black	DTM04-12PB	WM-12P
12	20	Recept., DTM, 12 way, B key, black, flange	DTM04-12PB-L012	WM-12P
12	20	Recept., DTM, 12 way, C key, green	DTM04-12PC	WM-12P
12	20	Recept., DTM, 12 way, D key, brown	DTM04-12PD	WM-12P
12	20	Recept., DTM, 12 way, D key, black, high temp	DTM04-12PD-EE04	WM-12P
12	20	Plug, DTM, 12 way, A key, gray	DTM06-12SA	WM-12S
12	20	Plug, DTM, 12 way, A key, gray, end cap	DTM06-12SA-E003	WM-12S
12	20	Plug, DTM, 12 way, A key, gray, shrink boot adapter	DTM06-12SA-E007	WM-12S
12	20	Plug, DTM, 12 way, A key, black, high temp	DTM06-12SA-EE04	WM-12S
12	20	Plug, DTM, 12 way, B key, black	DTM06-12SB	WM-12S
12	20	Plug, DTM, 12 way, B key, black, end cap	DTM06-12SB-E003	WM-12S
12	20	Plug, DTM, 12 way, B key, black, shrink boot adapter	DTM06-12SB-E007	WM-12S
12	20	Plug, DTM, 12 way, B key, black, high temp	DTM06-12SB-EE04	WM-12S
12	20	Plug, DTM, 12 way, C key, green	DTM06-12SC	WM-12S
12	20	Plug, DTM, 12 way, C key, green, shrink boot adapter	DTM06-12SC-E007	WM-12S
12	20	Plug, DTM, 12 way, D key, brown	DTM06-12SD	WM-12S
12	20	Plug, DTM, 12 way, D key, brown, shrink boot adapter	DTM06-12SD-E007	WM-12S
12	20	Plug, DTM, 12 way, D key, black, high temp	DTM06-12SD-EE04	WM-12S

DTM13/15 Series

12	20	Recept., DTM13, 12 way, A key, gray, 90° molded pins, PCB mount	DTM13-12PA	N/A
12	20	Recept., DTM13, 12 way, B key, gray, 90° molded pins, PCB mount	DTM13-12PB	N/A
12	20	Recept., DTM13, 12 way, B key, black, 90° molded pins, PCB mount, flangeless	DTM13-12PB-R005	N/A
12	20	Recept., DTM13, 12 way, C key, gray, 90° molded pins, PCB mount	DTM13-12PC	N/A
12	20	Recept., DTM13, 12 way, D key, gray, 90° molded pins, PCB mount	DTM13-12PD	N/A
12	20	Recept., DTM15, 12 way, A key, gray, straight molded pins, PCB mount	DTM15-12PA	N/A
12	20	Recept., DTM15, 12 way, B key, gray, straight molded pins, PCB mount	DTM15-12PB	N/A
12	20	Recept., DTM15, 12 way, C key, gray, straight molded pins, PCB mount	DTM15-12PC	N/A
12	20	Recept., DTM15, 12 way, D key, gray, straight molded pins, PCB mount	DTM15-12PD	N/A

DTM13 EEC Headers

12	20	Recept., DTM13, 12 way, A key, black, 90° molded gold pins, DTM EEC PCB header	DTM13-12PA-GR01	N/A
12	20	Recept., DTM13, 12 way, A key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PA-R008	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
12	20	Recept., DTM13, 12 way, B key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PB-R008	N/A
12	20	Recept., DTM13, 12 way, C key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PC-R008	N/A
12	20	Recept., DTM13, 12 way, D key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PD-R008	N/A

14 CAVITY CONNECTORS

AMPSEAL

14	1.3 mm	Header, AMPSEAL, 14 way, A key, black, straight molded tin pins, PCB mount, without seal	776261-1	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, A key, black, straight molded tin pins, PCB mount, with seal	776262-1	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, A key, black, straight molded gold pins, PCB mount, without seal	1-776261-1	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, A key, black, straight molded gold pins, PCB mount, with seal	1-776262-1	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, A key, black, 90° molded tin pins, PCB mount, without seal	776266-1	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, A key, black, 90° molded tin pins, PCB mount, with seal	776267-1	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, A key, black, 90° molded gold pins, PCB mount, without seal	1-776266-1	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, A key, black, 90° molded gold pins, PCB mount, with seal	1-776267-1	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, B key, natural, straight molded tin pins, PCB mount, without seal	776261-2	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, B key, natural, straight molded gold pins, PCB mount, without seal	1-776261-2	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, B key, natural, straight molded gold pins, PCB mount, with seal	1-776262-2	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, B key, natural, 90° molded tin pins, PCB mount, without seal	776266-2	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, B key, natural, 90° molded tin pins, PCB mount, with seal	776267-2	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, B key, natural, 90° molded gold pins, PCB mount, without seal	1-776266-2	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, B key, natural, 90° molded gold pins, PCB mount, with seal	1-776267-2	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, C key, gray, straight molded tin pins, PCB mount, without seal	776261-4	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, C key, gray, straight molded tin pins, PCB mount, with seal	776262-4	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, C key, gray, straight molded gold pins, PCB mount, without seal	1-776261-4	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, C key, gray, straight molded gold pins, PCB mount, with seal	1-776262-4	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, C key, gray, 90° molded tin pins, PCB mount, without seal	776266-4	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, C key, gray, 90° molded tin pins, PCB mount, with seal	776267-4	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, C key, gray, 90° molded gold pins, PCB mount, without seal	1-776266-4	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, C key, gray, 90° molded gold pins, PCB mount, with seal	1-776267-4	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
14	1.3 mm	Header, AMPSEAL, 14 way, D key, blue, straight molded tin pins, PCB mount, without seal	776261-5	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, D key, blue, straight molded tin pins, PCB mount, with seal	776262-5	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, D key, blue, straight molded gold pins, PCB mount, without seal	1-776261-5	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, D key, blue, straight molded gold pins, PCB mount, with seal	1-776262-5	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, D key, blue, 90° molded tin pins, PCB mount, without seal	776266-5	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, D key, blue, 90° molded tin pins, PCB mount, with seal	776267-5	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, D key, blue, 90° molded gold pins, PCB mount, without seal	1-776266-5	N/A
14	1.3 mm	Header, AMPSEAL, 14 way, D key, blue, 90° molded gold pins, PCB mount, with seal	1-776267-5	N/A
14	1.3 mm	Plug (receptacle housing), AMPSEAL, 14 way, A key, black	776273-1	Included
14	1.3 mm	Plug (receptacle housing), AMPSEAL, 14 way, B key, natural	776273-2	Included
14	1.3 mm	Plug (receptacle housing), AMPSEAL, 14 way, C key, gray	776273-4	Included
14	1.3 mm	Plug (receptacle housing), AMPSEAL, 14 way, D key, blue	776273-5	Included

HD30 Series

14	16	Recept., HD30, 18 shell, 14 way, E seal	HD34-18-14PE	N/A
14	16	Recept., HD30, 18 shell, 14 way, E seal, cable clamp	HD34-18-14PE-059	N/A
14	16	Recept., HD30, 18 shell, 14 way, E seal, adapter	HD34-18-14PE-072	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal	HD34-18-14PN	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, cable clamp	HD34-18-14PN-059	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, adapter	HD34-18-14PN-072	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, chromated	HD34-18-14PN-H001	N/A
14	16	Recept., HD30, 18 shell, 14 way, T seal	HD34-18-14PT	N/A
14	16	Recept., HD30, 18 shell, 14 way, T seal, cable clamp	HD34-18-14PT-059	N/A
14	16	Recept., HD30, 18 shell, 14 way, T seal, adapter	HD34-18-14PT-072	N/A
14	16	Recept., HD30, 18 shell, 14 way, E seal, reverse	HD34-18-14SE	N/A
14	16	Recept., HD30, 18 shell, 14 way, E seal, reverse, cable clamp	HD34-18-14SE-059	N/A
14	16	Recept., HD30, 18 shell, 14 way, E seal, reverse, adapter	HD34-18-14SE-072	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, reverse	HD34-18-14SN	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, reverse, cable clamp	HD34-18-14SN-059	N/A
14	16	Recept., HD30, 18 shell, 14 way, N seal, reverse, adapter	HD34-18-14SN-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, E seal	HD34-24-14PE	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, E seal, cable clamp	HD34-24-14PE-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, E seal, adapter	HD34-24-14PE-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal	HD34-24-14PN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, cable clamp	HD34-24-14PN-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, adapter	HD34-24-14PN-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, reverse	HD34-24-14SN	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, reverse, cable clamp	HD34-24-14SN-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, reverse, adapter	HD34-24-14SN-072	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal, reverse	HD36-18-14PE	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal, reverse, cable clamp	HD36-18-14PE-059	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal, reverse, adapter	HD36-18-14PE-072	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, reverse	HD36-18-14PN	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, reverse, cable clamp	HD36-18-14PN-059	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, reverse, adapter	HD36-18-14PN-072	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal	HD36-18-14SE	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal, cable clamp	HD36-18-14SE-059	N/A
14	16	Plug, HD30, 18 shell, 14 way, E seal, adapter	HD36-18-14SE-072	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal	HD36-18-14SN	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, cable clamp	HD36-18-14SN-059	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, adapter	HD36-18-14SN-072	N/A
14	16	Plug, HD30, 18 shell, 14 way, N seal, chromated	HD36-18-14SN-H001	N/A
14	16	Plug, HD30, 18 shell, 14 way, T seal	HD36-18-14ST	N/A
14	16	Plug, HD30, 18 shell, 14 way, T seal, cable clamp	HD36-18-14ST-059	N/A
14	16	Plug, HD30, 18 shell, 14 way, T seal, adapter	HD36-18-14ST-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, reverse	HD36-24-14PN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, reverse, cable clamp	HD36-24-14PN-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, reverse, adapter	HD36-24-14PN-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, E seal	HD36-24-14SE	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, E seal, cable clamp	HD36-24-14SE-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, E seal, adapter	HD36-24-14SE-072	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal	HD36-24-14SN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, cable clamp	HD36-24-14SN-059	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, adapter	HD36-24-14SN-072	N/A
HDB Series				
14	16	Plug, HDB30, 18 shell, 14 way, E seal, reverse, breakaway	HDB36-18-14PE	N/A
14	16	Plug, HDB30, 18 shell, 14 way, E seal, reverse, breakaway, cable clamp	HDB36-18-14PE-059	N/A
14	16	Plug, HDB30, 18 shell, 14 way, N seal, reverse, breakaway	HDB36-18-14PN	N/A
14	16	Plug, HDB30, 18 shell, 14 way, N seal, reverse, breakaway, cable clamp	HDB36-18-14PN-059	N/A
14	16	Plug, HDB30, 18 shell, 14 way, N seal, breakaway	HDB36-18-14SN	N/A
14	16	Plug, HDB30, 18 shell, 14 way, N seal, breakaway, cable clamp	HDB36-18-14SN-059	N/A
HDP20 Series				
14	16	Recept., HDP20, 18 shell, 14 way, black, E seal	HDP24-18-14PE	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, E seal, ring adapter	HDP24-18-14PE-L017	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, E seal, wide threaded adapter	HDP24-18-14PE-L024	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
14	16	Recept., HDP20, 18 shell, 14 way, black, N seal	HDP24-18-14PN	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, N seal, ring adapter	HDP24-18-14PN-L017	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, E seal, reverse	HDP24-18-14SE	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, E seal, reverse, ring adapter	HDP24-18-14SE-L017	N/A
14	16	Recept., HDP20, 18 shell, 14 way, black, N seal, reverse	HDP24-18-14SN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, E seal	HDP24-24-14PE	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal	HDP24-24-14PN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal, threaded adapter	HDP24-24-14PN-L015	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal, ring adapter	HDP24-24-14PN-L017	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal, reverse	HDP24-24-14SN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal, reverse, threaded adapter	HDP24-24-14SN-L015	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Recept., HDP20, 24 shell, 14 way, black, N seal, reverse, ring adapter	HDP24-24-14SN-L017	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, E seal, reverse	HDP26-18-14PE	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, E seal, reverse, ring adapter	HDP26-18-14PE-L017	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, N seal, reverse	HDP26-18-14PN	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, E seal	HDP26-18-14SE	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, E seal, ring adapter	HDP26-18-14SE-L017	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, E seal, wide threaded adapter	HDP26-18-14SE-L024	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, N seal	HDP26-18-14SN	N/A
14	16	Plug, HDP20, 18 shell, 14 way, black, N seal, ring adapter	HDP26-18-14SN-L017	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal, reverse	HDP26-24-14PN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal, reverse, threaded adapter	HDP26-24-14PN-L015	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal, reverse, ring adapter	HDP26-24-14PN-L017	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, E seal	HDP26-24-14SE	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal	HDP26-24-14SN	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal, threaded adapter	HDP26-24-14SN-L015	N/A
14	12 sz. 16, 1 sz. 12, 1 sz. 4	Plug, HDP20, 24 shell, 14 way, black, N seal, ring adapter	HDP26-24-14SN-L017	N/A

15 CAVITY CONNECTORS

HDBox Series

15	Special	Recept., HDBox, black, houses HD34-24-91PN, DT13-2P, DT13-4P	HDBOX-24-91PN	N/A
----	---------	--	---------------	-----

16 CAVITY CONNECTORS

HD30 Series

16	12	Recept., HD30, 24 shell, 16 way, E seal	HD34-24-16PE	N/A
16	12	Recept., HD30, 24 shell, 16 way, E seal, cable clamp	HD34-24-16PE-059	N/A
16	12	Recept., HD30, 24 shell, 16 way, E seal, adapter	HD34-24-16PE-072	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
16	12	Recept., HD30, 24 shell, 16 way, N seal	HD34-24-16PN	N/A
16	12	Recept., HD30, 24 shell, 16 way, N seal, cable clamp	HD34-24-16PN-059	N/A
16	12	Recept., HD30, 24 shell, 16 way, N seal, adapter	HD34-24-16PN-072	N/A
16	12	Recept., HD30, 24 shell, 16 way, N seal, reverse	HD34-24-16SN	N/A
16	12	Recept., HD30, 24 shell, 16 way, N seal, reverse, cable clamp	HD34-24-16SN-059	N/A
16	12	Recept., HD30, 24 shell, 16 way, N seal, reverse, adapter	HD34-24-16SN-072	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal, reverse	HD36-24-16PN	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal, reverse, cable clamp	HD36-24-16PN-059	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal, reverse, adapter	HD36-24-16PN-072	N/A
16	12	Plug, HD30, 24 shell, 16 way, E seal	HD36-24-16SE	N/A
16	12	Plug, HD30, 24 shell, 16 way, E seal, cable clamp	HD36-24-16SE-059	N/A
16	12	Plug, HD30, 24 shell, 16 way, E seal, adapter	HD36-24-16SE-072	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal	HD36-24-16SN	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal, cable clamp	HD36-24-16SN-059	N/A
16	12	Plug, HD30, 24 shell, 16 way, N seal, adapter	HD36-24-16SN-072	N/A
HDB Series				
16	12	Plug, HDB30, 24 shell, 16 way, N seal, reverse, breakaway	HDB36-24-16PN	N/A
16	12	Plug, HDB30, 24 shell, 16 way, N seal, reverse, breakaway, cable clamp	HDB36-24-16PN-059	N/A
16	12	Plug, HDB30, 24 shell, 16 way, N seal, breakaway	HDB36-24-16SN	N/A
16	12	Plug, HDB30, 24 shell, 16 way, N seal, breakaway, cable clamp	HDB36-24-16SN-059	N/A
HDP20 Series				
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal	HDP24-24-16PE	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal, threaded adapter	HDP24-24-16PE-L015	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal, ring adapter	HDP24-24-16PE-L017	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal	HDP24-24-16PN	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal, threaded adapter	HDP24-24-16PN-L015	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal, ring adapter	HDP24-24-16PN-L017	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal, reverse	HDP24-24-16SE	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal, reverse, threaded adapter	HDP24-24-16SE-L015	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, E seal, reverse, ring adapter	HDP24-24-16SE-L017	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal, reverse	HDP24-24-16SN	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal, reverse, threaded adapter	HDP24-24-16SN-L015	N/A
16	12	Recept., HDP20, 24 shell, 16 way, black, N seal, reverse, ring adapter	HDP24-24-16SN-L017	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal, reverse	HDP26-24-16PE	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal, reverse, threaded adapter	HDP26-24-16PE-L015	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal, reverse, ring adapter	HDP26-24-16PE-L017	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, reverse	HDP26-24-16PN	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, reverse, threaded adapter	HDP26-24-16PN-L015	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, reverse, ring adapter	HDP26-24-16PN-L017	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal	HDP26-24-16SE	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal, threaded adapter	HDP26-24-16SE-L015	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, E seal, ring adapter	HDP26-24-16SE-L017	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal	HDP26-24-16SN	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, threaded adapter	HDP26-24-16SN-L015	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, ring adapter	HDP26-24-16SN-L017	N/A
16	12	Plug, HDP20, 24 shell, 16 way, black, N seal, wide threaded adapter	HDP26-24-16SN-L024	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
18 CAVITY CONNECTORS				
DTV Series				
18	16	Recept., DTV, 18 way, A key, gray, sealed flange, gasket, end cap	DTV02-18PA	WV-18P
18	16	Recept., DTV, 18 way, B key, black, sealed flange, gasket, end cap	DTV02-18PB	WV-18P
(18) 12	16	Recept., DTV, 18 way, B key, black, sealed flange, gasket, end cap, cavities 7-12 blocked	DTV02-18PB-C032	WV-18P
18	16	Recept., DTV, 18 way, C key, green, sealed flange, gasket, end cap	DTV02-18PC	WV-18P
18	16	Recept., DTV, 18 way, D key, brown, sealed flange, gasket, end cap	DTV02-18PD	WV-18P
18	16	Plug, DTV, 18 way, A key, gray, end cap	DTV06-18SA	WV-18S
18	16	Plug, DTV, 18 way, B key, black, end cap	DTV06-18SB	WV-18S
18	16	Plug, DTV, 18 way, C key, green, end cap	DTV06-18SC	WV-18S
18	16	Plug, DTV, 18 way, D key, brown, end cap	DTV06-18SD	WV-18S
HD30 Series				
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal	HD34-24-18PN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, cable clamp	HD34-24-18PN-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, adapter	HD34-24-18PN-072	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, E seal, reverse	HD34-24-18SE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, E seal, reverse, cable clamp	HD34-24-18SE-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, E seal, reverse, adapter	HD34-24-18SE-072	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, reverse	HD34-24-18SN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, reverse, cable clamp	HD34-24-18SN-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, reverse, adapter	HD34-24-18SN-072	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, E seal, reverse	HD36-24-18PE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, E seal, reverse, cable clamp	HD36-24-18PE-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, E seal, reverse, adapter	HD36-24-18PE-072	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, reverse	HD36-24-18PN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, reverse, cable clamp	HD36-24-18PN-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, reverse, adapter	HD36-24-18PN-072	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal	HD36-24-18SN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, cable clamp	HD36-24-18SN-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, adapter	HD36-24-18SN-072	N/A
HDB Series				
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDB30, 24 shell, 18 way, E seal, reverse, breakaway	HDB36-24-18PE	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDB30, 24 shell, 18 way, E seal, reverse, breakaway, cable clamp	HDB36-24-18PE-059	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDB30, 24 shell, 18 way, N seal, reverse, breakaway	HDB36-24-18PN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDB30, 24 shell, 18 way, N seal, reverse, breakaway, cable clamp	HDB36-24-18PN-059	N/A
HDP20 Series				
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal	HDP24-24-18PE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, threaded adapter	HDP24-24-18PE-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, ring adapter	HDP24-24-18PE-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, wide threaded adapter	HDP24-24-18PE-L024	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal	HDP24-24-18PN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, threaded adapter	HDP24-24-18PN-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, ring adapter	HDP24-24-18PN-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, wide threaded adapter	HDP24-24-18PN-L024	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, reverse	HDP24-24-18SE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, reverse, threaded adapter	HDP24-24-18SE-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, E seal, reverse, ring adapter	HDP24-24-18SE-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, reverse	HDP24-24-18SN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, reverse, threaded adapter	HDP24-24-18SN-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Recept., HDP20, 24 shell, 18 way, black, N seal, reverse, ring adapter	HDP24-24-18SN-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, reverse	HDP26-24-18PE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, reverse, threaded adapter	HDP26-24-18PE-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, reverse, ring adapter	HDP26-24-18PE-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, reverse	HDP26-24-18PN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, reverse, threaded adapter	HDP26-24-18PN-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, reverse, ring adapter	HDP26-24-18PN-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal	HDP26-24-18SE	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, threaded adapter	HDP26-24-18SE-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, ring adapter	HDP26-24-18SE-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, E seal, wide threaded adapter	HDP26-24-18SE-L024	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal	HDP26-24-18SN	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, threaded adapter	HDP26-24-18SN-L015	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, ring adapter	HDP26-24-18SN-L017	N/A
18	14 sz. 16, 3 sz. 12, 1 sz. 8	Plug, HDP20, 24 shell, 18 way, black, N seal, wide threaded adapter	HDP26-24-18SN-L024	N/A

19 CAVITY CONNECTORS

HD30 Series

19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal	HD34-24-19PE	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, cable clamp	HD34-24-19PE-059	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, adapter	HD34-24-19PE-072	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal	HD34-24-19PN	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, cable clamp	HD34-24-19PN-059	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, adapter	HD34-24-19PN-072	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, reverse	HD34-24-19SE	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, reverse, cable clamp	HD34-24-19SE-059	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, reverse, adapter	HD34-24-19SE-072	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, reverse	HD34-24-19SN	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, reverse, cable clamp	HD34-24-19SN-059	N/A
19	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, reverse, adapter	HD34-24-19SN-072	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, reverse	HD36-24-19PE	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, reverse, cable clamp	HD36-24-19PE-059	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, reverse, adapter	HD36-24-19PE-072	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, reverse	HD36-24-19PN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, reverse, cable clamp	HD36-24-19PN-059	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, reverse, adapter	HD36-24-19PN-072	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal	HD36-24-19SE	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, cable clamp	HD36-24-19SE-059	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, adapter	HD36-24-19SE-072	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal	HD36-24-19SN	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, cable clamp	HD36-24-19SN-059	N/A
19	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, adapter	HD36-24-19SN-072	N/A
HDB Series				
19	13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, reverse, breakaway	HDB36-24-19PN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, reverse, breakaway, cable clamp	HDB36-24-19PN-059	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, breakaway	HDB36-24-19SN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, breakaway, cable clamp	HDB36-24-19SN-059	N/A
HDP20 Series				
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal	HDP24-24-19PE	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, threaded adapter	HDP24-24-19PE-L015	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, ring adapter	HDP24-24-19PE-L017	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, wide threaded adapter	HDP24-24-19PE-L024	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal	HDP24-24-19PN	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal, threaded adapter	HDP24-24-19PN-L015	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal, ring adapter	HDP24-24-19PN-L017	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, reverse	HDP24-24-19SE	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, reverse, threaded adapter	HDP24-24-19SE-L015	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, reverse, ring adapter	HDP24-24-19SE-L017	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, E seal, reverse, wide threaded adapter	HDP24-24-19SE-L024	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal, reverse	HDP24-24-19SN	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal, reverse, threaded adapter	HDP24-24-19SN-L015	N/A
19	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, black, N seal, reverse, ring adapter	HDP24-24-19SN-L017	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, reverse	HDP26-24-19PE	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, reverse, threaded adapter	HDP26-24-19PE-L015	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, reverse, ring adapter	HDP26-24-19PE-L017	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, reverse, wide threaded adapter	HDP26-24-19PE-L024	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal, reverse	HDP26-24-19PN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal, reverse, threaded adapter	HDP26-24-19PN-L015	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal, reverse, ring adapter	HDP26-24-19PN-L017	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal	HDP26-24-19SE	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, threaded adapter	HDP26-24-19SE-L015	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, ring adapter	HDP26-24-19SE-L017	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, E seal, wide threaded adapter	HDP26-24-19SE-L024	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal	HDP26-24-19SN	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal, threaded adapter	HDP26-24-19SN-L015	N/A
19	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, black, N seal, ring adapter	HDP26-24-19SN-L017	N/A

20 CAVITY CONNECTORS

HD30 Series

20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal	HD34-18-20PN	N/A
20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, cable clamp	HD34-18-20PN-059	N/A
20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, adapter	HD34-18-20PN-072	N/A
20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, reverse	HD34-18-20SN	N/A
20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, reverse, cable clamp	HD34-18-20SN-059	N/A
20	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, reverse, adapter	HD34-18-20SN-072	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, reverse	HD36-18-20PN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, reverse, cable clamp	HD36-18-20PN-059	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, reverse, adapter	HD36-18-20PN-072	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal	HD36-18-20SN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, cable clamp	HD36-18-20SN-059	N/A
20	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, adapter	HD36-18-20SN-072	N/A

HDB Series

20	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, reverse, breakaway	HDB36-18-20PN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, reverse, breakaway, cable clamp	HDB36-18-20PN-059	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, breakaway	HDB36-18-20SN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, breakaway, cable clamp	HDB36-18-20SN-059	N/A

HDP20 Series

--	--	--	--	--

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
20	18 sz. 20, 2 sz. 16	Recept., HDP20, 18 shell, 20 way, black, N seal	HDP24-18-20PN	N/A
20	18 sz. 20, 2 sz. 16	Recept., HDP20, 18 shell, 20 way, black, N seal, ring adapter	HDP24-18-20PN-L017	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDP20, 18 shell, 20 way, black, N seal, reverse	HDP26-18-20PN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDP20, 18 shell, 20 way, black, N seal	HDP26-18-20SN	N/A
20	18 sz. 20, 2 sz. 16	Plug, HDP20, 18 shell, 20 way, black, N seal, ring adapter	HDP26-18-20SN-L017	N/A

21 CAVITY CONNECTORS

HD30 Series

21	20	Recept., HD30, 18 shell, 21 way, N seal	HD34-18-21PN	N/A
21	20	Recept., HD30, 18 shell, 21 way, N seal, cable clamp	HD34-18-21PN-059	N/A
21	20	Recept., HD30, 18 shell, 21 way, N seal, adapter	HD34-18-21PN-072	N/A
21	20	Recept., HD30, 18 shell, 21 way, N seal, reverse	HD34-18-21SN	N/A
21	20	Recept., HD30, 18 shell, 21 way, N seal, reverse, cable clamp	HD34-18-21SN-059	N/A
21	20	Recept., HD30, 18 shell, 21 way, N seal, reverse, adapter	HD34-18-21SN-072	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal	HD34-24-21PE	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, cable clamp	HD34-24-21PE-059	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, adapter	HD34-24-21PE-072	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal	HD34-24-21PN	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, cable clamp	HD34-24-21PN-059	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, adapter	HD34-24-21PN-072	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, reverse	HD34-24-21SE	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, reverse, cable clamp	HD34-24-21SE-059	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, reverse, adapter	HD34-24-21SE-072	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, reverse	HD34-24-21SN	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, reverse, cable clamp	HD34-24-21SN-059	N/A
21	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, reverse, adapter	HD34-24-21SN-072	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal, reverse	HD36-18-21PN	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal, reverse, cable clamp	HD36-18-21PN-059	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal, reverse, adapter	HD36-18-21PN-072	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal	HD36-18-21SN	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal, cable clamp	HD36-18-21SN-059	N/A
21	20	Plug, HD30, 18 shell, 21 way, N seal, adapter	HD36-18-21SN-072	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, reverse	HD36-24-21PE	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, reverse, cable clamp	HD36-24-21PE-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, reverse, adapter	HD36-24-21PE-072	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, reverse	HD36-24-21PN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, reverse, cable clamp	HD36-24-21PN-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, reverse, adapter	HD36-24-21PN-072	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal	HD36-24-21SE	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, cable clamp	HD36-24-21SE-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, adapter	HD36-24-21SE-072	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal	HD36-24-21SN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, cable clamp	HD36-24-21SN-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, adapter	HD36-24-21SN-072	N/A
HDB Series				
21	20	Plug, HDB30, 18 shell, 21 way, N seal, breakaway	HDB36-18-21SN	N/A
21	20	Plug, HDB30, 18 shell, 21 way, N seal, breakaway, cable clamp	HDB36-18-21SN-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, reverse, breakaway	HDB36-24-21PN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, reverse, breakaway, cable clamp	HDB36-24-21PN-059	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, breakaway	HDB36-24-21SN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, breakaway, cable clamp	HDB36-24-21SN-059	N/A
HDP20 Series				
21	20	Recept., HDP20, 18 shell, 21 way, black, N seal	HDP24-18-21PN	N/A
21	20	Recept., HDP20, 18 shell, 21 way, black, N seal, ring adapter	HDP24-18-21PN-L017	N/A
21	20	Recept., HDP20, 18 shell, 21 way, black, N seal, reverse	HDP24-18-21SN	N/A
21	20	Recept., HDP20, 18 shell, 21 way, black, N seal, reverse, ring adapter	HDP24-18-21SN-L017	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal	HDP24-24-21PE	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, threaded adapter	HDP24-24-21PE-L015	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, ring adapter	HDP24-24-21PE-L017	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, wide threaded adapter	HDP24-24-21PE-L024	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal	HDP24-24-21PN	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, threaded adapter	HDP24-24-21PN-L015	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, ring adapter	HDP24-24-21PN-L017	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, wide threaded adapter	HDP24-24-21PN-L024	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, reverse	HDP24-24-21SE	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, reverse, threaded adapter	HDP24-24-21SE-L015	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, E seal, reverse, ring adapter	HDP24-24-21SE-L017	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, reverse	HDP24-24-21SN	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, reverse, threaded adapter	HDP24-24-21SN-L015	N/A
21	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, black, N seal, reverse, ring adapter	HDP24-24-21SN-L017	N/A
21	20	Plug, HDP20, 18 shell, 21 way, black, N seal, reverse	HDP26-18-21PN	N/A
21	20	Plug, HDP20, 18 shell, 21 way, black, N seal, reverse, ring adapter	HDP26-18-21PN-L017	N/A
21	20	Plug, HDP20, 18 shell, 21 way, black, N seal	HDP26-18-21SN	N/A
21	20	Plug, HDP20, 18 shell, 21 way, black, N seal, ring adapter	HDP26-18-21SN-L017	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, reverse	HDP26-24-21PE	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, reverse, threaded adapter	HDP26-24-21PE-L015	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, reverse, ring adapter	HDP26-24-21PE-L017	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, reverse	HDP26-24-21PN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, reverse, threaded adapter	HDP26-24-21PN-L015	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, reverse, ring adapter	HDP26-24-21PN-L017	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal	HDP26-24-21SE	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, threaded adapter	HDP26-24-21SE-L015	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, ring adapter	HDP26-24-21SE-L017	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, E seal, wide threaded adapter	HDP26-24-21SE-L024	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal	HDP26-24-21SN	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, threaded adapter	HDP26-24-21SN-L015	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, ring adapter	HDP26-24-21SN-L017	N/A
21	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, black, N seal, wide threaded adapter	HDP26-24-21SN-L024	N/A

23 CAVITY CONNECTORS

AMPSEAL

23	1.3 mm	Header, AMPSEAL, 23 way, A key, black, straight molded tin pins, PCB mount, without seal	776200-1	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, A key, black, straight molded tin pins, PCB mount, with seal	776228-1	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
23	1.3 mm	Header, AMPSEAL, 23 way, A key, black, straight molded gold pins, PCB mount, without seal	1-776200-1	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, A key, black, straight molded gold pins, PCB mount, with seal	1-776228-1	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, A key, black, 90° molded tin pins, PCB mount, without seal	770669-1	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, A key, black, 90° molded tin pins, PCB mount, with seal	776087-1	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, A key, black, 90° molded gold pins, PCB mount, without seal	1-770669-1	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, A key, black, 90° molded gold pins, PCB mount, with seal	1-776087-1	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, B key, natural, straight molded tin pins, PCB mount, without seal	776200-2	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, B key, natural, straight molded tin pins, PCB mount, with seal	776228-2	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, B key, natural, straight molded gold pins, PCB mount, without seal	1-776200-2	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, B key, natural, straight molded gold pins, PCB mount, with seal	1-776228-2	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, B key, natural, 90° molded tin pins, PCB mount, without seal	770669-2	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, B key, natural, 90° molded tin pins, PCB mount, with seal	776087-2	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, B key, natural, 90° molded gold pins, PCB mount, without seal	1-770669-2	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, B key, natural, 90° molded gold pins, PCB mount, with seal	1-776087-2	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, C key, gray, straight molded tin pins, PCB mount, without seal	776200-4	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, C key, gray, straight molded tin pins, PCB mount, with seal	776228-4	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, C key, gray, straight molded gold pins, PCB mount, without seal	1-776200-4	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, C key, gray, straight molded gold pins, PCB mount, with seal	1-776228-4	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, C key, gray, 90° molded tin pins, PCB mount, without seal	770669-4	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, C key, gray, 90° molded tin pins, PCB mount, with seal	776087-4	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, C key, gray, 90° molded gold pins, PCB mount, without seal	1-770669-4	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, C key, gray, 90° molded gold pins, PCB mount, with seal	1-776087-4	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, D key, blue, straight molded tin pins, PCB mount, without seal	776200-5	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, D key, blue, straight molded tin pins, PCB mount, with seal	776228-5	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, D key, blue, straight molded gold pins, PCB mount, without seal	1-776200-5	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, D key, blue, straight molded gold pins, PCB mount, with seal	1-776228-5	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, D key, blue, 90° molded tin pins, PCB mount, without seal	770669-5	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
23	1.3 mm	Header, AMPSEAL, 23 way, D key, blue, 90° molded tin pins, PCB mount, with seal	776087-5	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, D key, blue, 90° molded gold pins, PCB mount, without seal	1-770669-5	N/A
23	1.3 mm	Header, AMPSEAL, 23 way, D key, blue, 90° molded gold pins, PCB mount, with seal	1-776087-5	N/A
23	1.3 mm	Plug (receptacle housing), AMPSEAL, 23 way, A key, black	770680-1	Included
23	1.3 mm	Plug (receptacle housing), AMPSEAL, 23 way, B key, natural	770680-2	Included
23	1.3 mm	Plug (receptacle housing), AMPSEAL, 23 way, C key, gray	770680-4	Included
23	1.3 mm	Plug (receptacle housing), AMPSEAL, 23 way, D key, blue	770680-5	Included
HD30 Series				
23	16	Recept., HD30, 24 shell, 23 way, E seal	HD34-24-23PE	N/A
23	16	Recept., HD30, 24 shell, 23 way, E seal, cable clamp	HD34-24-23PE-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, E seal, adapter	HD34-24-23PE-072	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal	HD34-24-23PN	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal, cable clamp	HD34-24-23PN-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal, adapter	HD34-24-23PN-072	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal	HD34-24-23PT	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal, cable clamp	HD34-24-23PT-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal, adapter	HD34-24-23PT-072	N/A
23	16	Recept., HD30, 24 shell, 23 way, E seal, reverse	HD34-24-23SE	N/A
23	16	Recept., HD30, 24 shell, 23 way, E seal, reverse, cable clamp	HD34-24-23SE-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, E seal, reverse, adapter	HD34-24-23SE-072	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal, reverse	HD34-24-23SN	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal, reverse, cable clamp	HD34-24-23SN-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, N seal, reverse, adapter	HD34-24-23SN-072	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal, reverse	HD34-24-23ST	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal, reverse, cable clamp	HD34-24-23ST-059	N/A
23	16	Recept., HD30, 24 shell, 23 way, T seal, reverse, adapter	HD34-24-23ST-072	N/A
23	16	Recept., 24 shell, 23 way, feed-thru hermetic	HD34H-24-23PP	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal, reverse	HD36-24-23PE	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal, reverse, cable clamp	HD36-24-23PE-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal, reverse, adapter	HD36-24-23PE-072	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, reverse	HD36-24-23PN	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, reverse, cable clamp	HD36-24-23PN-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, reverse, adapter	HD36-24-23PN-072	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal, reverse	HD36-24-23PT	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal, reverse, cable clamp	HD36-24-23PT-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal, reverse, adapter	HD36-24-23PT-072	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal	HD36-24-23SE	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal, cable clamp	HD36-24-23SE-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, E seal, adapter	HD36-24-23SE-072	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal	HD36-24-23SN	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, cable clamp	HD36-24-23SN-059	N/A
23	16	Plug, HD30, 24 shell, 23 way, N seal, adapter	HD36-24-23SN-072	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal	HD36-24-23ST	N/A
23	16	Plug, HD30, 24 shell, 23 way, T seal, cable clamp	HD36-24-23ST-059	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
23	16	Plug, HD30, 24 shell, 23 way, T seal, adapter	HD36-24-23ST-072	N/A
HDB Series				
23	16	Plug, HDB30, 24 shell, 23 way, E seal, reverse, breakaway	HDB36-24-23PE	N/A
23	16	Plug, HDB30, 24 shell, 23 way, E seal, reverse, breakaway, cable clamp	HDB36-24-23PE-059	N/A
23	16	Plug, HDB30, 24 shell, 23 way, N seal, reverse, breakaway	HDB36-24-23PN	N/A
23	16	Plug, HDB30, 24 shell, 23 way, N seal, reverse, breakaway, cable clamp	HDB36-24-23PN-059	N/A
23	16	Plug, HDB30, 24 shell, 23 way, T seal, reverse, breakaway	HDB36-24-23PT	N/A
23	16	Plug, HDB30, 24 shell, 23 way, T seal, reverse, breakaway, cable clamp	HDB36-24-23PT-059	N/A
23	16	Plug, HDB30, 24 shell, 23 way, N seal, breakaway	HDB36-24-23SN	N/A
23	16	Plug, HDB30, 24 shell, 23 way, N seal, breakaway, cable clamp	HDB36-24-23SN-059	N/A
HDN Series				
23	16	Plug, HDN, 24 shell, 23 way, N seal, non-env., std. insert marking identification	HDN36-24-23SN-C003	N/A
23	16	Plug, HDN, 24 shell, 23 way, N seal, non-env., reverse insert marking identification	HDN36-24-23SN-F001	N/A
HDP20 Series				
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal	HDP24-24-23PE	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, threaded adapter	HDP24-24-23PE-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, ring adapter	HDP24-24-23PE-L017	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, wide threaded adapter	HDP24-24-23PE-L024	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal	HDP24-24-23PN	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal, threaded adapter	HDP24-24-23PN-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal, ring adapter	HDP24-24-23PN-L017	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal	HDP24-24-23PT	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal, threaded adapter	HDP24-24-23PT-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal, ring adapter	HDP24-24-23PT-L017	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, reverse	HDP24-24-23SE	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, reverse, threaded adapter	HDP24-24-23SE-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, E seal, reverse, ring adapter	HDP24-24-23SE-L017	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal, reverse	HDP24-24-23SN	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal, reverse, threaded adapter	HDP24-24-23SN-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, N seal, reverse, ring adapter	HDP24-24-23SN-L017	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal, reverse	HDP24-24-23ST	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal, reverse, threaded adapter	HDP24-24-23ST-L015	N/A
23	16	Recept., HDP20, 24 shell, 23 way, black, T seal, reverse, ring adapter	HDP24-24-23ST-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, reverse	HDP26-24-23PE	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, reverse, threaded adapter	HDP26-24-23PE-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, reverse, ring adapter	HDP26-24-23PE-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal, reverse	HDP26-24-23PN	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal, reverse, threaded adapter	HDP26-24-23PN-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal, reverse, ring adapter	HDP26-24-23PN-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal, reverse	HDP26-24-23PT	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal, reverse, threaded adapter	HDP26-24-23PT-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal, reverse, ring adapter	HDP26-24-23PT-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal	HDP26-24-23SE	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, threaded adapter	HDP26-24-23SE-L015	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, ring adapter	HDP26-24-23SE-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, E seal, wide threaded adapter	HDP26-24-23SE-L024	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal	HDP26-24-23SN	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal, threaded adapter	HDP26-24-23SN-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, N seal, ring adapter	HDP26-24-23SN-L017	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal	HDP26-24-23ST	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal, threaded adapter	HDP26-24-23ST-L015	N/A
23	16	Plug, HDP20, 24 shell, 23 way, black, T seal, ring adapter	HDP26-24-23ST-L017	N/A

24 CAVITY CONNECTORS

DRC Series

24	16	Recept., DRC, 24 way, A key, black, flange	DRC12-24PA	N/A
24	16	Recept., DRC, 24 way, A key, black, flange, E seal	DRC12-24PAE	N/A
24	16	Recept., DRC, 24 way, A key, black, flange, T seal	DRC12-24PAT	N/A
24	16	Recept., DRC, 24 way, B key, black, flange	DRC12-24PB	N/A
24	16	Recept., DRC, 24 way, B key, black, flange, E seal	DRC12-24PBE	N/A
24	16	Recept., DRC, 24 way, B key, black, flange, T seal	DRC12-24PBT	N/A
24	16	Recept., DRC, 24 way, C key, black, flange	DRC12-24PC	N/A
24	16	Recept., DRC, 24 way, C key, black, flange, E seal	DRC12-24PCE	N/A
24	16	Recept., DRC, 24 way, D key, black, flange	DRC12-24PD	N/A
24	16	Recept., DRC, 24 way, A key, black, in-line	DRC14-24PA	N/A
24	16	Recept., DRC, 24 way, A key, black, in-line, E seal	DRC14-24PAE	N/A
24	16	Recept., DRC, 24 way, B key, black, in-line	DRC14-24PB	N/A
24	16	Recept., DRC, 24 way, B key, black, in-line, E seal	DRC14-24PBE	N/A
24	16	Plug, DRC, 24 way, A key, black	DRC16-24SA	N/A
24	16	Plug, DRC, 24 way, A key, black, bonded front seal	DRC16-24SA-P013	N/A
24	16	Plug, DRC, 24 way, A key, black, E seal	DRC16-24SAE	N/A
24	16	Plug, DRC, 24 way, A key, black, E seal, bonded front seal	DRC16-24SAE-P013	N/A
24	16	Plug, DRC, 24 way, A key, black, T seal	DRC16-24SAT	N/A
24	16	Plug, DRC, 24 way, B key, black	DRC16-24SB	N/A
24	16	Plug, DRC, 24 way, B key, black, bonded front seal	DRC16-24SB-P013	N/A
24	16	Plug, DRC, 24 way, B key, black, E seal, bonded front seal	DRC16-24SBE-P013	N/A
24	16	Plug, DRC, 24 way, B key, black, T seal	DRC16-24SBT	N/A
24	16	Plug, DRC, 24 way, C key, black	DRC16-24SC	N/A
24	16	Plug, DRC, 24 way, C key, black, bonded front seal	DRC16-24SC-P013	N/A
24	16	Plug, DRC, 24 way, D key, black	DRC16-24SD	N/A
24	20	Plug, DRC, 24 way, A key, black	DRC26-24SA	N/A
24	20	Plug, DRC, 24 way, B key, black	DRC26-24SB	N/A

DRC10/13/23 Series

24	16	Recept., DRC10, 24 way, A key, black, flange, straight solder pots	DRC10-24PA	N/A
24	16	Recept., DRC10, 24 way, A key, black, flange, straight molded pins, PCB mount	DRC10-24PA-A004	N/A
24	16	Recept., DRC10, 24 way, B key, black, flange, straight solder pots	DRC10-24PB	N/A
24	16	Recept., DRC10, 24 way, B key, black, flange, straight molded pins, PCB mount	DRC10-24PB-A004	N/A
24	16	Recept., DRC10, 24 way, C key, black, flange, straight molded pins, PCB mount	DRC10-24PC-A004	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
24	16	Recept., DRC13, 24 way, A key, black, 90° molded pins, PCB mount	DRC13-24PA	N/A
24	16	Recept., DRC13, 24 way, A key, black, 90° molded pins, PCB mount, outside rows gold, inside rows tin	DRC13-24PA-G002	N/A
24	16	Recept., DRC13, 24 way, B key, black, 90° molded pins, PCB mount	DRC13-24PB	N/A
24	16	Recept., DRC13, 24 way, C key, black, 90° molded pins, PCB mount	DRC13-24PC	N/A
24	20	Recept., DRC23, 24 way, A key, black, 90° molded pins, PCB mount	DRC23-24PA	N/A
24	20	Recept., DRC23, 24 way, B key, black, 90° molded pins, PCB mount	DRC23-24PB	N/A

DT13 EEC Headers

24	16	Recept., DT13, 24 way, enhanced A & B key, black, 90° molded pins, DT EEC PCB header	DT13-24PAB-R015	N/A
----	----	--	-----------------	-----

DTM13 EEC Headers

24	20	Recept., DTM13, 24 way, A & B key, black, 90° molded gold pins, DTM EEC PCB header	DTM13-12PA-12PB-GR01	N/A
24	20	Recept., DTM13, 24 way, A & B key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PA-12PB-R008	N/A
24	20	Recept., DTM13, 24 way, C & D key, black, 90° molded pins, DTM EEC PCB header	DTM13-12PC-12PD-R008	N/A

29 CAVITY CONNECTORS

HD30 Series

29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal	HD34-24-29PE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, cable clamp	HD34-24-29PE-059	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, adapter	HD34-24-29PE-072	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, reverse	HD34-24-29SE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, reverse, cable clamp	HD34-24-29SE-059	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, reverse, adapter	HD34-24-29SE-072	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, reverse	HD36-24-29PE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, reverse, cable clamp	HD36-24-29PE-059	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, reverse, adapter	HD36-24-29PE-072	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal	HD36-24-29SE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, cable clamp	HD36-24-29SE-059	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, adapter	HD36-24-29SE-072	N/A

HDB Series

29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDB30, 24 shell, 29 way, E seal, breakaway	HDB36-24-29SE	N/A
----	-------------------------------	--	---------------	-----

HDP20 Series

29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal	HDP24-24-29PE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, threaded adapter	HDP24-24-29PE-L015	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, ring adapter	HDP24-24-29PE-L017	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, wide threaded adapter	HDP24-24-29PE-L024	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, reverse	HDP24-24-29SE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, reverse, threaded adapter	HDP24-24-29SE-L015	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, reverse, ring adapter	HDP24-24-29SE-L017	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Recept., HDP20, 24 shell, 29 way, black, E seal, reverse, wide threaded adapter	HDP24-24-29SE-L024	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, reverse	HDP26-24-29PE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, reverse, threaded adapter	HDP26-24-29PE-L015	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, reverse, ring adapter	HDP26-24-29PE-L017	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal	HDP26-24-29SE	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, threaded adapter	HDP26-24-29SE-L015	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, ring adapter	HDP26-24-29SE-L017	N/A
29	19 sz. 16, 6 sz. 20, 4 sz. 12	Plug, HDP20, 24 shell, 29 way, black, E seal, wide threaded adapter	HDP26-24-29SE-L024	N/A

31 CAVITY CONNECTORS

HD30 Series

31	16	Recept., HD30, 24 shell, 31 way, E seal	HD34-24-31PE	N/A
31	16	Recept., HD30, 24 shell, 31 way, E seal, cable clamp	HD34-24-31PE-059	N/A
31	16	Recept., HD30, 24 shell, 31 way, E seal, adapter	HD34-24-31PE-072	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal	HD34-24-31PT	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, cable clamp	HD34-24-31PT-059	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, adapter	HD34-24-31PT-072	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, custom mount	HD34-24-31PT-B019	N/A
31	16	Recept., HD30, 24 shell, 31 way, E seal, reverse	HD34-24-31SE	N/A
31	16	Recept., HD30, 24 shell, 31 way, E seal, reverse, cable clamp	HD34-24-31SE-059	N/A
31	16	Recept., HD30, 24 shell, 31 way, E seal, reverse, adapter	HD34-24-31SE-072	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, reverse	HD34-24-31ST	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, reverse, cable clamp	HD34-24-31ST-059	N/A
31	16	Recept., HD30, 24 shell, 31 way, T seal, reverse, adapter	HD34-24-31ST-072	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal, reverse	HD36-24-31PE	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal, reverse, cable clamp	HD36-24-31PE-059	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal, reverse, adapter	HD36-24-31PE-072	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, reverse	HD36-24-31PT	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, reverse, cable clamp	HD36-24-31PT-059	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, reverse, adapter	HD36-24-31PT-072	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal	HD36-24-31SE	N/A
31	16	Plug, HD30, 24 shell, 31 way, E seal, cable clamp	HD36-24-31SE-059	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
31	16	Plug, HD30, 24 shell, 31 way, E seal, adapter	HD36-24-31SE-072	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal	HD36-24-31ST	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, cable clamp	HD36-24-31ST-059	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, adapter	HD36-24-31ST-072	N/A
31	16	Plug, HD30, 24 shell, 31 way, T seal, custom mount	HD36-24-31ST-B019	N/A

HDB Series

31	16	Plug, HDB30, 24 shell, 31 way, T seal, reverse, breakaway	HDB36-24-31PT	N/A
31	16	Plug, HDB30, 24 shell, 31 way, T seal, reverse, breakaway, cable clamp	HDB36-24-31PT-059	N/A
31	16	Plug, HDB30, 24 shell, 31 way, E seal, breakaway	HDB36-24-31SE	N/A
31	16	Plug, HDB30, 24 shell, 31 way, E seal, breakaway, cable clamp	HDB36-24-31SE-059	N/A
31	16	Plug, HDB30, 24 shell, 31 way, T seal, breakaway	HDB36-24-31ST	N/A
31	16	Plug, HDB30, 24 shell, 31 way, T seal, breakaway, cable clamp	HDB36-24-31ST-059	N/A

HDP20 Series

31	16	Recept., HDP20, 24 shell, 31 way, black, E seal	HDP24-24-31PE	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, threaded adapter	HDP24-24-31PE-L015	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, ring adapter	HDP24-24-31PE-L017	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, wide threaded adapter	HDP24-24-31PE-L024	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal	HDP24-24-31PT	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal, threaded adapter	HDP24-24-31PT-L015	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal, ring adapter	HDP24-24-31PT-L017	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, reverse	HDP24-24-31SE	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, reverse, threaded adapter	HDP24-24-31SE-L015	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, E seal, reverse, ring adapter	HDP24-24-31SE-L017	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal, reverse	HDP24-24-31ST	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal, reverse, threaded adapter	HDP24-24-31ST-L015	N/A
31	16	Recept., HDP20, 24 shell, 31 way, black, T seal, reverse, ring adapter	HDP24-24-31ST-L017	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, reverse	HDP26-24-31PE	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, reverse, threaded adapter	HDP26-24-31PE-L015	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, reverse, ring adapter	HDP26-24-31PE-L017	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, reverse	HDP26-24-31PT	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, reverse, threaded adapter	HDP26-24-31PT-L015	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, reverse, ring adapter	HDP26-24-31PT-L017	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal	HDP26-24-31SE	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, threaded adapter	HDP26-24-31SE-L015	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, ring adapter	HDP26-24-31SE-L017	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, E seal, wide threaded adapter	HDP26-24-31SE-L024	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal	HDP26-24-31ST	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, threaded adapter	HDP26-24-31ST-L015	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, ring adapter	HDP26-24-31ST-L017	N/A
31	16	Plug, HDP20, 24 shell, 31 way, black, T seal, wide threaded adapter	HDP26-24-31ST-L024	N/A

32 CAVITY CONNECTORS

STRIKE Series

32	4 sz. 16, 28 sz. 20	Recept., STRIKE, MD shell, 32 way, A key, black, sealed flange	SRK02-MDA-32A-001	Included
32	4 sz. 16, 28 sz. 20	Recept., STRIKE, MD shell, 32 way, B key, black, sealed flange	SRK02-MDB-32A-001	Included

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
32	4 sz. 16, 28 sz. 20	Recept., STRIKE, MD shell, 32 way, C key, black, sealed flange	SRK02-MDC-32A-001	Included
32	4 sz. 16, 28 sz. 20	Plug, STRIKE, MD shell, 32 way, A key, black	SRK06-MDA-32A-001	Included
32	4 sz. 16, 28 sz. 20	Plug, STRIKE, MD shell, 32 way, B key, black	SRK06-MDB-32A-001	Included

STRIKE 13/15 Series

32	4 sz. 16, 28 sz. 20	Recept., STRIKE13, MD shell, 32 way, A key, black, 90° molded pins, PCB mount, sealed flange	SRK13-MDA-32A-001	N/A
32	4 sz. 16, 28 sz. 20	Recept., STRIKE13, MD shell, 32 way, B key, black, 90° molded pins, PCB mount, sealed flange	SRK13-MDB-32A-001	N/A
32	4 sz. 16, 28 sz. 20	Recept., STRIKE15, MD shell, 32 way, A key, black, straight molded pins, PCB mount, sealed flange	SRK15-MDA-32A-001	N/A

33 CAVITY CONNECTORS

HD30 Series

33	20	Recept., HD30, 24 shell, 33 way, N seal	HD34-24-33PN	N/A
33	20	Recept., HD30, 24 shell, 33 way, N seal, cable clamp	HD34-24-33PN-059	N/A
33	20	Recept., HD30, 24 shell, 33 way, N seal, adapter	HD34-24-33PN-072	N/A
33	20	Recept., HD30, 24 shell, 33 way, N seal, reverse	HD34-24-33SN	N/A
33	20	Recept., HD30, 24 shell, 33 way, N seal, reverse, cable clamp	HD34-24-33SN-059	N/A
33	20	Recept., HD30, 24 shell, 33 way, N seal, reverse, adapter	HD34-24-33SN-072	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal, reverse	HD36-24-33PN	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal, reverse, cable clamp	HD36-24-33PN-059	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal, reverse, adapter	HD36-24-33PN-072	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal	HD36-24-33SN	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal, cable clamp	HD36-24-33SN-059	N/A
33	20	Plug, HD30, 24 shell, 33 way, N seal, adapter	HD36-24-33SN-072	N/A

HDB Series

33	20	Plug, HDB30, 24 shell, 33 way, N seal, reverse, breakaway	HDB36-24-33PN	N/A
33	20	Plug, HDB30, 24 shell, 33 way, N seal, reverse, breakaway, cable clamp	HDB36-24-33PN-059	N/A
33	20	Plug, HDB30, 24 shell, 33 way, N seal, breakaway	HDB36-24-33SN	N/A
33	20	Plug, HDB30, 24 shell, 33 way, N seal, breakaway, cable clamp	HDB36-24-33SN-059	N/A

HDP20 Series

33	20	Recept., HDP20, 24 shell, 33 way, black, N seal	HDP24-24-33PN	N/A
33	20	Recept., HDP20, 24 shell, 33 way, black, N seal, threaded adapter	HDP24-24-33PN-L015	N/A
33	20	Recept., HDP20, 24 shell, 33 way, black, N seal, ring adapter	HDP24-24-33PN-L017	N/A
33	20	Recept., HDP20, 24 shell, 33 way, black, N seal, reverse	HDP24-24-33SN	N/A
33	20	Recept., HDP20, 24 shell, 33 way, black, N seal, reverse, threaded adapter	HDP24-24-33SN-L015	N/A
33	20	Recept., HDP20, 24 shell, 33 way, black, N seal, reverse, ring adapter	HDP24-24-33SN-L017	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal, reverse	HDP26-24-33PN	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal, reverse, threaded adapter	HDP26-24-33PN-L015	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal, reverse, ring adapter	HDP26-24-33PN-L017	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal	HDP26-24-33SN	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal, threaded adapter	HDP26-24-33SN-L015	N/A
33	20	Plug, HDP20, 24 shell, 33 way, black, N seal, ring adapter	HDP26-24-33SN-L017	N/A

35 CAVITY CONNECTORS

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
AMPSEAL				
35	1.3 mm	Header, AMPSEAL, 35 way, A key, black, straight molded tin pins, PCB mount, without seal	776230-1	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, A key, black, straight molded tin pins, PCB mount, with seal	776231-1	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, A key, black, straight molded gold pins, PCB mount, without seal	1-776230-1	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, A key, black, straight molded gold pins, PCB mount, with seal	1-776231-1	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, A key, black, 90° molded tin pins, PCB mount, without seal	776180-1	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, A key, black, 90° molded tin pins, PCB mount, with seal	776163-1	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, A key, black, 90° molded gold pins, PCB mount, without seal	1-776180-1	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, A key, black, 90° molded gold pins, PCB mount, with seal	1-776163-1	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, B key, natural, straight molded tin pins, PCB mount, without seal	776230-2	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, B key, natural, straight molded tin pins, PCB mount, with seal	776231-2	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, B key, natural, straight molded gold pins, PCB mount, without seal	1-776230-2	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, B key, natural, straight molded gold pins, PCB mount, with seal	1-776231-2	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, B key, natural, 90° molded tin pins, PCB mount, without seal	776180-2	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, B key, natural, 90° molded tin pins, PCB mount, with seal	776163-2	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, B key, natural, 90° molded gold pins, PCB mount, without seal	1-776180-2	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, B key, natural, 90° molded gold pins, PCB mount, with seal	1-776163-2	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, C key, gray, straight molded tin pins, PCB mount, without seal	776230-4	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, C key, gray, straight molded tin pins, PCB mount, with seal	776231-4	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, C key, gray, straight molded gold pins, PCB mount, without seal	1-776230-4	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, C key, gray, straight molded gold pins, PCB mount, with seal	1-776231-4	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, C key, gray, 90° molded tin pins, PCB mount, without seal	776180-4	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, C key, gray, 90° molded tin pins, PCB mount, with seal	776163-4	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, C key, gray, 90° molded gold pins, PCB mount, without seal	1-776180-4	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, C key, gray, 90° molded gold pins, PCB mount, with seal	1-776163-4	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, D key, blue, straight molded tin pins, PCB mount, without seal	776230-5	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, D key, blue, straight molded tin pins, PCB mount, with seal	776231-5	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, D key, blue, straight molded gold pins, PCB mount, without seal	1-776230-5	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
35	1.3 mm	Header, AMPSEAL, 35 way, D key, blue, straight molded gold pins, PCB mount, with seal	1-776231-5	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, D key, blue, 90° molded tin pins, PCB mount, without seal	776180-5	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, D key, blue, 90° molded tin pins, PCB mount, with seal	776163-5	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, D key, blue, 90° molded gold pins, PCB mount, without seal	1-776180-5	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, D key, blue, 90° molded gold pins, PCB mount, with seal	1-776163-5	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, E key, orange, straight molded gold pins, PCB mount, with seal	1-776231-6	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, E key, orange, 90° molded gold pins, PCB mount, without seal	1-776180-6	N/A
35	1.3 mm	Header, AMPSEAL, 35 way, E key, orange, 90° molded gold pins, PCB mount, with seal	1-776163-6	N/A
35	1.3 mm	Plug (receptacle housing), AMPSEAL, 35 way, A key, black	776164-1	Included
35	1.3 mm	Plug (receptacle housing), AMPSEAL, 35 way, B key, natural	776164-2	Included
35	1.3 mm	Plug (receptacle housing), AMPSEAL, 35 way, C key, gray	776164-4	Included
35	1.3 mm	Plug (receptacle housing), AMPSEAL, 35 way, D key, blue	776164-5	Included
35	1.3 mm	Plug (receptacle housing), AMPSEAL, 35 way, E key, orange	776164-6	Included
HD30 Series				
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal	HD34-24-35PN	N/A
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, cable clamp	HD34-24-35PN-059	N/A
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, adapter	HD34-24-35PN-072	N/A
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, reverse	HD34-24-35SN	N/A
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, reverse, cable clamp	HD34-24-35SN-059	N/A
35	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, reverse, adapter	HD34-24-35SN-072	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, reverse	HD36-24-35PN	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, reverse, cable clamp	HD36-24-35PN-059	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, reverse, adapter	HD36-24-35PN-072	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal	HD36-24-35SN	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, cable clamp	HD36-24-35SN-059	N/A
35	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, adapter	HD36-24-35SN-072	N/A
HDB Series				
35	32 sz. 20, 3 sz. 16	Plug, HDB30, 24 shell, 35 way, N seal, reverse, breakaway	HDB36-24-35PN	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDB30, 24 shell, 35 way, N seal, reverse, breakaway, cable clamp	HDB36-24-35PN-059	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDB30, 24 shell, 35 way, N seal, breakaway	HDB36-24-35SN	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
HDP20 Series				
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, E seal	HDP24-24-35PE	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, E seal, threaded adapter	HDP24-24-35PE-L015	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, E seal, ring adapter	HDP24-24-35PE-L017	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, E seal, wide threaded adapter	HDP24-24-35PE-L024	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal	HDP24-24-35PN	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal, threaded adapter	HDP24-24-35PN-L015	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal, ring adapter	HDP24-24-35PN-L017	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal, reverse	HDP24-24-35SN	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal, reverse, threaded adapter	HDP24-24-35SN-L015	N/A
35	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, black, N seal, reverse, ring adapter	HDP24-24-35SN-L017	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, reverse	HDP26-24-35PN	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, reverse, threaded adapter	HDP26-24-35PN-L015	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, reverse, ring adapter	HDP26-24-35PN-L017	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, E seal, wide threaded adapter	HDP26-24-35SE-L024	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal	HDP26-24-35SN	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, threaded adapter	HDP26-24-35SN-L015	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, ring adapter	HDP26-24-35SN-L017	N/A
35	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, black, N seal, wide threaded adapter	HDP26-24-35SN-L024	N/A

36 CAVITY CONNECTORS

DT13 EEC Headers

36	16	Recept., DT13, 36 way, enhanced A, B, & C key, black, 90° molded pins, DT EEC PCB header	DT13-36PABC-R015	N/A
----	----	--	------------------	-----

38 CAVITY CONNECTORS

DRC Series

38	34 sz. 20, 4 sz. 12	Plug, DRC, 38 way, 01 key, black, stainless steel retaining clip	DRC26-38S01-P017	N/A
38	34 sz. 20, 4 sz. 12	Plug, DRC, 38 way, 02 key, black, stainless steel retaining clip	DRC26-38S02-P017	N/A

40 CAVITY CONNECTORS

AEC Series

40	16	Recept., AEC, 40 way, A key, black	AEC14-40PA	N/A
40	16	Recept., AEC, 40 way, A key, black, E seal, adapter	AEC14-40PAE-E019	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
40	16	Recept., AEC, 40 way, A/B key, black	AEC14-40PAB	N/A
40	16	Recept., AEC, 40 way, B key, black	AEC14-40PB	N/A
40	16	Recept., AEC, 40 way, B key, black, E seal, adapter	AEC14-40PBE-E019	N/A
40	16	Recept., AEC, 40 way, C key, black	AEC14-40PC	N/A
40	16	Recept., AEC, 40 way, D key, black	AEC14-40PD	N/A
40	16	Plug, AEC, 40 way, A key, black	AEC16-40SA	N/A
40	16	Plug, AEC, 40 way, A key, black, E seal, adapter	AEC16-40SAE-E019	N/A
40	16	Plug, AEC, 40 way, A key, black, E seal, remove blue stripe/brown end cap	AEC16-40SAE-K001	N/A
40	16	Plug, AEC, 40 way, B key, black	AEC16-40SB	N/A
40	16	Plug, AEC, 40 way, C key, black	AEC16-40SC	N/A
40	16	Plug, AEC, 40 way, D key, black	AEC16-40SD	N/A
40	16	Plug, AEC, 40 way, Univ. key, black	AEC16-40SU	N/A
40	16	Plug, AEC, 40 way, Univ. key, black, E seal, adapter	AEC16-40SUE-E019	N/A
40	16	Recept., AEC, 40 way, C key, black, 90° molded pins, PCB mount	AEC17-40PC	N/A
DRC Series				
40	16	Recept., DRC, 40 way, A key, black, flange	DRC12-40PA	N/A
40	16	Recept., DRC, 40 way, A key, black, flange, E seal	DRC12-40PAE	N/A
40	16	Recept., DRC, 40 way, B key, black, flange	DRC12-40PB	N/A
40	16	Recept., DRC, 40 way, B key, black, flange, E seal	DRC12-40PBE	N/A
40	16	Recept., DRC, 40 way, C key, black, flange	DRC12-40PC	N/A
40	16	Recept., DRC, 40 way, C key, black, flange, E seal	DRC12-40PCE	N/A
40	16	Recept., DRC, 40 way, D key, black, flange	DRC12-40PD	N/A
40	16	Recept., DRC, 40 way, A key, black, in-line	DRC14-40PA	N/A
40	16	Recept., DRC, 40 way, A key, black, in-line, E seal	DRC14-40PAE	N/A
40	16	Recept., DRC, 40 way, B key, black, in-line, E seal	DRC14-40PBE	N/A
40	16	Recept., DRC, 40 way, C key, black, in-line, E seal	DRC14-40PCE	N/A
40	16	Plug, DRC, 40 way, black	DRC16-40S	N/A
40	16	Plug, DRC, 40 way, black, bonded front seal	DRC16-40S-P013	N/A
40	16	Plug, DRC, 40 way, black, E seal	DRC16-40SE	N/A
40	16	Plug, DRC, 40 way, A key, black	DRC18-40SA	N/A
40	16	Plug, DRC, 40 way, A key, black, bonded front seal	DRC18-40SA-P013	N/A
40	16	Plug, DRC, 40 way, A key, black, E seal	DRC18-40SAE	N/A
40	16	Plug, DRC, 40 way, A key, black, E seal, bonded front seal	DRC18-40SAE-P013	N/A
40	16	Plug, DRC, 40 way, B key, black	DRC18-40SB	N/A
40	16	Plug, DRC, 40 way, B key, black, bonded front seal	DRC18-40SB-P013	N/A
40	16	Plug, DRC, 40 way, B key, black, E seal	DRC18-40SBE	N/A
40	16	Plug, DRC, 40 way, B key, black, E seal, bonded front seal	DRC18-40SBE-P013	N/A
40	16	Plug, DRC, 40 way, C key, black	DRC18-40SC	N/A
40	16	Plug, DRC, 40 way, C key, black, bonded front seal	DRC18-40SC-P013	N/A
40	16	Plug, DRC, 40 way, C key, black, E seal	DRC18-40SCE	N/A
40	16	Plug, DRC, 40 way, D key, black	DRC18-40SD	N/A
40	20	Recept., DRC, 40 way, A key, black, sealed flange	DRC22-40PA	N/A
40	20	Recept., DRC, 40 way, B key, black, sealed flange	DRC22-40PB	N/A
40	20	Plug, DRC, 40 way, A key, black	DRC26-40SA	N/A
40	20	Plug, DRC, 40 way, B key, black	DRC26-40SB	N/A
40	20	Plug, DRC, 40 way, C key, black	DRC26-40SC	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
40	20	Plug, DRC, 40 way, D key, black	DRC26-40SD	N/A
DRC10/13/23 Series				
40	16	Recept., DRC10, 40 way, black, flange, straight solder pot	DRC10-40P	N/A
40	16	Recept., DRC10, 40 way, black, flange, straight molded pins, PCB mount	DRC10-40P-A004	N/A
40	16	Recept., DRC13, 40 way, A key, black, 90° molded pins, PCB mount	DRC13-40PA	N/A
40	16	Recept., DRC13, 40 way, A key, black, 90° molded pins, PCB mount, outside row gold, inside rows tin	DRC13-40PA-G002	N/A
40	16	Recept., DRC13, 40 way, B key, black, 90° molded pins, PCB mount	DRC13-40PB	N/A
40	16	Recept., DRC13, 40 way, C key, black, 90° molded pins, PCB mount	DRC13-40PC	N/A
40	16	Recept., DRC13, 40 way, C key, black, 90° molded pins, PCB mount, outside row gold, inside rows tin	DRC13-40PC-G002	N/A
40	16	Recept., DRC13, 40 way, D key, black, 90° molded pins, PCB mount	DRC13-40PD	N/A
40	20	Recept., DRC23, 40 way, A key, black, 90° molded pins, PCB mount, one piece design	DRC23-40PA-N012	N/A
40	20	Recept., DRC23, 40 way, B key, black, 90° molded pins, PCB mount, one piece design	DRC23-40PB-N012	N/A
40	20	Recept., DRC23, 40 way, C key, black, 90° molded pins, PCB mount, one piece design	DRC23-40PC-N012	N/A

47 CAVITY CONNECTORS

HD30 Series

47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal	HD34-24-47PE	N/A
47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, cable clamp	HD34-24-47PE-059	N/A
47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, adapter	HD34-24-47PE-072	N/A
47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, reverse	HD34-24-47SE	N/A
47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, reverse, cable clamp	HD34-24-47SE-059	N/A
47	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, reverse, adapter	HD34-24-47SE-072	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, reverse	HD36-24-47PE	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, reverse, cable clamp	HD36-24-47PE-059	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, reverse, adapter	HD36-24-47PE-072	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal	HD36-24-47SE	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, cable clamp	HD36-24-47SE-059	N/A
47	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, adapter	HD36-24-47SE-072	N/A

HDP20 Series

47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal	HDP24-24-47PE	N/A
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, threaded adapter	HDP24-24-47PE-L015	N/A
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, ring adapter	HDP24-24-47PE-L017	N/A

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, wide threaded adapter	HDP24-24-47PE-L024	N/A
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, reverse	HDP24-24-47SE	N/A
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, reverse, threaded adapter	HDP24-24-47SE-L015	N/A
47	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, black, E seal, reverse, ring adapter	HDP24-24-47SE-L017	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, reverse	HDP26-24-47PE	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, reverse, threaded adapter	HDP26-24-47PE-L015	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, reverse, ring adapter	HDP26-24-47PE-L017	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal	HDP26-24-47SE	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, threaded adapter	HDP26-24-47SE-L015	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, ring adapter	HDP26-24-47SE-L017	N/A
47	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, black, E seal, wide threaded adapter	HDP26-24-47SE-L024	N/A

48 CAVITY CONNECTORS

DRB Series

48	24 sz. 20 12 sz. 16 12 sz. 12	Recept., DRB, 48 way, A key, black, E seal, bulkhead, wire router	DRB12-48PAE-L018	WB-48PA
48	24 sz. 20 12 sz. 16 12 sz. 12	Recept., DRB, 48 way, B key, black, E seal, bulkhead, wire router	DRB12-48PBE-L018	WB-48PB
48	24 sz. 20 12 sz. 16 12 sz. 12	Plug, DRB, 48 way, A key, black, E seal, bulkhead, wire router	DRB16-48SAE-L018	WB-48SA
48	24 sz. 20 12 sz. 16 12 sz. 12	Plug, DRB, 48 way, B key, black, E seal, bulkhead, wire router	DRB16-48SBE-L018	WB-48SB

DT Series

48	16	Recept., DT, 48 way, enhanced A, B, C, D key, gray, flange	DT04-48P-B016	(4) W12P
----	----	--	---------------	----------

DT13 EEC Headers

48	16	Recept., DT13, 48 way, enhanced A, B, C, & D key, black, 90° molded pins, DT EEC PCB header	DT13-48PABCD-R015	N/A
----	----	---	-------------------	-----

DTMF15 Series

48	20	Recept., DTMF15, 48 way, A, B, C, D key, black, straight molded pins, flangeless PCB mount	DTMF15-48P	N/A
----	----	--	------------	-----

50 CAVITY CONNECTORS

DRC Series

50	20	Recept., DRC, 50 way, 01 key, black, PCB mount, sealed outside flange	DRC20-50P01	N/A
50	20	Recept., DRC, 50 way, 02 key, black, PCB mount, sealed outside flange	DRC20-50P02	N/A
50	20	Recept., DRC, 50 way, 03 key, black, PCB mount, sealed outside flange	DRC20-50P03	N/A
50	20	Recept., DRC, 50 way, 04 key, black, PCB mount, sealed outside flange	DRC20-50P04	N/A
50	20	Recept., DRC, 50 way, 05 key, black, PCB mount, sealed outside flange	DRC20-50P05	N/A

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
50	20	Recept., DRC, 50 way, 07 key, black, PCB mount, sealed outside flange	DRC20-50P07	N/A
50	20	Recept., DRC, 50 way, 08 key, black, PCB mount, sealed outside flange	DRC20-50P08	N/A
50	20	Recept., DRC, 50 way, 01 key, black, PCB mount, sealed inside flange	DRC22-50P01	N/A
50	20	Recept., DRC, 50 way, 02 key, black, PCB mount, sealed inside flange	DRC22-50P02	N/A
50	20	Recept., DRC, 50 way, 03 key, black, PCB mount, sealed inside flange	DRC22-50P03	N/A
50	20	Recept., DRC, 50 way, 04 key, black, PCB mount, sealed inside flange	DRC22-50P04	N/A
50	20	Recept., DRC, 50 way, 05 key, black, PCB mount, sealed inside flange	DRC22-50P05	N/A
50	20	Recept., DRC, 50 way, 07 key, black, PCB mount, sealed inside flange	DRC22-50P07	N/A
50	20	Plug, DRC, 50 way, 01 key, black	DRC26-50S01	N/A
50	20	Plug, DRC, 50 way, 02 key, black	DRC26-50S02	N/A
50	20	Plug, DRC, 50 way, 03 key, black	DRC26-50S03	N/A
50	20	Plug, DRC, 50 way, 04 key, black	DRC26-50S04	N/A
50	20	Plug, DRC, 50 way, 05 key, black	DRC26-50S05	N/A
50	20	Plug, DRC, 50 way, 06 key, black	DRC26-50S06	N/A
50	20	Plug, DRC, 50 way, 07 key, black	DRC26-50S07	N/A
50	20	Plug, DRC, 50 way, 08 key, black	DRC26-50S08	N/A
50	20	Plug, DRC, 50 way, 09 key, black	DRC26-50S09	N/A
50	20	Plug, DRC, 50 way, 10 key, black	DRC26-50S10	N/A

60 CAVITY CONNECTORS

DRB Series

60	48 sz. 20, 12 sz. 16	Recept., DRB, 60 way, A key, black, E seal, bulkhead, wire router	DRB12-60PAE-L018	WB-60PA
60	48 sz. 20, 12 sz. 16	Recept., DRB, 60 way, B key, black, E seal, bulkhead, wire router	DRB12-60PBE-L018	WB-60PB
60	48 sz. 20, 12 sz. 16	Recept., DRB, 60 way, C key, black, E seal, bulkhead, wire router	DRB12-60PCE-L018	WB-60PC
60	48 sz. 20, 12 sz. 16	Plug, DRB, 60 way, A key, black, E seal, bulkhead, wire router	DRB16-60SAE-L018	WB-60SA
60	48 sz. 20, 12 sz. 16	Plug, DRB, 60 way, B key, black, E seal, bulkhead, wire router	DRB16-60SBE-L018	WB-60SB
60	48 sz. 20, 12 sz. 16	Plug, DRB, 60 way, C key, black, E seal, bulkhead, wire router	DRB16-60SCE-L018	WB-60SC

DRC Series

60	20	Plug, DRC, 60 way, 01 key, black	DRC26-60S01	N/A
60	20	Plug, DRC, 60 way, 04 key, black	DRC26-60S04	N/A
60	20	Plug, DRC, 60 way, 05 key, black	DRC26-60S05	N/A
60	20	Plug, DRC, 60 way, 06 key, black	DRC26-60S06	N/A
60	20	Plug, DRC, 60 way, 07 key, black	DRC26-60S07	N/A

64 CAVITY CONNECTORS

DRC Series

64	20	Recept., DRC, 64 way, A key 24 way and A key 40 way, black, 90° molded pins, PCB mount	DRC23-64PAA	N/A
----	----	--	-------------	-----

STRIKE Series

64	8 sz. 16, 56 sz. 20	Recept., STRIKE, FL shell, 64 way, A key, black, sealed flange	SRK02-FLA-64A-001	Included
64	8 sz. 16, 56 sz. 20	Recept., STRIKE, FL shell, 64 way, B key, black, sealed flange	SRK02-FLB-64A-001	Included

Electrical Connectors

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
64	8 sz. 16, 56 sz. 20	Recept., STRIKE, FL shell, 64 way, C key, black, sealed flange	SRK02-FLC-64A-001	Included
64	8 sz. 16, 56 sz. 20	Recept., STRIKE, FL shell, 64 way, D key, black, sealed flange	SRK02-FLD-64A-001	Included
64	8 sz. 16, 56 sz. 20	Plug, STRIKE, FL shell, 64 way, A key, black	SRK06-FLA-64A-001	Included
64	8 sz. 16, 56 sz. 20	Plug, STRIKE, FL shell, 64 way, B key, black	SRK06-FLB-64A-001	Included

70 CAVITY CONNECTORS

DRC Series

70	16	Recept., DRC, 70 way, A key, black, flange	DRC12-70PA	N/A
70	16	Recept., DRC, 70 way, A key, black, flange, E seal	DRC12-70PAE	N/A
70	16	Recept., DRC, 70 way, B key, black, flange	DRC12-70PB	N/A
70	16	Recept., DRC, 70 way, B key, black, flange, E seal	DRC12-70PBE	N/A
70	16	Recept., DRC, 70 way, C key, black, flange	DRC12-70PC	N/A
70	16	Recept., DRC, 70 way, C key, black, flange, E seal	DRC12-70PCE	N/A
70	16	Recept., DRC, 70 way, D key, black, flange	DRC12-70PD	N/A
70	16	Recept., DRC, 70 way, D key, black, flange, E seal	DRC12-70PDE	N/A
70	16	Recept., DRC, 70 way, A key, black, in-line	DRC14-70PA	N/A
70	16	Recept., DRC, 70 way, A key, black, in-line, E seal	DRC14-70PAE	N/A
70	16	Plug, DRC, 70 way, A key, black	DRC16-70SA	N/A
70	16	Plug, DRC, 70 way, A key, black, bonded front seal	DRC16-70SA-P013	N/A
70	16	Plug, DRC, 70 way, A key, black, E seal	DRC16-70SAE	N/A
70	16	Plug, DRC, 70 way, A key, black, E seal, bonded front seal	DRC16-70SAE-P013	N/A
70	16	Plug, DRC, 70 way, B key, black	DRC16-70SB	N/A
70	16	Plug, DRC, 70 way, B key, black, bonded front seal	DRC16-70SB-P013	N/A
70	16	Plug, DRC, 70 way, B key, black, E seal, bonded front seal	DRC16-70SBE-P013	N/A
70	16	Plug, DRC, 70 way, C key, black	DRC16-70SC	N/A
70	16	Plug, DRC, 70 way, C key, black, bonded front seal	DRC16-70SC-P013	N/A
70	16	Plug, DRC, 70 way, C key, black, E seal, bonded front seal	DRC16-70SCE-P013	N/A
70	16	Plug, DRC, 70 way, D key, black	DRC16-70SD	N/A
70	16	Plug, DRC, 70 way, D key, black, bonded front seal	DRC16-70SD-P013	N/A
70	16	Plug, DRC, 70 way, D key, black, E seal, bonded front seal	DRC16-70SDE-P013	N/A

DRC13 Series

70	16	Recept., DRC13, 70 way, A key, black, 90° molded pins, PCB mount, one piece design	DRC13-70PA-N012	N/A
70	16	Recept., DRC13, 70 way, B key, black, 90° molded pins, PCB mount, one piece design	DRC13-70PB-N012	N/A

102 CAVITY CONNECTORS

DRB Series

102	80 sz. 16, 16 sz. 12, 4 sz. 8, 2 sz. 4	Recept., DRB, 102 way, A key, black, E seal, bulkhead, wire router	DRB12-102PAE-L018	WB-51PAL WB-51PAR
102	80 sz. 16, 16 sz. 12, 4 sz. 8, 2 sz. 4	Recept., DRB, 102 way, A key, black, non-environmentally sealed, bulkhead	DRB12-102PANE	WB-51PAL WB-51PAR

Cavity	Contact Size(s)	Part Description	Part Number	Wedge/TPA
102	80 sz. 16, 16 sz. 12, 4 sz. 8, 2 sz. 4	Recept., DRB, 102 way, B key, black, E seal, bulkhead, wire router	DRB12-102PBE-L018	WB-51PBL WB-51PBR
102	80 sz. 16, 16 sz. 12, 4 sz. 8, 2 sz. 4	Plug, DRB, 102 way, A key, black, E seal, bulkhead, wire router	DRB16-102SAE-L018	WB-51SAL WB-51SAR
102	80 sz. 16, 16 sz. 12, 4 sz. 8, 2 sz. 4	Plug, DRB, 102 way, B key, black, E seal, bulkhead, wire router	DRB16-102SBE-L018	WB-51SBL WB-51SBR

128 CAVITY CONNECTORS

DRB Series

128	112 sz. 16, 16 sz. 12	Recept., DRB, 128 way, A key, black, E seal, bulkhead, wire router	DRB12-128PAE-L018	(2) WB-64PA
128	112 sz. 16, 16 sz. 12	Recept., DRB, 128 way, A key, black, non-environmentally sealed, bulkhead, wire router	DRB12-128PANE-L018	(2) WB-64PA
128	112 sz. 16, 16 sz. 12	Recept., DRB, 128 way, B key, black, non-environmentally sealed, bulkhead, wire router	DRB12-128PBNE-L018	(2) WB-64PB
128	112 sz. 16, 16 sz. 12	Plug, DRB, 128 Way, A key, black, E seal, bulkhead, wire router	DRB16-128SAE-L018	(2) WB-64SA
128	112 sz. 16, 16 sz. 12	Plug, DRB, 128 Way, B key, black, E seal, bulkhead, wire router	DRB16-128SBE-L018	(2) WB-64SB

Secondary Wedgelocks

Cavity	Part Description	Part Number	Color
DT Series Wedgelocks			
2	Lock, DT, 2 way recept.	W2P	Green
2	Lock, DT, 2 way recept., A key	W2PA	Gray
2	Lock, DT, 2 way recept., B key	W2PB	Black
2	Lock, DT, 2 way recept., C key	W2PC	Green
2	Lock, DT, 2 way recept., D key	W2PD	Brown
2	Lock, DT, 2 way plug	W2S	Orange
2	Lock, DT, 2 way plug, enhanced seal	W2S-P012	Green
2	Lock, DT, 2 way plug, A key	W2SA	Gray
2	Lock, DT, 2 way plug, A key, enhanced seal	W2SA-P012	Gray
2	Lock, DT, 2 way plug, B key	W2SB	Black
2	Lock, DT, 2 way plug, B key, enhanced seal	W2SB-P012	Black
2	Lock, DT, 2 way plug, C key	W2SC	Green
2	Lock, DT, 2 way plug, C key, enhanced seal	W2SC-P012	Green
2	Lock, DT, 2 way plug, D key	W2SD	Brown
2	Lock, DT, 2 way plug, D key, enhanced seal	W2SD-P012	Brown
3	Lock, DT, 3 way recept.	W3P	Green
3	Lock, DT, 3 way recept., J1939	W3P-1939	Blue
3	Lock, DT, 3 way plug	W3S	Orange
3	Lock, DT, 3 way plug, J1939	W3S-1939	Blue
3	Lock, DT, 3 way plug, J1939, enhanced seal	W3S-1939-P012	Blue
3	Lock, DT, 3 way plug, enhanced seal	W3S-P012	Green
4	Lock, DT, 4 way recept.	W4P	Green
4	Lock, DT, 4 way recept., A key	W4PA	Gray
4	Lock, DT, 4 way recept., B key	W4PB	Black
4	Lock, DT, 4 way recept., C key	W4PC	Green
4	Lock, DT, 4 way recept., D key	W4PD	Brown
4	Lock, DT, 4 way plug	W4S	Orange
4	Lock, DT, 4 way plug, enhanced seal	W4S-P012	Green
4	Lock, DT, 4 way plug, A key	W4SA	Gray
4	Lock, DT, 4 way plug, A key, enhanced seal	W4SA-P012	Gray
4	Lock, DT, 4 way plug, B key	W4SB	Black
4	Lock, DT, 4 way plug, B key, enhanced seal	W4SB-P012	Black
4	Lock, DT, 4 way plug, C key	W4SC	Green
4	Lock, DT, 4 way plug, C key, enhanced seal	W4SC-P012	Green
4	Lock, DT, 4 way plug, D key	W4SD	Brown
4	Lock, DT, 4 way plug, D key, enhanced seal	W4SD-P012	Brown
6	Lock, DT, 6 way recept.	W6P	Green
6	Lock, DT, 6 way plug	W6S	Orange
6	Lock, DT, 6 way plug, enhanced seal	W6S-P012	Green
6	Lock, DT, 6 way plug, 2 key, enhanced seal	W6S2-P012	Blue
8	Lock, DT, 8 way recept.	W8P	Green
8	Lock, DT, 8 way plug	W8S	Orange
8	Lock, DT, 8 way plug, enhanced seal	W8S-P012	Green
12	Lock, DT, 12 way recept.	W12P	Green
12	Lock, DT, 12 way plug	W12S	Orange

Secondary Wedgelocks

Cavity	Part Description	Part Number	Color
12	Lock, DT, 12 way plug, enhanced seal	W12S-P012	Green
DTM Series Wedgelocks			
2	Lock, DTM, 2 way recept.	WM-2P	Orange
2	Lock, DTM, 2 way recept., A key	WM-2PA	Gray
2	Lock, DTM, 2 way recept., B key	WM-2PB	Black
2	Lock, DTM, 2 way plug	WM-2S	Orange
2	Lock, DTM, 2 way plug, A key	WM-2SA	Gray
2	Lock, DTM, 2 way plug, B key	WM-2SB	Black
3	Lock, DTM, 3 way recept.	WM-3P	Orange
3	Lock, DTM, 3 way plug	WM-3S	Orange
4	Lock, DTM, 4 way recept.	WM-4P	Orange
4	Lock, DTM, 4 way plug	WM-4S	Orange
6	Lock, DTM, 6 way recept.	WM-6P	Orange
6	Lock, DTM, 6 way plug	WM-6S	Orange
8	Lock, DTM, 8 way recept.	WM-8P	Orange
8	Lock, DTM, 8 way plug	WM-8S	Orange
12	Lock, DTM, 12 way recept.	WM-12P	Orange
12	Lock, DTM, 12 way plug	WM-12S	Orange
12	Lock, DTM, 12 way plug, alternate key	WM-12S-B026	Green
DTP Series Wedgelocks			
2	Lock, DTP, 2 way recept.	WP-2P	Orange
2	Lock, DTP, 2 way plug	WP-2S	Orange
4	Lock, DTP, 4 way recept.	WP-4P	Orange
4	Lock, DTP, 4 way plug	WP-4S	Orange
DTV Series Wedgelocks			
18	Lock, DTV, 18 way recept.	WV-18P	Green
18	Lock, DTV, 18 way plug	WV-18S	Green
DRB Series Wedgelocks			
48	Lock, DRB, 48 way recept., A key	WB-48PA	Gray
48	Lock, DRB, 48 way recept., B key	WB-48PB	Black
48	Lock, DRB, 48 way recept., C key	WB-48PC	Green
48	Lock, DRB, 48 way recept., D key	WB-48PD	Brown
48	Lock, DRB, 48 way plug, A key	WB-48SA	Gray
48	Lock, DRB, 48 way plug, B key	WB-48SB	Black
48	Lock, DRB, 48 way plug, C key	WB-48SC	Green
48	Lock, DRB, 48 way plug, D key	WB-48SD	Brown
60	Lock, DRB, 60 way recept., A key	WB-60PA	Gray
60	Lock, DRB, 60 way recept., B key	WB-60PB	Black
60	Lock, DRB, 60 way recept., C key	WB-60PC	Green
60	Lock, DRB, 60 way recept., D key	WB-60PD	Brown
60	Lock, DRB, 60 way plug, A key	WB-60SA	Gray
60	Lock, DRB, 60 way plug, B key	WB-60SB	Black
60	Lock, DRB, 60 way plug, C key	WB-60SC	Green

Secondary Wedgelocks

Cavity	Part Description	Part Number	Color
60	Lock, DRB, 60 way plug, D key	WB-60SD	Brown
51	Lock, DRB, 102 way recept., A key, left	WB-51PAL	Gray
51	Lock, DRB, 102 way recept., A key, right	WB-51PAR	Gray
51	Lock, DRB, 102 way plug, A key, left	WB-51SAL	Gray
51	Lock, DRB, 102 way plug, A key, right	WB-51SAR	Gray
51	Lock, DRB, 102 way plug, B key, left	WB-51SBL	Black
51	Lock, DRB, 102 way plug, B key, right	WB-51SBR	Black
64	Lock, DRB, 128 way recept., A key	WB-64PA	Gray
64	Lock, DRB, 128 way recept., B key	WB-64PB	Black
64	Lock, DRB, 128 way plug, A key	WB-64SA	Gray
64	Lock, DRB, 128 way plug, B key	WB-64SB	Black

Part Description	Part Number
Backshells	
Attachment for the rear of the connector to provide strain relief, environmental protection, and/or improved aesthetics	
AMPSEAL	
Backshell, AMPSEAL, 35 way, plug (receptacle housing), 180°, requires (2) halves	776463-1
Backshell, AMPSEAL, 23 way, plug (receptacle housing), 180°, requires (2) halves	776464-1
AMPSEAL 16	
Backshell, AMPSEAL 16, 2 way, plug (receptacle housing), 180°, NC08/NW7.5	2035047-1
Backshell, AMPSEAL 16, 2 way, plug (receptacle housing), 90°, NC08/NW7.5	2035048-1
Backshell, AMPSEAL 16, 2 way, plug (receptacle housing), 90°, NC08/NW7.5, low profile	2035366-1
Backshell, AMPSEAL 16, 2 way, plug (receptacle housing), 90°, NC12/NW10	2035048-5
Backshell, AMPSEAL 16, 2 way, plug (receptacle housing), 90°, NC12/NW10, low profile	2035366-3
Backshell, AMPSEAL 16, 3 way, plug (receptacle housing), 180°, NC08/NW7.5	2035047-2
Backshell, AMPSEAL 16, 3 way, plug (receptacle housing), 90°, NC08/NW7.5	2035048-2
Backshell, AMPSEAL 16, 3 way, plug (receptacle housing), 90°, NC08/NW7.5, low profile	2035366-2
Backshell, AMPSEAL 16, 3 way, plug (receptacle housing), 90°, NC12/NW10	2035048-6
Backshell, AMPSEAL 16, 3 way, plug (receptacle housing), 90°, NC12/NW10, low profile	2035366-4
Backshell, AMPSEAL 16, 3 way, cap (pin housing), 90°, NC08/NW7.5, low profile	2098436-2
Backshell, AMPSEAL 16, 4 way, plug (receptacle housing), 180°, NC08/NW7.5	2035047-3
Backshell, AMPSEAL 16, 4 way, plug (receptacle housing), 180°, NC12/NW10	2035047-5
Backshell, AMPSEAL 16, 4 way, plug (receptacle housing), 90°, NC08/NW7.5	2035048-3
Backshell, AMPSEAL 16, 4 way, plug (receptacle housing), 90°, NC08/NW7.5, low profile	2035366-7
Backshell, AMPSEAL 16, 4 way, plug (receptacle housing), 90°, NC12/NW10	2035048-7
Backshell, AMPSEAL 16, 4 way, plug (receptacle housing), 90°, NC12/NW10, low profile	2035366-9
Backshell, AMPSEAL 16, 6 way, plug (receptacle housing), 180°, NC08/NW7.5	2035047-4
Backshell, AMPSEAL 16, 6 way, plug (receptacle housing), 180°, NC12/NW10	2035047-6
Backshell, AMPSEAL 16, 6 way, plug (receptacle housing), 90°, NC08/NW7.5, low profile	2035366-8
Backshell, AMPSEAL 16, 6 way, plug (receptacle housing), 90°, NC12/NW10, low profile	1-2035366-0
Backshell, AMPSEAL 16, 8 way, plug (receptacle housing), 180°, NC12/NW10	2035047-7
Backshell, AMPSEAL 16, 8 way, plug (receptacle housing), 180°, NC16/NW13	2035047-9
Backshell, AMPSEAL 16, 12 way, plug (receptacle housing), 180°, NC16/NW13	1-2035047-0
Backshell, AMPSEAL 16, 12 way, plug (receptacle housing), 180°, NC20/NW17	1-2035047-1
DRC Series	
Backshell, DRC, 38 way, plug, 90° horizontal bend	0528-003-3805
Backshell, DRC, 38 way, plug, 90° vertical bend	0528-004-3805
Backshell, DRC, 38 way, plug, 90° vertical bend, low profile	0528-005-3805
Backshell, DRC, 50 way, plug, 90° vertical bend	0528-001-5005
Backshell, DRC, 60 way, plug, 90° vertical bend	0528-002-6005
Backshell, DRC, 60 way, plug, 90° horizontal bend	0528-007-6005
Backshell, DRC, 70 way, plug, 180°, requires (2) halves and wire router 0515-029-7005	0528-006-7005
DT Series	
Backshell, DT, 2 way, 180°, fits DT06-2S	1011-227-0205
Backshell, DT, 2 way, 90°, fits DT06-2S	1011-228-0205
Backshell, DT, 2 way, 180°, fits DT04-2P	1011-229-0205
Backshell, DT, 2 way, 90°, fits DT04-2P	1011-230-0205
Backshell, DT, 2 way, 90°, for DIN adapter	1011-331-0205

Connector Accessories

Part Description	Part Number
Backshell, DT, 3 way, 180°, fits DT06-3S	1011-231-0305
Backshell, DT, 3 way, 90°, fits DT06-3S	1011-232-0305
Backshell, DT, 3 way, 180°, fits DT04-3P	1011-233-0305
Backshell, DT, 3 way, 90°, fits DT04-3P	1011-234-0305
Backshell, DT, 4 way, 180°, fits DT06-4S	1011-235-0405
Backshell, DT, 4 way, 90°, fits DT06-4S	1011-236-0405
Backshell, DT, 4 way, 180°, fits DT04-4P	1011-237-0405
Backshell, DT, 4 way, 90°, fits DT04-4P	1011-238-0405
Backshell, DT, 6 way, 180°, fits DT06-6S	1011-239-0605
Backshell, DT, 6 way, 90°, fits DT06-6S	1011-240-0605
Backshell, DT, 6 way, 180°, fits DT04-6P	1011-241-0605
Backshell, DT, 6 way, 90°, fits DT04-6P	1011-242-0605
Backshell, DT, 8 way, 180°, fits DT06-08S*, A, B, C, and D keys	1011-243-0805
Backshell, DT, 8 way, 90°, fits DT06-08S*, A, B, C, and D keys	1011-244-0805
Backshell, DT, 8 way, 180°, fits DT04-08P*, A, B, C, and D keys	1011-245-0805
Backshell, DT, 8 way, 90°, fits DT04-08P*, A, B, C, and D keys	1011-246-0805
Backshell, DT, 12 way, 180°, fits DT06-12S*, A, B, C, and D keys	1011-247-1205
Backshell, DT, 12 way, 90°, fits DT06-12S*, A, B, C, and D keys	1011-248-1205
Backshell, DT, 12 way, 180°, fits DT04-12P*, A, B, C, and D keys	1011-249-1205
Backshell, DT, 12 way, 90°, fits DT04-12P*, A, B, C, and D keys	1011-250-1205
Backshell, DT, 12 way, 180°, fits DT04-12P*, A, B, C, and D keys and modifications	1028-043-1205
Backshell, DT, 2 way, 80°, strain relief for jacketed cable, fits DT06-2S	1011-255-0205
Backshell, DT, 2 way, 90°, strain relief for jacketed cable, fits DT06-2S	1011-256-0205
Backshell, DT, 2 way, 180°, strain relief for jacketed cable, fits DT04-2P	1011-257-0205
Backshell, DT, 2 way, 90°, strain relief for jacketed cable, fits DT04-2P	1011-258-0205
Backshell, DT, 3 way, 180°, strain relief for jacketed cable, fits DT06-3S	1011-259-0305
Backshell, DT, 3 way, 90°, strain relief for jacketed cable, fits DT06-3S	1011-260-0305
Backshell, DT, 3 way, 180°, strain relief for jacketed cable, fits DT04-3P	1011-261-0305
Backshell, DT, 3 way, 90°, strain relief for jacketed cable, fits DT04-3P	1011-262-0305
Backshell, DT, 4 way, 180°, strain relief for jacketed cable, fits DT06-4S	1011-263-0405
Backshell, DT, 4 way, 90°, strain relief for jacketed cable, fits DT06-4S	1011-264-0405
Backshell, DT, 4 way, 180°, strain relief for jacketed cable, fits DT04-4P	1011-265-0405
Backshell, DT, 4 way, 90°, strain relief for jacketed cable, fits DT04-4P	1011-266-0405
Backshell, DT, 6 way, 180°, strain relief for jacketed cable, fits DT06-6S	1011-267-0605
Backshell, DT, 6 way, 90°, strain relief for jacketed cable, fits DT06-6S	1011-268-0605
Backshell, DT, 6 way, 180°, strain relief for jacketed cable, fits DT04-6P	1011-269-0605
Backshell, DT, 6 way, 90°, strain relief for jacketed cable, fits DT04-6P	1011-270-0605
DTM Series	
Backshell, DTM, 2 way, plug, 180°	1011-273-0205
Backshell, DTM & DTMH, 2 way, plug, 180°	1028-041-0205
Backshell, DTM & DTMH, 2 way, recept., 90°	1028-021-0205
Backshell, DTM & DTMH, 3 way, plug, 180°	1028-005-0305
Backshell, DTM, 3 way, recept., 180°	1028-024-0305
Backshell, DTM & DTMH, 4 way, plug, 180°	1028-008-0405
Backshell, DTM & DTMH, 4 way, recept., 180°	1028-027-0405
Backshell, DTM, 6 way, plug, 180°	1028-011-0605

Connector Accessories

Part Description	Part Number
Backshell, DTM, 12 way, plug, 180°	1028-015-1205
Adapter, backshell, 2, 3, 4 way, 90°	1028-016-0005
HD10 Series	
Backshell assembly, compression nut, cable diameter .187-.300 [4.75-7.62]	M902-2041
Backshell assembly, compression nut, cable diameter .300-.430 [7.62-10.92]	M902-2042
Backshell assembly, compression nut, cable diameter .430-.570 [10.92-14.48]	M902-2053
Backshell assembly, compression nut, cable diameter .570-.710 [14.48-18.03]	M902-2054
Backshell, HD10, 3 way, cable diameter .187-.300 [4.75-7.62]	M902-2131
Backshell, HD10, 3 way, cable diameter .300-.430 [7.62-10.92]	M902-2132
Backshell, HD10, 6 way, cable diameter .187-.300 [4.75-7.62]	M902-2161
Backshell, HD10, 6 way, cable diameter .300-.430 [7.62-10.92]	M902-2162
Backshell, HD10, 6 way, cable diameter .430-.570 [10.92-14.48]	M902-2163
Backshell, HD10, 6 way, cable diameter .570-.710 [14.48-18.03]	M902-2164
Backshell, HD10, 9 way, cable diameter .187-.300 [4.75-7.62]	M902-2191
Backshell, HD10, 9 way, cable diameter .300-.430 [7.62-10.92]	M902-2192
Backshell, HD10, 9 way, cable diameter .430-.570 [10.92-14.48]	M902-2193
Backshell, HD10, 9 way, cable diameter .570-.710 [14.48-18.03]	M902-2194
HD30/HDP20 Series	
Backshell assembly, compression nut, cable diameter .430-.570	M902-2053
Backshell assembly, compression nut, cable diameter .570-.710	M902-2054
Backshell, HDP20, used with L015, 24 shell, cable diameter .430-.570	M902-2243
Backshell, HDP20, used with L015, 24 shell, cable diameter .570-.710	M902-2244
Backshell, HD30, used with 072, 24 shell, cable diameter .430-.570	M902-2343
Backshell, HD30, used with 072, 24 shell, cable diameter .570-.710	M902-2344
Backshell assembly, cap nut, HDP20, used with L015, 24 shell, NW 22mm tubing	CN21
Backshell assembly, seal ring, HDP20, used with L015, 24 shell, NW 22mm tubing	SRN21
Backshell, HDP20, used with L017, 24 shell, 90°, 1" tubing	2428-004-2405
Backshell, HDP20, used with L017, 24 shell, 90°, NW 17,19, 23, & 26mm tubing	2428-011-2405
Backshell, HDP20, used with L017, 24 shell, 180°, 1" tubing	2428-008-2405
Backshell, HDP20, used with L017, 24 shell, 180°, NW 17,19, 23, & 26mm tubing	2428-010-2405
Backshell, HDP20, used with L017, 18 shell, 90°, NW 13,17, & 19mm tubing	2428-015-1805
Backshell, HDP20, used with L017, 18 shell, 180°, NW 13,17, & 19mm tubing	2428-016-1805
Backshell, HDP20, used with L024, 24 shell, 180°, tie wrap end bell	2428-024-2405
Backshell, HDP20, used with L024, 18 shell, 180°, tie wrap end bell	2428-025-1805
STRIKE Series	
Backshell, STRIKE, FL size arrangements, 90°, NW 22 & 26mm tubing	SRK-BS-FL-90-001
Backshell, STRIKE, FL size arrangements, 90°, NW 26mm tubing	SRK-BS-FL-90-002
Backshell, STRIKE, FL size arrangements, 180°, NW 22mm tubing	SRK-BS-FL-ST-001
Backshell, STRIKE, FL size arrangements, 180° NW 26mm tubing	SRK-BS-FL-ST-002
Backshell, STRIKE, MD size arrangements, 90°, NW 17 & 22mm tubing	SRK-BS-MD-90-001
Backshell, STRIKE, MD size arrangements, 90°, NW 22mm tubing	SRK-BS-MD-90-002
Backshell, STRIKE, MD size arrangements, 180°, NW 17mm tubing	SRK-BS-MD-ST-001
Backshell, STRIKE, MD size arrangements, 180°, NW 22mm tubing	SRK-BS-MD-ST-002

Boots

Attachment for the rear of the connector to provide strain relief, environmental protection, and/or improved aesthetics

Connector Accessories

Part Description	Part Number
AEC Series	
Boot, AEC, 40 way, for plug or recept., step down design, black	AEC40-BT-STPDWN
DRB Series	
Boot, DRB, 48 and 60 way, plug or recept., black	DRB48-60-BT
Boot, DRB, 102 and 128 way, plug or recept. with wire router, black	DRB102-BT
Boot, DRB, 102 and 128 way, plug or recept. with wire router, 90°, black	DRB102-BT-90DEG
DRC Series	
Boot, DRC, 24 way, for plug or recept. w/ sz. 16 contacts, black	DRC24-BT
Boot, DRC, 24 way, for plug or recept. w/ sz. 16 contacts, yellow	DRC24-BT-YW
Boot, DRC, 24 way, for plug w/ sz. 20 contacts, black	DRC26-24BT
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, black	DRC40-BT
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, gray	DRC40-BT-GRAY
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, yellow	DRC40-BT-YW
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, 90° w/ drain hole, black	DRC40-BT-90DEG
Boot, DRC, 40 way, for plug w/ sz. 20 contacts, black	DRC26-40BT
Boot, DRC, 50 way, for plug w/ sz. 20 contacts, black	DRC26-50BT
Boot, DRC, 70 way, for plug or recept. w/ sz. 16 contacts, black	DRC70-BT
DT Series	
Boot, DT, 2 way, recept.	DT2P-BT
Boot, DT, 2 way, recept., black	DT2P-BT-BK
Boot, DT, 2 way, recept., yellow	DT2P-BT-YW
Boot, DT, 2 way, plug	DT2S-BT
Boot, DT, 2 way, plug, black	DT2S-BT-BK
Boot, DT, 2 way, plug, yellow	DT2S-BT-YW
Boot, DT, 3 way, recept.	DT3P-BT
Boot, DT, 3 way, recept., black	DT3P-BT-BK
Boot, DT, 3 way, recept., yellow	DT3P-BT-YW
Boot, DT, 3 way, plug	DT3S-BT
Boot, DT, 3 way, plug, black	DT3S-BT-BK
Boot, DT, 3 way, plug, yellow	DT3S-BT-YW
Boot, DT, 4 way, recept.	DT4P-BT
Boot, DT, 4 way, recept., black	DT4P-BT-BK
Boot, DT, 4 way, recept., yellow	DT4P-BT-YW
Boot, DT, 4 way, plug	DT4S-BT
Boot, DT, 4 way, plug, black	DT4S-BT-BK
Boot, DT, 4 way, plug, yellow	DT4S-BT-YW
Boot, DT, 6 way, recept.	DT6P-BT
Boot, DT, 6 way, recept., black	DT6P-BT-BK
Boot, DT, 6 way, recept., yellow	DT6P-BT-YW
Boot, DT, 6 way, plug	DT6S-BT
Boot, DT, 6 way, plug, black	DT6S-BT-BK
Boot, DT, 6 way, plug, red	DT6S-BT-RED
Boot, DT, 6 way, plug, yellow	DT6S-BT-YW
Boot, DT, 8 way, recept.	DT8P-BT
Boot, DT, 8 way, recept., black	DT8P-BT-BK
Boot, DT, 8 way, plug	DT8S-BT

Connector Accessories

Part Description	Part Number
Boot, DT, 8 way, plug, black	DT8S-BT-BK
Boot, DT, 12 way, recept.	DT12P-BT
Boot, DT, 12 way, recept., black	DT12P-BT-BK
Boot, DT, 12 way, recept., enhanced overlap	DT12P-BT-EN
Boot, DT, 12 way, recept., yellow	DT12P-BT-YW
Boot, DT, 12 way, plug	DT12S-BT
Boot, DT, 12 way, plug, black	DT12S-BT-BK
Boot, DT, 12 way, plug, yellow	DT12S-BT-YW
Boot, DT, 12 way, plug, enhanced overlap	DT12S-BT-EN

DTM Series

Boot, DTM, 2 way, recept.	DTM2P-BT
Boot, DTM, 2 way, recept., black	DTM2P-BT-BK
Boot, DTM, 2 way, plug	DTM2S-BT
Boot, DTM, 2 way, plug, black	DTM2S-BT-BK
Boot, DTM, 3 way, recept.	DTM3P-BT
Boot, DTM, 3 way, recept., black	DTM3P-BT-BK
Boot, DTM, 3 way, plug	DTM3S-BT
Boot, DTM, 3 way, plug, black	DTM3S-BT-BK
Boot, DTM, 4 way, recept.	DTM4P-BT
Boot, DTM, 4 way, recept., black	DTM4P-BT-BK
Boot, DTM, 4 way, plug	DTM4S-BT
Boot, DTM, 4 way, plug, black	DTM4S-BT-BK
Boot, DTM, 6 way, recept.	DTM6P-BT
Boot, DTM, 6 way, plug	DTM6S-BT
Boot, DTM, 8 way, recept.	DTM8P-BT
Boot, DTM, 8 way, recept., black	DTM8P-BT-BK
Boot, DTM, 8 way, plug	DTM8S-BT
Boot, DTM, 8 way, plug, black	DTM8S-BT-BK
Boot, DTM, 12 way, recept.	DTM12P-BT
Boot, DTM, 12 way, recept., black	DTM12P-BT-BK
Boot, DTM, 12 way, plug	DTM12S-BT
Boot, DTM, 12 way, plug, black	DTM12S-BT-BK

DTP Series

Boot, DTP, 2 way, recept.	DTP2P-BT
Boot, DTP, 2 way, recept., black	DTP2P-BT-BK
Boot, DTP, 2 way, plug	DTP2S-BT
Boot, DTP, 4 way, recept.	DTP4P-BT
Boot, DTP, 4 way, recept., enhanced overlap	DTP4P-BT-EN
Boot, DTP, 4 way, plug	DTP4S-BT
Boot, DTP, 4 way, plug, enhanced overlap	DTP4S-BT-EN

DTV Series

Boot, DTV, 18 way, recept., black	DTV18P-BT-BK
Boot, DTV, 18 way, plug, black	DTV18S-BT-BK

HD10 Series

Boot, HD10, 3 way, plug or recept.	HD10-3BT
Boot, HD10, 5 way, plug or recept.	HD10-5BT

Connector Accessories

Part Description	Part Number
Boot, HD10, 5 way, plug or recept., black	HD10-5BT-BK
Boot, HD10, 6 way, plug or recept.	HD10-6BT
Boot, HD10, 6 way, plug or recept., black	HD10-6BT-BK
Boot, HD10, 9 way, plug or recept.	HD10-9BT
Boot, HD10, 9 way, plug or recept., black	HD10-9BT-BK

HD30/HDP20 Series

Boot, HD30/HDP20, 18 shell, plug or recept.	HD30-18BT
Boot, HD30/HDP20, 18 shell, plug or recept., black	HD30-18BT-BK
Boot, HD30/HDP20, 18 shell, plug or recept., 90°, black	HD30-18BT-90-BK
Boot, HD30/HDP20, 24 shell, plug or recept.	HD30-24BT
Boot, HD30/HDP20, 24 shell, plug or recept., black	HD30-24BT-BK
Boot, HD30/HDP20, 24 shell, plug or recept., 90°, black	HD30-24BT-90-BK
Boot, rubber, HD30 cable clamp (059), 18 shell	MS3420-12
Boot, rubber, HD30 cable clamp (059), 24 shell	MS3420-16

Connector Components

AEC Series

Bolt, retaining, AEC, 40 way	0526-008-0090
Bolt, retaining, AEC17-40P*	0526-009-0090
Washer, for AEC17-40P* jackscrew assembly	0514-009-4001

DRC Series

Retaining bolt, DRC16, 24 way	0526-004-0090
Retaining bolt, DRC16, 40 or 70 way	0526-001-0090
Retaining bolt, DRC26, 24, 38, 40, 50, or 60 way	0526-012-0090
Retaining ring, DRC	0535-001-0001
Retaining ring, DRC, stainless steel	0535-002-0001

DTM Series

Retaining sleeve, DTM, 2 way, recept., gray	1011-040-0205
Retaining sleeve, DTM, 2 way, recept., black	1011-083-0205
Retaining sleeve, DTM, 3 way, recept., gray	1011-056-0305
Retaining sleeve, DTM, 3 way, recept., black	1011-084-0305
Retaining sleeve, DTM, 4 way, recept., gray	1011-046-0405
Retaining sleeve, DTM, 6 way, recept., gray	1011-047-0605
Retaining sleeve, DTM, 6 way, recept., black	1011-086-0605
Retaining sleeve, DTM, 8 way, recept., A key, gray	1011-048-0805
Retaining sleeve, DTM, 12 way, recept., A key, gray	1011-052-1205
Retaining sleeve, DTM, 12 way, recept., B key, black	1011-053-1205
Retaining sleeve, DTM, 12 way, recept., C key, green	1011-054-1205
Retaining sleeve, DTM, 12 way, recept., D key, brown	1011-055-1205

DTP Series

Retaining sleeve, DTP, 2 way, recept., gray	1011-120-0205
Retaining sleeve, DTP, 4 way, recept., gray	1011-118-0405

HD10 Series

Coupling ring, HD10, 3 way	0730-008-0305
Coupling ring, HD10, 5 way	0730-009-0505
Coupling ring, HD10, 6 way	0730-004-0605

Connector Accessories

Part Description	Part Number
Coupling ring, HD10, 4 or 9 way	0730-001-0905

HD30 Series

Bolt, cable clamp, HD30	WHDS-BOLT
Nut, cable clamp, HD30	WHDS-NUT

Contact Removal Tools

Device used to disengage contacts from the connector housing

Tool, contact removal, sz. 4, C038 mod only	0411-027-0405
Tool, contact removal, sz. 4	114009
Tool, contact removal, sz. 8	114008
Tool, contact removal, sz. 8, HDBox	0411-353-0805
Tool, contact removal, sz. 12	114010
Tool, contact removal, sz. 12, E seal	0411-337-1205
Tool, contact removal, sz. 14	0411-291-1405
Tool, contact removal, sz. 16	0411-310-1605
Tool, contact removal, sz. 16, E seal	0411-336-1605
Tool, contact removal, sz. 20	0411-240-2005
Tool, contact/PLR removal, AMPSEAL 16	776441-1
Tool, contact/TPA/wedgelock removal	DT-RT1

D-hole Punches

Hand tools used to cut D shaped holes to allow connectors to be mounted

Tool, D-hole punch, 18 shell	18-D-PUNCH
Tool, D-hole punch, 24 shell	24-D-PUNCH
Tool, D-hole punch, 18 or 24 shell, draw stud	PUNCH-DRAW-STUD
Tool, D-hole punch, 18 or 24 shell, counter nut	PUNCH-NUT
Tool, D-hole punch, 18 or 24 shell, cutout removal rod	PUNCH-ROD

Gaskets

Seal used between the panel face and connector flange to help keep out destructive elements

DRC Series

Gasket, DRC, 24 way, recept., neoprene	DRC24-GKT
Gasket, DRC, 24 way, recept., neoprene, adhesive	DRC24-GKT-AD
Gasket, DRC, 40 way, recept., neoprene	DRC40-GKT
Gasket, DRC, 40 way, recept., neoprene, adhesive	DRC40-GKT-AD
Gasket, DRC, 70 way, recept., neoprene	DRC70-GKT
Gasket, DRC, 70 way, recept., neoprene, adhesive	DRC70-GKT-AD

DT/DTM/DTP Series

Gasket, DT, 3 way, flanged recept., neoprene	DT3P-L012-GKT
Gasket, DT, 4 way, flanged recept., neoprene	DT4P-L012-GKT
Gasket, DT, 8 way, flanged recept., neoprene	DT8P-L012-GKT
Gasket, DT or DTM, 12 way, flanged recept., neoprene	DT12-L012-GKT
Gasket, DTP, 4 way, flanged recept., neoprene	DTP4P-L012-GKT

HD10 Series

Gasket, HD10, 3 way, neoprene	HD10-3-GKT
Gasket, HD10, 5 way, neoprene	HD10-5-GKT
Gasket, HD10, 6 way, neoprene	HD10-6-GKT

Connector Accessories

Part Description	Part Number
Gasket, HD10, 9 way, neoprene	HD10-9-GKT
Gasket, HD10, 9 way, neoprene, adhesive	HD10-9-GKT-AD

HD30/HDP20 Series

Gasket, HD30/HDP20, 18 shell, neoprene	16-04978
Gasket, HD30/HDP20, 24 shell, neoprene	16-04477
Gasket, HD30/HDP20, 24 shell, neoprene, adhesive backing	16-04477AD

Keying Pins

Solid, plastic rod inserted into empty cavities to prevent mis-mating

Keying pin, sz. 12	0413-214-1205
Keying pin, sz. 16	0413-215-1605
Keying pin, sz. 20	0413-216-2005

Mounting Flanges

Device used to mount a connector to a surface

DRB Series

Flange, DRB, 102 or 128 way, A key	DRBF-1A
Flange, DRB, 102 or 128 way, B key	DRBF-1B
Flange, DRB, 48 or 60 way, A key	DRBF-2A
Flange, DRB, 48 or 60 way, B key	DRBF-2B
Flange, DRB, 48 or 60 way, C key	DRBF-2C
Flange, DRB, 48 or 60 way, D key	DRBF-2D
Flange, DRB, 48 or 60 way, A & B key	DRBF-3AB
Flange, DRB, 102 way, A key, (2) 125 amp terminal posts	DRBM-3A

Mounting Hardware

Device used to assist in mounting a connector to a surface

AMPSEAL 16

Mounting clip, AMPSEAL 16, plastic, black, without anti-rotational feature	1924487-1
Mounting clip, AMPSEAL 16, plastic, black, with anti-rotational feature	1924487-2

DT/DTM/DTP Series

Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, plastic	1011-026-0205
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, plastic, black	1011-030-0205
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, plastic, black, fir tree stud mount, connector removable >50N	1011-310-0205
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, stainless steel, .433 [11.00 mm] dia. hole	1027-003-1200
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, steel, zinc plating, .512 [13.00 mm] dia. hole	1027-004-1200
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, stainless steel, .512 [13.00 mm] dia. hole	1027-005-1200
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, steel, zinc plating, .433 [11.00 mm] dia. hole	1027-008-1200
Mounting clip, DT, DTM, DTP, 2, 3, 4, 6, 12 way, steel, zinc plating, .323 [8.20 mm] dia. hole	1027-013-1200
Mounting clip, DT, 8 way, plastic	1011-027-0805
Mounting clip, DT, 8 way, stainless steel, .433 [11.00 mm] dia. hole	1027-001-0800
Mounting clip, DT, 8 way, steel, zinc plating, .512 [13.00 mm] dia. hole	1027-002-0800
Mounting clip, DT, 8 way, stainless steel, .512 [13.00 mm] dia. hole	1027-006-0800
Mounting clip, DT, 8 way, steel, zinc plating, .323 [8.20 mm] dia. hole	1027-014-0800

HD30/HDP20 Series

Lockwasher, 18 shell, HD30	114021
Lockwasher, 18 shell, HDP20, curved	2414-002-1886

Part Description	Part Number
Lockwasher, 24 shell, HD30	112264
Lockwasher, 24 shell, HDP20, curved	2414-001-2486
Panel nut, 18 shell, HD30, metal	114020-90
Panel nut, 18 shell, HDP20, plastic	2411-002-1805
Panel nut, 24 shell, HD30, metal	112263-90
Panel nut, 24 shell, HDP20, plastic	2411-001-2405

PCB Enclosures

Compact circuit board enclosures that accept DEUTSCH headers

DT Series

Enclosure, EEC, 5" x 6.50" [127.00 x 165.10 mm] PCB, with vent hole	EEC-5X650A
Enclosure, EEC, 5" x 6.50" [127.00 x 165.10 mm] PCB, without vent hole	EEC-5X650B

DTM Series

Enclosure, EEC, 3.25" x 4" [82.55 x 101.60 mm] PCB, with vent hole	EEC-325X4A
Enclosure, EEC, 3.25" x 4" [82.55 x 101.60 mm] PCB, with vent hole, transparent Ultem material	EEC-325X4A-E016
Enclosure, EEC, 3.25" x 4" [82.55 x 101.60 mm] PCB, without vent hole	EEC-325X4B
Enclosure, EEC, 3.25" x 4" [82.55 x 101.60 mm] PCB, without vent hole, transparent Ultem material	EEC-325X4B-E016

Protective Covers

Cap or cover used to protect the connector interface when not mated

AEC Series

Cover, protective, AEC, 40 way, recept., env. sealed	0504-002-4001
Cap, dust, AEC, 40 way, recept., non-env. sealed	0515-009-4005
Cap, dust, AEC, 40 way, plug, non-env. sealed	0515-010-4005

DRB Series

Cap, dust, DRB, 48 and 60 way, recept., non-env. sealed	3315-015-0005
Cap, dust, DRB, 102 way, recept., non-env. sealed	3315-016-0005

DRC Series

Cover, protective, DRC, 40 way, for recept. w/ sz. 16 contacts, env. sealed	0504-001-4001
Cover, protective, DRC, 40 way, for recept. w/ sz. 20 contacts, env. sealed	0504-003-4001
Cap, dust, DRC, 24 way, for recept. w/ sz. 16 contacts, non-env. sealed	0515-004-2405
Cap, dust, DRC, 24 way, for recept. w/ sz. 20 contacts, non-env. sealed	0515-020-2405
Cap, dust, DRC, 24 way, for plug w/ sz. 16 contacts, non-env. sealed	0515-005-2405
Cap, dust, DRC, 38 way, plug, non-env. sealed	0515-018-5005
Cap, dust, DRC, 40 way, for recept. w/ sz. 16 contacts, non-env. sealed	0515-002-4005
Cap, dust, DRC, 40 way, for plug w/ sz. 16 contacts, non-env. sealed	0515-001-4005
Cap, dust, DRC, 50 or 60 way, plug, non-env. sealed	0515-018-5005
Cap, dust, DRC, 70 way, plug, non-env. sealed	0515-006-7005
Cap, dust, DRC, 70 way, recept., non-env. sealed	0515-007-7005

DT Series

Cover, protective, DT, 2 way, plug, env. sealed	1011-344-0205
Cover, protective, DT, 3 way, plug, env. sealed	1011-345-0305
Cover, protective, DT, 4 way, plug, env. sealed	1011-346-0405
Cover, protective, DT, 6 way, plug, env. sealed	1011-347-0605
Cover, protective, DT, 8 way, plug, env. sealed	1011-348-0805
Cover, protective, DT, 12 way, plug, env. sealed	1011-349-1205

HD10 Series

Connector Accessories

Part Description	Part Number
Cover, protective, HD10, 3 way, recept., env. sealed	HDC16-3
Cover, protective, HD10, 3 way, plug, env. sealed	HDC14-3
Cover, protective, HD10, 5 way, recept., env. sealed	HDC16-5
Cover, protective, HD10, 6 way, recept., env. sealed	HDC16-6
Cover, protective, HD10, 6 way, recept., env. sealed, black	HDC16-6-E004
Cover, protective, HD10, 6 way, plug, env. sealed	HDC14-6
Cover, protective, HD10, 9 way, recept., env. sealed	HDC16-9
Cover, protective, HD10, 9 way, recept., env. sealed, black	HDC16-9-E004
Cover, protective, HD10, 9 way, plug, env. sealed	HDC14-9

HD30/HDP20 Series

Cover, dust, HD30, 18 shell, recept., non-env. sealed, chain with eyelet	HDC36-18
Cover, dust, HD30, 18 shell, recept., non-env. sealed, no chain	HDC36-18-1E
Cover, dust, HD30, 18 shell, recept., non-env. sealed, chain with eyelet, chromated	HDC36-18-HL01
Cover, dust, HD30, 18 shell, recept., non-env. sealed, chain without eyelet	HDC36-18-L020
Cover, dust, HD30, 18 shell, plug, non-env. sealed, chain with eyelet	HDC34-18
Cover, dust, HD30, 18 shell, plug, non-env. sealed, chain with eyelet, chromated	HDC34-18-HL01
Cover, dust, HD30, 18 shell, plug, non-env. sealed, chain without eyelet	HDC34-18-L020
Cover, dust, HD30, 24 shell, recept., non-env. sealed, chain with eyelet	HDC36-24
Cover, dust, HD30, 24 shell, recept., non-env. sealed, no chain	HDC36-24-1E
Cover, dust, HD30, 24 shell, plug, non-env. sealed, chain with eyelet	HDC34-24
Cover, dust, HD30, 24 shell, plug, non-env. sealed, no chain	HDC34-24-1E
Cover, dust, HD30, 24 shell, plug, non-env. sealed, chain without eyelet	HDC34-24-L020
Cover, protective, HDP20, 18 shell, recept., env. sealed	HDC26-18
Cover, protective, HDP20, 24 shell, recept., env. sealed	HDC26-24
Cap, dust, HD30/HDP20, 24 shell, plug, non-env. sealed	EC-25
Cap, dust, HD30/HDP20, 24 shell, recept., non-env. sealed	RC-21-11

HD Box Series

Cover, protective, HDBox, screws included	5004-002-2405
---	---------------

Protective Covers with LADD Lanyards

Cap or cover used to protect the connector interface when not mated that includes a rubber or steel coated Nylon attachment

HD10 Series

Cover, protective, HD10, 3 way, plug, env. sealed, rubber lanyard, gray	HDC14-3-JDL
Cover, protective, HD10, 6 way, plug, env. sealed, rubber lanyard, gray	HDC14-6-JDL
Cover, protective, HD10, 6 way, plug, env. sealed, steel lanyard, gray	HDC14-6-LA
Cover, protective, HD10, 9 way, plug, env. sealed, rubber lanyard, gray	HDC14-9-JDL
Cover, protective, HD10, 3 way, recept., env. sealed, rubber lanyard, gray	HDC16-3-JDL
Cover, protective, HD10, 3 way, recept., env. sealed, steel lanyard, gray	HDC16-3-LA
Cover, protective, HD10, 5 way, recept., env. sealed, steel lanyard, gray	HDC16-5-LA
Cover, protective, HD10, 6 way, recept., env. sealed, rubber lanyard, gray	HDC16-6-JDL
Cover, protective, HD10, 6 way, recept., env. sealed, steel lanyard, gray	HDC16-6-LA
Cover, protective, HD10, 9 way, recept., env. sealed, rubber lanyard, gray	HDC16-9-JDL
Cover, protective, HD10, 9 way, recept., env. sealed, rubber lanyard, black	HDC9-JDL082397
Cover, protective, HD10, 9 way, recept., env. sealed, steel lanyard, gray	HDC16-9-L47N
Cover, protective, HD10, 9 way, recept., env. sealed, steel lanyard, black	HDC16-9-E004-L47N

HDP20 Series

Part Description	Part Number
Cover, protective, HDP20, 18 shell, recept., env. sealed, rubber lanyard, black	HDC26-18-JDL
Cover, protective, HDP20, 18 shell, recept., env. sealed, steel lanyard, black	HDC26-18-LA
Cover, protective, HDP20, 24 shell, recept., env. sealed, rubber lanyard, black	HDC26-24-JDL
Cover, protective, HDP20, 24 shell, recept., env. sealed, steel lanyard, black	HDC26-24-LA
Lanyard, rubber	JDL082397
Lanyard, steel, 3/64" x 6" [1.19 x 152.40 mm], nylon coating	L47N-600-1
Lanyard, steel, 3/64" x 16" [1.19 x 406.40 mm], nylon coating	L47N-1600-1

Sealing Plugs

Solid rod used to fill open cavities to maintain the environmental seal

AMPSEAL

Sealing plug, natural	770678-1
-----------------------	----------

AMPSEAL 16

Sealing plug, yellow, standard dia. cavity	776363-1
Sealing plug, white, reduced dia. cavity	776364-1

DEUTSCH

Sealing plug, sz. 4	114019
Sealing plug, sz. 8	114018
Sealing plug, sz. 12-16	114017
Sealing plug, sz. 16, locking	0413-217-1605
Sealing plug, sz. 16, STRIKE Series	0413-003-1605
Sealing plug, sz. 20	0413-204-2005

Seals

Replacement environmental seals

DRC Series

Seal, flange, DRC13, 70 way, recept.	0510-011-7006
Seal, flange, DRC13, 24 way, recept.	0513-042-2406
Seal, flange, DRC13, 40 way, recept.	0513-014-4006
Seal, flange, DRC22, DRC23, 40 way, recept.	0513-020-4006
Seal, flange, DRC23-64PAA, recept.	0513-029-6406
Seal, front, DRC, 24 way, plug	0513-009-2406
Seal, front, DRC, 40 way, plug, without keys	0513-002-0006
Seal, front, DRC, 40 way, plug, DRC18-40S*	0513-010-4006
Seal, front, DRC, 70 way, plug	0513-011-7006

DT Series

Seal, flange, DT, 12 way, recept., DT04-12PA-LE03 and DT04-12PA-LE09	1013-003-1206
Seal, flange, DT13/15, 2 way, recept.	1013-008-0206
Seal, flange, DT13/15, 4 way, recept.	1013-007-0406
Seal, flange, DT13/15, 6 way, recept.	1013-004-0606
Seal, flange, DT13/15, 8 way, recept.	1013-005-0806
Seal, flange, DT13/15, 12 way, recept.	1013-006-1206
Seal, front, DT, 2 way, plug	1010-009-0206
Seal, front, DT, 3 way, plug	1010-002-0306
Seal, front, DT, 3 way, plug, fluorosilicone, DT06-3S-EF02	1010-069-0306
Seal, front, DT, 4 way, plug	1010-016-0406
Seal, front, DT, 6 way, plug	1010-017-0606

Connector Accessories

Part Description	Part Number
Seal, front, DT, 8 way, plug	1010-007-0806
Seal, front, DT, 12 way, plug	1010-020-1206
Seal, front, enhanced, DT, 2 way, plug	1010-064-0206
Seal, front, enhanced, DT, 3 way, plug	1010-062-0306
Seal, front, enhanced, DT, 4 way, plug	1010-066-0406
Seal, front, enhanced, DT, 6 way, plug	1010-070-0606
Seal, front, enhanced, DT, 8 way, plug	1010-063-0806
Seal, front, enhanced, DT, 12 way, plug	1010-058-1206

DTM Series

Seal, flange, DTM13/15, 12 way, recept.	1013-011-1206
Seal, internal, DTM, 2 way, recept.	1010-033-0206
Seal, internal, DTM, 3 way, recept.	1010-044-0306
Seal, internal, DTM, 4 way, recept.	1010-036-0406
Seal, internal, DTM, 6 way, recept.	1010-038-0606
Seal, internal, DTM, 8 way, recept.	1010-040-0806
Seal, internal, DTM, 12 way, recept.	1010-042-1206

DTP Series

Seal, internal, DTP, 2 way, recept.	1010-079-0206
Seal, internal, DTP, 4 way, recept.	1010-074-0406

DTV Series

Seal, flange, DTV, 18 way, recept.	1010-082-1806
------------------------------------	---------------

STRIKE Series

Seal, flange, STRIKE, MD shell, recept.	8910-001-3206
---	---------------

Strain Relief

Attachment for the rear of the connector used to support the wire bundle

DRC Series

Wire router, DRC, 40 way (DRC26-40SA)	0515-015-4005
Wire router, DRC, 70 way	0515-029-7005

HD10 Series

Strain relief, HD10, 3 shell	HD18-003
Strain relief, HD10, 6 shell	HD18-006
Strain relief, HD10, 9 shell	HD18-009

HD30/HDP20 Series

Strain relief, HD30, 18 shell, straight	WHDS-18-1
Strain relief, HD30, 18 shell, 90°	WHDS-18-2
Strain relief, HD30, 24 shell, straight	WHDS-24-1
Strain relief, HD30, 24 shell, 90°	WHDS-24-2
Strain relief, cable clamp, HD30, 18 shell	0409-201-1800
Strain relief, cable clamp, HD30, 24 shell	0409-201-2400
Wire router, HD30/HDP20, 23 way, recept.	0411-324-2405
Wire router, HD30/HDP20, 23 way, plug	0411-323-2405

Miscellaneous

Crimp sleeve reducer seal, sz. 4	0410-241-0406
Crimp sleeve reducer, sz. 4	0421-203-0414
O-ring, for AEC17-40P* jackscrew assembly	0513-013-4006

Current Rating Amps	Part Description	Part Number
DEUTSCH Solid Pins		

Sz. 4

100	Pin, solid, sz. 4, 6 AWG [16.00-13.00 mm ²], nickel	0460-204-0490
100	Pin, solid, sz. 4, 4 AWG [25.00-21.00 mm ²], nickel, C038 modification only	5960-203-04141

Sz. 8

60	Pin, solid, sz. 8, 8-10 AWG [10.00-5.00 mm ²], nickel	0460-204-08141
----	---	----------------

Sz. 12

25	Pin, solid, sz. 12, 12-14 AWG [3.00-2.00 mm ²], nickel	0460-204-12141
25	Pin, solid, sz. 12, 12-14 AWG [3.00-2.00 mm ²], gold	0460-220-1231
25	Pin, solid, sz. 12, 16-18 AWG [1.50-0.75 mm ²], gold	0460-256-12233

Sz. 16 (14 AWG)

13	Pin, solid, sz. 16, 14 AWG [2.00 mm ²], nickel	0460-215-16141
13	Pin, solid, sz. 16, 14 AWG [2.00 mm ²], gold	0460-215-1631

Sz. 16

13	Pin, solid, sz. 16, 16-20 AWG [1.50-0.50 mm ²], nickel	0460-202-16141
13	Pin, solid, sz. 16, 16-20 AWG [1.50-0.50 mm ²], gold	0460-202-1631
13	Pin, solid, sz. 16, 16-20 AWG [1.50-0.50 mm ²], gold, high durability	0460-002-1631
13	Pin, solid, sz. 16, 16-20 AWG [1.50-0.50 mm ²], nickel, extended crimp, seals against rear grommet	0460-247-16141
13	Pin, solid, sz. 16, 16-20 AWG [1.50-0.50 mm ²], gold, extended crimp, seals against rear grommet	0460-247-1631
13	Pin, solid, sz. 16, 16-20 AWG [1.50-0.50 mm ²], nickel, extended interface	0460-264-16141

Sz. 20 (16-18 AWG)

7.5	Pin, solid, sz. 20, 16-18 AWG [1.00-0.75 mm ²], nickel	0460-010-20141
7.5	Pin, solid, sz. 20, 16-18 AWG [1.00-0.75 mm ²], gold	0460-010-2031

Sz. 20

7.5	Pin, solid, sz. 20, 20 AWG [0.50 mm ²], nickel	0460-202-20141
7.5	Pin, solid, sz. 20, 20 AWG [0.50 mm ²], gold	0460-202-2031

DEUTSCH Solid PCB Pins		
-------------------------------	--	--

Sz. 12

25	Pin, solid, sz. 12, nickel, extended PCB	0460-208-12141
25	Pin, solid, sz. 12, gold, extended PCB	0460-245-1231
25	Pin, solid, sz. 12, tin, extended PCB	0460-245-1290

Sz. 16

13	Pin, solid, sz. 16, nickel, extended PCB (see drawing 0425-202-0000)	0460-208-16141
13	Pin, solid, sz. 16, gold, extended PCB (see drawing 0425-202-0000)	0460-208-1631
13	Pin, solid, sz. 16, nickel, extended PCB (see drawing 0425-202-0000)	0460-229-16141
13	Pin, solid, sz. 16, nickel, extended PCB (see drawing 0425-202-0000)	0460-241-16141
13	Pin, solid, sz. 16, nickel, extended PCB (see drawing 0425-202-0000)	0460-244-16141
13	Pin, solid, sz. 16, gold, extended PCB (see drawing 0425-202-0000)	0460-244-1631

Sz. 20

7.5	Pin, solid, sz. 20, gold, extended PCB	0460-208-2031
7.5	Pin, solid, sz. 20, tin, extended PCB	0460-208-2090

DEUTSCH Solid Sockets		
------------------------------	--	--

Sz. 4

100	Socket, solid, sz. 4, 6 AWG [16.00-13.00 mm ²], nickel	0462-203-04141
-----	--	----------------

Contacts

Current Rating Amps	Part Description	Part Number
100	Socket, solid, sz. 4, 4 AWG [25.00-21.00 mm ²], nickel, C038 modification only	5962-203-04141
Sz. 8		
60	Socket, solid, sz. 8, 8-10 AWG [10.00-5.00 mm ²], nickel	0462-203-08141
Sz. 12		
25	Socket, solid, sz. 12, 12-14 AWG [3.00-2.00 mm ²], nickel	0462-203-12141
25	Socket, solid, sz. 12, 12-14 AWG [3.00-2.00 mm ²], gold	0462-210-1231
Sz. 16 (14 AWG)		
13	Socket, solid, sz. 16, 14 AWG [2.00 mm ²], nickel	0462-209-16141
13	Socket, solid, sz. 16, 14 AWG [2.00 mm ²], gold	0462-209-1631
Sz. 16		
13	Socket, solid, sz. 16, 16-20 AWG [1.50-0.50 mm ²], nickel	0462-201-16141
13	Socket, solid, sz. 16, 16-20 AWG [1.50-0.50 mm ²], gold	0462-201-1631
13	Socket, solid, sz. 16, 16-20 AWG [1.50-0.50 mm ²], gold, high durability	0462-004-1631
13	Socket, solid, sz. 16, 16-20 AWG [1.50-0.50 mm ²], gold, extended crimp, seals against rear grommet	0462-221-1631
Sz. 20 (16-18 AWG)		
7.5	Socket, solid, sz. 20, 16-18 AWG [1.00-0.75 mm ²], nickel	0462-005-20141
7.5	Socket, solid, sz. 20, 16-18 AWG [1.00-0.75 mm ²], gold	0462-005-2031
Sz. 20		
7.5	Socket, solid, sz. 20, 20 AWG [0.50 mm ²], nickel	0462-201-20141
7.5	Socket, solid, sz. 20, 20 AWG [0.50 mm ²], gold	0462-201-2031

AMPSEAL 16 Stamped & Formed Pins

1.58 mm		
up to 13	Pin, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .050-.107 [1.27-2.72] ins., gold	1924463-1
up to 13	Pin, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .050-.107 [1.27-2.72] ins., gold, loose piece	1924579-1
up to 13	Pin, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .050-.107 [1.27-2.72] ins., nickel	1924463-3
up to 13	Pin, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .050-.107 [1.27-2.72] ins., nickel, loose piece	1924579-3
up to 13	Pin, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .089-.131 [2.26-3.33] ins., gold	776349-1
up to 13	Pin, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .089-.131 [2.26-3.33] ins., nickel	776349-3
up to 13	Pin, S&F, sz. 1.58 mm, 18 AWG [1.50-.0.80 mm ²], .065-.118 [1.65-3.00] ins., gold	2098250-1
up to 13	Pin, S&F, sz. 1.58 mm, 18 AWG [1.50-.0.80 mm ²], .065-.118 [1.65-3.00] ins., nickel	2098250-3
up to 13	Pin, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .089-.131 [2.26-3.33] ins., gold	638078-1
up to 13	Pin, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .089-.131 [2.26-3.33] ins., gold, loose piece	776300-1
up to 13	Pin, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .089-.131 [2.26-3.33] ins., nickel	638078-3
up to 13	Pin, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .089-.131 [2.26-3.33] ins., nickel, loose piece	776300-2
up to 13	Pin, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .077-.155 [2.18-3.67] ins., gold	638112-1
up to 13	Pin, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .077-.155 [2.18-3.67] ins., gold, loose piece	776298-1
up to 13	Pin, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .077-.155 [2.18-3.67] ins., nickel	638112-3
up to 13	Pin, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .077-.155 [2.18-3.67] ins., nickel, loose piece	776298-2
up to 13	Pin, S&F, sz. 1.58 mm, 14 AWG [2.50-1.50 mm ²], .083-.128 [2.11-3.25] ins., gold	2098252-1
up to 13	Pin, S&F, sz. 1.58 mm, 14 AWG [2.50-1.50 mm ²], .083-.128 [2.11-3.25] ins., nickel	2098252-3

DEUTSCH Stamped & Formed Pins

Sz. 12 (10 AWG)		
25	Pin, S&F, sz. 12, 10 AWG [6.00-4.00 mm ²], .140-.204 [3.56-5.18] ins., nickel	1060-12-0222
Sz. 12		

Current Rating Amps	Part Description	Part Number
25	Pin, S&F, sz. 12, 12-14 AWG [4.00-2.00 mm ²], .113-.176 [2.87-4.47] ins., gold	1060-12-0144
25	Pin, S&F, sz. 12, 12-14 AWG [4.00-2.00 mm ²], .113-.176 [2.87-4.47] ins., nickel	1060-12-0166
Sz. 16 (14 AWG)		
13	Pin, S&F, sz. 16, 14-18 AWG [2.00-0.75 mm ²], .095-.150 [2.41-3.81] ins., nickel	1060-14-0122
13	Pin, S&F, sz. 16, 14-18 AWG [2.00-0.75 mm ²], .095-.150 [2.41-3.81] ins., gold	1060-14-0144
Sz. 16		
13	Pin, S&F, sz. 16, 14-18 AWG [2.00-0.75 mm ²], .075-.140 [1.91-3.56] ins., nickel	1060-16-0122
13	Pin, S&F, sz. 16, 14-18 AWG [2.00-0.75 mm ²], .075-.140 [1.91-3.56] ins., gold	1060-16-0144
13	Pin, S&F, sz. 16, 16-20 AWG [1.00-0.50 mm ²], .055-.100 [1.40-2.54] ins., nickel	1060-16-0622
13	Pin, S&F, sz. 16, 16-20 AWG [1.00-0.50 mm ²], .055-.100 [1.40-2.54] ins., gold	1060-16-0644
13	Pin, S&F, sz. 16, 16-20 AWG [1.00-0.50 mm ²], .055-.100 [1.40-2.54] ins., selective gold	1060-16-0688
13	Pin, S&F, sz. 16, 14-18 AWG [2.00-0.75 mm ²], .075-.140 [1.91-3.56] ins., selective gold	1060-16-0988
13	Pin, S&F, sz. 16, 12-16 AWG [2.50-1.00 mm ²], .075-.140 [1.91-3.56] ins., nickel	1060-16-1222
Sz. 20		
7.5	Pin, S&F, sz. 20, 16-22 AWG [1.50-0.35 mm ²], .075-.125 [1.91-3.18] ins., nickel	1060-20-0122
7.5	Pin, S&F, sz. 20, 16-22 AWG [1.50-0.35 mm ²], .075-.125 [1.91-3.18] ins., gold	1060-20-0144
7.5	Pin, S&F, sz. 20, 16-22 AWG [1.50-0.35 mm ²], .051-.085 [1.30-2.16] ins., nickel	1060-20-0222
7.5	Pin, S&F, sz. 20, 16-22 AWG [1.50-0.35 mm ²], .051-.085 [1.30-2.16] ins., gold	1060-20-0244

AMPSEAL Stamped & Formed Receptacles

1.3 mm		
up to 8	Receptacle, S&F, sz. 1.3 mm, 16-20 AWG [1.25-0.50 mm ²], .067-.106 [1.70-2.70] ins., pre-tin	770520-1
up to 8	Receptacle, S&F, sz. 1.3 mm, 16-20 AWG [1.25-0.50 mm ²], .067-.106 [1.70-2.70] ins., pre-tin, loose piece	770854-1
up to 17	Receptacle, S&F, sz. 1.3 mm, 16-20 AWG [1.25-0.50 mm ²], .067-.106 [1.70-2.70] ins., selective gold	770520-3
up to 17	Receptacle, S&F, sz. 1.3 mm, 16-20 AWG [1.25-0.50 mm ²], .067-.106 [1.70-2.70] ins., selective gold, loose piece	770854-3

AMPSEAL 16 Stamped & Formed Receptacles

1.58 mm		
up to 13	Receptacle, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .050-.107 [1.27-2.72] ins., gold	1924464-1
up to 13	Receptacle, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .050-.107 [1.27-2.72] ins., gold, loose piece	1924580-1
up to 13	Receptacle, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .050-.107 [1.27-2.72] ins., nickel	1924464-2
up to 13	Receptacle, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .050-.107 [1.27-2.72] ins., nickel, loose piece	1924580-2
up to 13	Receptacle, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .089-.131 [2.26-3.33] ins., gold	776493-1
up to 13	Receptacle, S&F, sz. 1.58 mm, 18-20 AWG [0.80-0.50 mm ²], .089-.131 [2.26-3.33] ins., nickel	776493-2
up to 13	Receptacle, S&F, sz. 1.58 mm, 18 AWG [1.50-0.80 mm ²], .065-.118 [1.65-3.00] ins., gold	2098251-1
up to 13	Receptacle, S&F, sz. 1.58 mm, 18 AWG [1.50-0.80 mm ²], .065-.118 [1.65-3.00] ins., nickel	2098251-2
up to 13	Receptacle, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .077-.155 [2.18-3.67] ins., gold	776491-1
up to 13	Receptacle, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .077-.155 [2.18-3.67] ins., gold, loose piece	776297-1
up to 13	Receptacle, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .077-.155 [2.18-3.67] ins., nickel	776491-2
up to 13	Receptacle, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .077-.155 [2.18-3.67] ins., nickel, loose piece	776297-2
up to 13	Receptacle, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .089-.131 [2.26-3.33] ins., gold	776492-1

Contacts

Current Rating Amps	Part Description	Part Number
up to 13	Receptacle, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .089-.131 [2.26-3.33] ins., gold, loose piece	776299-1
up to 13	Receptacle, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .089-.131 [2.26-3.33] ins., nickel	776492-2
up to 13	Receptacle, S&F, sz. 1.58 mm, 14-18 AWG [2.00-0.80 mm ²], .089-.131 [2.26-3.33] ins., nickel, loose piece	776299-2
up to 13	Receptacle, S&F, sz. 1.58 mm, 14 AWG [2.50-1.50 mm ²], .083-.128 [2.11-3.25] ins., gold	2098253-1
up to 13	Receptacle, S&F, sz. 1.58 mm, 14 AWG [2.50-1.50 mm ²], .083-.128 [2.11-3.25] ins., nickel	2098253-2

DEUTSCH Stamped & Formed Sockets

Sz. 12 (10 AWG)

25	Socket, S&F, sz. 12, 10 AWG [6.00-4.00 mm ²], .140-.204 [3.56-5.18] ins., nickel	1062-12-0222
----	--	--------------

Sz. 12

25	Socket, S&F, sz. 12, 12-14 AWG [4.00-2.00 mm ²], .113-.176 [2.87-4.47] ins., gold	1062-12-0144
25	Socket, S&F, sz. 12, 12-14 AWG [4.00-2.00 mm ²], .113-.176 [2.87-4.47] ins., nickel	1062-12-0166

Sz. 16 (14 AWG)

13	Socket, S&F, sz. 16, 14-18 AWG [2.00-0.75 mm ²], .095-.150 [2.41-3.81] ins., nickel	1062-14-0122
13	Socket, S&F, sz. 16, 14-18 AWG [2.00-0.75 mm ²], .095-.150 [2.41-3.81] ins., gold	1062-14-0144

Sz. 16

13	Socket, S&F, sz. 16, 14-18 AWG [2.00-0.75 mm ²], .075-.140 [1.91-3.56] ins., nickel	1062-16-0122
13	Socket, S&F, sz. 16, 14-18 AWG [2.00-0.75 mm ²], .075-.140 [1.91-3.56] ins., gold	1062-16-0144
13	Socket, S&F, sz. 16, 16-20 AWG [1.00-0.50 mm ²], .055-.100 [1.40-2.54] ins., nickel	1062-16-0622
13	Socket, S&F, sz. 16, 16-20 AWG [1.00-0.50 mm ²], .055-.100 [1.40-2.54] ins., gold	1062-16-0644
13	Socket, S&F, sz. 16, 14-18 AWG [2.00-0.75 mm ²], .075-.140 [1.91-3.56] ins., selective gold	1062-16-0988
13	Socket, S&F, sz. 16, 12-16 AWG [2.50-1.00 mm ²], .075-.140 [1.91-3.56] ins., nickel	1062-16-1222
13	Socket, S&F, sz. 16, 12-16 AWG [2.50-1.00 mm ²], .075-.140 [1.91-3.56] ins., nickel, sleeveless	1062-16-1422
13	Socket, S&F, sz. 16, 12-16 AWG [2.50-1.00 mm ²], .075-.140 [1.91-3.56] ins., gold, sleeveless	1062-16-1444

Sz. 20

7.5	Socket, S&F, sz. 20, 16-22 AWG [1.50-0.35 mm ²], .075-.125 [1.91-3.18] ins., nickel	1062-20-0122
7.5	Socket, S&F, sz. 20, 16-22 AWG [1.50-0.35 mm ²], .075-.125 [1.91-3.18] ins., gold	1062-20-0144
7.5	Socket, S&F, sz. 20, 16-22 AWG [1.50-0.35 mm ²], .051-.085 [1.30-2.16] ins., nickel	1062-20-0222
7.5	Socket, S&F, sz. 20, 16-22 AWG [1.50-0.35 mm ²], .051-.085 [1.30-2.16] ins., gold	1062-20-0244
7.5	Socket, S&F, sz. 20, 16-22 AWG [1.50-0.35 mm ²], .075-.125 [1.91-3.18] ins., nickel, sleeveless	1062-20-0322
7.5	Socket, S&F, sz. 20, 16-22 AWG [1.50-0.35 mm ²], .075-.125 [1.91-3.18] ins., gold, sleeveless	1062-20-0344
7.5	Socket, S&F, sz. 20, 14-16 AWG [2.50-1.00 mm ²], .075-.125 [1.91-3.18] ins., nickel	1062-20-0622

Crimp Tooling - Solid Contacts

Size	Part Description	Part Number
Production Crimp Tools		
Tooling		
4-20	Tool, crimp, production, solid contacts sz. 4-20	HDP-400
N/A	Tool, crimp, production, HDP-400, foot control	104
Die Assemblies		
N/A	Tool, crimp, HDP-400, spring, die	400-375
4	Tool, crimp, HDP-400, sz. 4, die assembly	414DA-4S
8	Tool, crimp, HDP-400, sz. 8, die assembly	414DA-8SPEC
12	Tool, crimp, HDP-400, sz. 12, die assembly	414DA-12N
16	Tool, crimp, HDP-400, sz. 16, die assembly	414DA-16N
20	Tool, crimp, HDP-400, sz. 20, die assembly	414DA-20N
Locators		
4	Tool, crimp, HDP-400, sz. 4, steel locator	4301-4S
8	Tool, crimp, HDP-400, sz. 8, steel locator	4301-8S
12	Tool, crimp, HDP-400, sz. 12, steel locator	4301-12S
16	Tool, crimp, HDP-400, 0460-247-16**, steel locator	7053-S
16	Tool, crimp, HDP-400, sz. 16, steel locator	4301-16S
20	Tool, crimp, HDP-400, sz. 20, steel locator	4301-20S
Gauges		
4	Tool, gauge, sz. 4, Go-No-Go for HDP-400	450GA-4SPEC
8	Tool, gauge, sz. 8, Go-No-Go for HDP-400	450GA-8SPEC
12	Tool, gauge, sz. 12, Go-No-Go for HDP-400	450GA-12N
16	Tool, gauge, sz. 16, Go-No-Go for HDP-400	450GA-16N
20	Tool, gauge, sz. 20, Go-No-Go for HDP-400	450GA-20N
Hand Crimp Tools		
Tooling		
4, 8	Tool, crimp, hand, sz. 4 and 8, solid	HDT-04-08
12-20	Tool, crimp, hand, sz. 20, 16, and 12, solid	HDT-48-00
12-20	Tool, crimp, hand, sz. 20, 16, and 12, solid, field service	HDT-1561
Accessories		
N/A	Tool, gauge, Go-No-Go for HDT-48-00	G454
N/A	Nut, locking, HDT-48-00, silver	M2700-395-10
N/A	Tool, HDT-48-00, adjustment screw and locking nut	0426-209-0000
4	Tool, HDT-04-08, sz. 4 die	0434-205-0400
8	Tool, HDT-04-08, sz. 8 die	0434-205-0800

Crimp Tools - Stamped & Formed Contacts

Size	Contact P/N	Part Description	Part Number
Production Crimp Tools			
1.3 mm	770520-*	Tool, crimp, sz. 1.3 mm stamped & formed die, .067-.106 [1.70-2.70] ins.	2151376-1
1.58 mm	2098250-*, 2098251-1	Tool, crimp, sz. 1.58 mm stamped & formed die, .065-.118 [1.65-3.00] ins.	2151617-1
1.58 mm	2098251-2	Tool, crimp, sz. 1.58 mm stamped & formed die, .065-.118 [1.65-3.00] ins.	2151617-2
1.58 mm	638112-*	Tool, crimp, sz. 1.58 mm stamped & formed die, .077-.155 [1.96-3.94] ins.	2151239-1
1.58 mm	776491-*	Tool, crimp, sz. 1.58 mm stamped & formed die, .077-.155 [1.96-3.94] ins.	2151239-2
12	106*-12-01**	Tool, crimp, sz. 12 stamped & formed die, .151-.176 [3.83-4.47] ins.	2266124-1
12	106*-12-01**	Tool, crimp, sz. 12 stamped & formed die, .130-.154 [3.30-3.91] ins.	2266125-1
12	106*-12-01**	Tool, crimp, sz. 12 stamped & formed die, .113-.135 [2.87-3.43] ins.	2266126-1
12	106*-12-02**	Tool, crimp, sz. 12 stamped & formed die, .185-.204 [4.70-5.18] ins.	2266127-1
12	106*-12-02**	Tool, crimp, sz. 12 stamped & formed die, .155-.190 [3.94-4.83] ins.	2266128-1
12	106*-12-02**	Tool, crimp, sz. 12 stamped & formed die, .140-.160 [3.56-4.06] ins.	2266129-1
16	106*-14-01**, 106*-14-10**	Tool, crimp, sz. 16 stamped & formed die, .120-.150 [3.05-3.81] ins.	2266100-1
16	106*-14-01**, 106*-14-10**, 106*-16-01**, 106*-16-07**, 106*-16-09**	Tool, crimp, sz. 16 stamped & formed die, .105-.125 [2.67-3.18] ins.	2266101-1
16	106*-16-01**, 106*-16-07**, 106*-16-09**	Tool, crimp, sz. 16 stamped & formed die, .085-.111 [2.16-2.82] ins.	2266102-1
16	106*-16-01**, 106*-16-07**, 106*-16-09**	Tool, crimp, sz. 16 stamped & formed die, .075-.105 [1.91-2.67] ins.	2266103-1
16	106*-16-01**, 106*-16-07**, 106*-16-09**	Tool, crimp, sz. 16 stamped & formed die, .063-.094 [1.60-2.39] ins.	2266104-1
16	106*-16-06**	Tool, crimp, sz. 16 stamped & formed die, .063-.094 [1.60-2.39] ins.	2266110-1
16	106*-16-06**	Tool, crimp, sz. 16 stamped & formed die, .050-.075 [1.27-1.91] ins.	2266111-1
16	106*-16-12**, 1062-16-14**	Tool, crimp, sz. 16 stamped & formed die, .120-.140 [3.05-3.56] ins.	2266112-1
16	106*-16-12**, 1062-16-14**	Tool, crimp, sz. 16 stamped & formed die, .105-.125 [2.67-3.18] ins.	2266113-1
16	106*-16-12**, 1062-16-14**	Tool, crimp, sz. 16 stamped & formed die, .090-.110 [2.29-2.79] ins.	2266114-1
16	106*-16-12**, 1062-16-14**	Tool, crimp, sz. 16 stamped & formed die, .075-.095 [1.91-2.41] ins.	2266115-1
20	106*-20-01**, 1062-20-03**	Tool, crimp, sz. 20 stamped & formed die, .105-.125 [2.67-3.18] ins.	2266116-1
20	106*-20-01**, 1062-20-03**	Tool, crimp, sz. 20 stamped & formed die, .085-.111 [2.16-2.82] ins.	2266117-1
20	106*-20-01**, 1062-20-03**	Tool, crimp, sz. 20 stamped & formed die, .075-.105 [1.91-2.67] ins.	2266118-1
20	106*-20-02**	Tool, crimp, sz. 20 stamped & formed die, .063-.085 [1.62-2.16] ins.	2266119-1
20	106*-20-02**	Tool, crimp, sz. 20 stamped & formed die, .050-.075 [1.27-1.91] ins.	2266120-1
Size	Part Description		Part Number
Hand Crimp Tools			
1.3 mm	Tool, crimp, hand, stamped & formed 1.3 mm, 16-20 AWG [1.25-0.50 mm²]		58529-1
1.58 mm	Tool, crimp, hand, stamped & formed 1.58 mm, 14-18 AWG [2.00-0.80 mm²]		91337-1
1.58 mm	Tool, crimp, hand, stamped & formed 1.58 mm, 18-20 AWG [0.80-0.50 mm²]		2119118-1
12	Tool, crimp, hand, stamped & formed sz. 12, 12-14 AWG [4.00-2.00 mm²]		DTT-12-00

Crimp Tools - Stamped & Formed Contacts

Size	Part Description	Part Number
12 (10 AWG)	Tool, crimp, hand, stamped & formed sz. 12, 10 AWG [6.00-5.00 mm ²]	DTT-12-01
16	Tool, crimp, hand, stamped & formed sz. 16, 14-16 AWG [2.00-1.00 mm ²]	DTT-16-00
16	Tool, crimp, hand, stamped & formed sz. 16, 18-20 AWG [0.75-0.50 mm ²]	DTT-16-01
16	Tool, crimp, hand, stamped & formed sz. 16 (106*-16-12**), 12-16 AWG [2.50-1.00 mm ²]	DTT-16-02
20	Tool, crimp, hand, stamped & formed sz. 20, 16-20 AWG [1.50-0.50 mm ²]	DTT-20-00
20	Tool, crimp, hand, stamped & formed sz. 20 (106*-20-02**), 18-22 AWG [0.80-0.35 mm ²]	DTT-20-02

Replacement/Accessory Components

N/A	Tool, crimp, DCT16-02-00, punch, conductor	1017-002-0200
N/A	Tool, crimp, DCT16-02-00, punch, conductor, (106*-16-06** contacts)	1017-003-0200
N/A	Tool, crimp, DCT20-02-00, punch, conductor	1017-004-0200
N/A	Tool, crimp, DCT12-02-00, punch, conductor	1017-008-0200
N/A	Tool, crimp, DCT1620-02-00, punch, conductor, sz. 20	1017-081-0200
N/A	Tool, crimp, DCT1620-02-00, punch, conductor, sz. 16 (106*-16-06** contacts)	1017-082-0200
N/A	Tool, crimp, DCT1620-02-00, punch, conductor, sz. 16	1017-083-0200
N/A	Tool, crimp, DCT16-02-00, anvil, conductor	1017-101-0200
N/A	Tool, crimp, DCT16-02-00, anvil, conductor, (106*-16-06** contacts)	1017-103-0200
N/A	Tool, crimp, DCT20-02-00, anvil, conductor	1017-104-0200
N/A	Tool, crimp, DCT12-02-00, anvil, conductor	1017-108-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, conductor, sz. 20	1017-181-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, conductor, sz. 16 (106*-16-06** contacts)	1017-182-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, conductor, sz. 16	1017-183-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .120-.150 [3.05-3.81]	1017-210-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .105-.125 [2.67-3.18]	1017-211-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .085-.111 [2.16-2.82]	1017-213-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .075-.105 [1.91-2.67]	1017-214-0200
N/A	Tool, crimp, DCT16-02-00, punch, insulation, .063-.094 [1.60-2.39]	1017-217-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .050-.075 [1.27-1.91]	1017-218-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, .151-.176 [3.84-4.47]	1017-219-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, .130-.154 [3.30-3.91]	1017-222-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .120-.150 [3.05-3.81]	1017-225-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .105-.125 [2.67-3.18]	1017-226-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .085-.111 [2.16-2.82]	1017-227-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .075-.105 [1.91-2.67]	1017-228-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .063-.094 [1.60-2.39]	1017-229-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .050-.075 [1.27-1.91]	1017-230-0200
N/A	Tool, crimp, DCT16-02-00, anvil, insulation, .075-.105 [1.91-2.67]	1017-304-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, anvil, insulation, .120-.150 [3.05-3.81]	1017-310-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, anvil, insulation, .105-.125 [2.67-3.18]	1017-311-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, anvil, insulation, .085-.111 [2.16-2.82]	1017-313-0200
N/A	Tool, crimp, DCT16-02-00, anvil, insulation, .063-.094 [1.60-2.39]	1017-317-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, anvil, insulation, .050-.075 [1.27-1.91]	1017-318-0200
N/A	Tool, crimp, DCT12-02-00, anvil, insulation, .151-.176 [3.84-4.47]	1017-319-0200
N/A	Tool, crimp, DCT12-02-00, anvil, insulation, .130-.154 [3.30-3.91]	1017-322-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .120-.150 [3.05-3.81]	1017-325-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .105-.125 [2.67-3.18]	1017-326-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .085-.111 [2.16-2.82]	1017-327-0200

Crimp Tools - Stamped & Formed Contacts

Size	Part Description	Part Number
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .075-.105 [1.91-2.67]	1017-328-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .063-.094 [1.60-2.39]	1017-329-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .050-.075 [1.27-1.91]	1017-330-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, cutter holder	1017-460-0200
N/A	Tool, crimp, DCT16-02-00, cutter punch	1017-461-0200
N/A	Tool, crimp, DCT16-02-00, cutter	1017-462-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, gathering insert	1017-463-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, conductor depressor	1017-464-0200
N/A	Tool, crimp, DCT12-02-00, DCT16-02-00, DCT20-02-00, conductor depressor holder	1017-465-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, pressure pad	1017-466-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, pressure pad holder	1017-467-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, feed finger (MAC-77L)	1017-468-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, wire stop	1017-469-0200
N/A	Tool, crimp, DCT12-02-00, DCT16-02-00, DCT20-02-00, gathering insert spring	1017-470-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT1620-02-00, DCT20-02-00, pressure pad spring & conductor depressor spring	1017-471-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT16-02-01, DCT1620-02-00, DCT20-02-00, cutter spring	1017-473-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, terminal guide plate, curved	1017-474-0200
N/A	Tool, crimp, DCT16-02-00, guide plate	1017-476-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, rear anvil holder	1017-479-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, feed spring	1017-480-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, shank	1017-481-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, cutter	1017-482-0200
N/A	Tool, crimp, DCT20-02-00, cutter punch	1017-483-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, cam roller	1017-484-0200
N/A	Tool, crimp, DCT16-02-00, DCT16-02-01, cam roller shaft	1017-485-0200
N/A	Tool, crimp, DCT20-02-00, conductor depressor	1017-487-0200
N/A	Tool, crimp, DCT20-02-00, conductor depressor spring	1017-488-0200
N/A	Tool, crimp, cutter spring (use 1017-473-0200)	1017-489-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, insulator cap	1017-490-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, conductor cap	1017-491-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, ball plunger	1017-492-0200
N/A	Tool, crimp, DCT16-02-00, hex nut	1017-495-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, adjustment pivot	1017-496-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, bushing	1017-497-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, washer	1017-498-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, cutter punch	1017-503-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, pressure pad	1017-504-0200
N/A	Tool, crimp, DCT12-02-00, conductor depressor	1017-505-0200
N/A	Tool, crimp, DCT12-02-00, gathering insert	1017-506-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, pressure pad holder	1017-509-0200
N/A	Tool, Crimp, DCT16-02-00, DCT1620-02-00, DCT20-02-00, pressure pad	1017-510-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, base plate	1017-519-0200
N/A	Tool, crimp, DCT16-02-00, wave spring	1017-527-0200
N/A	Tool, crimp, DCT16-02-00, slide feed pivot	1017-528-0200
N/A	Tool, crimp, DCT16-02-00, spacer	1017-529-0200

Crimp Tools - Stamped & Formed Contacts

Size	Part Description	Part Number
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, washer	1017-530-0200
N/A	Tool, crimp, DCT12-02-01, punch, conductor	1017-531-0200
N/A	Tool, crimp, DCT12-02-01, anvil, conductor	1017-532-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, 10 AWG [6.00-4.00 mm ²]	1017-533-0200
N/A	Tool, crimp, DCT12-02-01, anvil, insulation, .185-.204 [4.70-5.18]	1017-534-0200
N/A	Tool, crimp, DCT16-02-00, brake insert	1017-537-0200
N/A	Tool, crimp, DCT16-02-00, brake holder	1017-538-0200
N/A	Tool, crimp, DCT16-02-01, punch, insulation, .105-.125 [2.67-3.18]	1017-540-0200
N/A	Tool, crimp, DCT Applicators, slide pin	1017-547-0200
N/A	Tool, crimp, DCT12-02-01, conductor depressor holder	1017-552-0200
N/A	Tool, crimp, DCT12-02-01, anvil, insulation, .155-.190 [3.94-4.83]	1017-554-0200
N/A	Tool, crimp, DCT12-02-01, anvil, insulation, .140-.160 [3.56-4.06]	1017-556-0200
N/A	Tool, crimp, DCT12-02-01, gathering insert	1017-558-0200
N/A	Tool, crimp, DCT12-02-01, punch, insulation, .185-.204 [4.70-5.18]	1017-561-0200
N/A	Tool, crimp, DCT12-02-01, punch, insulation, .155-.190 [3.94-4.83]	1017-562-0200
N/A	Tool, crimp, DCT12-02-01, punch, insulation, .140-.160 [3.56-4.06]	1017-563-0200
N/A	Tool, crimp, DCT16-02-00, DCT16-02-01, DCT1620-02-00, link spring	1017-564-0200
N/A	Tool, crimp, DCT16-02-00, DCT16-02-01, DCT1620-02-00, feed pin	1017-565-0200
N/A	Tool, crimp, DCT16-02-00, DCT16-02-01, DCT1620-02-00, retainer ring	1017-566-0200
N/A	Tool, crimp, DCT16-02-00, DCT16-02-01, DCT1620-02-00, guide rail	1017-567-0200
N/A	Tool, crimp, DCT12-02-01, conductor depressor	1017-569-0200
N/A	Tool, crimp, DCT1620-02-00, cutter punch	1017-576-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, gathering insert spring	1017-578-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, conductor depressor	1017-579-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, conductor depressor spring	1017-580-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, cutter	1017-585-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, cutter holder	1017-586-0200
N/A	Tool, crimp, DCT16-02-01, ram slide	1017-595-0200
N/A	Tool, crimp, DCT16-02-01, feed finger holder	1017-599-0200
N/A	Tool, crimp, DCT1620-02-00, wire stop	1017-610-0200
N/A	Tool, crimp, DCT16-02-01, flipper holder	1017-613-0200
N/A	Tool, crimp, DCT16-02-01, wire stop mount	1017-614-0200
N/A	Tool, crimp, DCT16-02-01, DCT1620-02-00, gathering insert	1017-620-0200
N/A	Tool, crimp, DCT1620-02-00, cutter punch	1017-621-0200
N/A	Tool, crimp, DCT16-02-01, punch, conductor	1017-622-0200
N/A	Tool, crimp, DCT16-02-01, punch, insulation, .120-.140 [3.05-3.56]	1017-628-0200
N/A	Tool, crimp, DCT1620-02-00, rear anvil holder	1017-631-0200
N/A	Tool, crimp, DCT1620-02-00, cutter cover plate	1017-634-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, .113-.135 [2.87-3.43]	1017-734-0200
N/A	Tool, crimp, DCT12-02-00, anvil, insulation, .113-.135 [2.87-3.43]	1017-735-0200
N/A	Tool, crimp, DCT16-02-00, brake assembly	1038-008-1600
Bolster Plate		
N/A	Bolster plate, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00	BOLSTER PLATE
N/A	Bar, bolster plate, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00	BOLSTER PLATE BAR
N/A	Clamp, bolster plate, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00	BOLSTER PLT CLAMP

DEUTSCH Modification List

Mod #	Series	Description
A		
A004	DRC	Receptacle with molded-in PCB pins, 24 and 40 way
A006	DRC	Receptacle with molded-in PCB pins, 40 way, #40 pin removed
B		
B009	HD10	Receptacle with raised key removed from front of flange, no rear threads
B010	HD10	Plug with coupling ring added
B016	DT, DT13/15	Receptacle has extended shell and enhanced keys, plug has enhanced seal retention (P012), 12 way
B019	HD30	Custom snap ring mount
B022	HD10	Receptacle with D-hole panel mount, rear threads, J1939, black
B025	HD10	Receptacle with D-hole panel mount, no rear threads, black
B026	DTMF	PCB receptacle with alternate keying, requires plugs with WM-12S-B026 wedgelocks
B028	DT15	5 P.S.I rating
BE		
BE02	DT	Receptacle with extended shell and enhanced keys (B016), end cap
BE03	DT	Receptacle with extended shell and enhanced keys (B016), end cap, black
BE04	DT	Receptacle with extended shell and enhanced keys (B016), end cap, reduced diameter seals (E seal), black
BE05	DT	Receptacle with extended shell and enhanced keys (B016), end cap, sealed flange, reduced diameter seals (E seal), threaded stainless steel flange inserts
BL		
BL04	DT	Receptacle with extended shell and enhanced keys (B016), welded flange
BL08	DT	Receptacle with extended shell and enhanced keys (B016), welded flange, black
BL10	DT	Receptacle with extended shell and enhanced keys (B016), sealed flange, reduced diameter seals (E seal), shrink boot adapter, threaded stainless steel flange inserts
BL11	DT	Receptacle with extended shell and enhanced keys (B016), sealed flange, reduced diameter seals (E seal), end cap, threaded stainless steel flange inserts
BP		
BP03	HD10	Receptacle with D-hole panel mount, J1939 Type II, green
C		
C003	HDN	Standard cavity marking identification
C008	DT	Cavity blocked (C)
C012	HD30	Cavities blocked (J, P)
C015	DT	Reduced diameter seals (E seal)
C016	HD10	Cavities blocked (H, J) - HD10 Series 9 way
C017	DT	Solid rear grommet
C018	HD30	Cavities blocked (11, 18, 19), N/E seal options
C019	HD30	Cavities blocked (1, 2, 8, 9), N/E seal options
C020	HD30	Cavities blocked (A, D), N/E seal options
C021	HD30	Cavities blocked (A, B, C, D)
C022	HD30	Cavities blocked (A, D, J, M), with reduced diameter seals (E seal)

DEUTSCH Modification List

Mod #	Series	Description
C024	HD10	Cavities blocked (B, C, D)
C026	DRC	Cavities blocked, 50 way
C030	HD30, HDP20	Four size 16 cavities blocked (1, 2, 5, 6)
C038	HD30, HDP20	Three size 4, four size 16, requires special size 4 AWG contacts
CE		
CE01	DT	Reduced diameter seals (E seal), end cap
CE02	DT, DTP	Reduced diameter seals (E seal), black
CE03	DT	Reduced diameter seals (E seal), end cap, black
CE04	DT	Reduced diameter seals (E seal), shrink boot adapter
CE05	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), end cap
CE06	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012)
CE07	DT	Receptacle with extended shell and enhanced keys (B016), reduced diameter seals (E seal), end cap
CE08	DT	Receptacle with extended shell and enhanced keys (B016), reduced diameter seals (E seal)
CE09	DT	Reduced diameter seals (E seal), shrink boot adapter, black
CE10	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), black
CE11	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), end cap, black
CE12	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), shrink boot adapter, black
CE13	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), shrink boot adapter
CE14	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), latch guard end cap, black
CL		
CL01	HD30	Cavities blocked (J, Q, R, S, X), adapter for cable clamp (072)
CL03	DT	Reduced diameter seals (E seal), welded flange
CL07	DT	Reduced diameter seals (E seal), sealed flange, shrink boot adapter
CL08	DT	Reduced diameter seals (E seal), welded flange, end cap, disabled latch
CL09	DT	Reduced diameter seals (E seal), sealed flange, end cap, black
CL15	DT	Reduced diameter seals (E seal), welded flange, black
CG		
CG01	DRC	5 mm threaded insert with silver plating, molded-in contacts, outside rows gold
CP		
CP01	DT	All cavities plugged, enhanced seal retention (P012), end cap
E		
E003	DT, DTHD, DTM, DTP	End cap
E004	DT, DTM, DTP, HD10	Black
E005	DT, DTM	Black, end cap
E007	DTM	Shrink boot adapter
E008	DT	Shrink boot adapter
E009	DRC	24 way and 40 way receptacle, B keys, housing is gray, flange is black

DEUTSCH Modification List

Mod #	Series	Description
E016	EEC	Standard EEC box, molded in transparent Ultem material
E019	AEC	Backshell adapter
EE		
EE01	DT	Shrink boot adapter, black
EE03	DTM	Shrink boot adapter, black
EE04	DTM	High temp, black
EE05	DT	High temp, enhanced seal retention (P012) on plug, end cap, black
EF		
EF01	DT	Fluorosilicone front seals, end cap
EF02	DT	Fluorosilicone front seals, latch guard end cap
EP		
EP04	DT	End cap (same as E003 mod)
EP05	DT	Latch guard end cap
EP06	DT	Plug with enhanced seal retention (P012), end cap
EP07	DT	Plug with enhanced seal retention (P012), black
EP08	DT	Plug with enhanced seal retention (P012), end cap, black
EP09	DT	Plug with enhanced seal retention (P012), latch guard end cap, black
EP10	DT, DTM	120 ohm terminating resistor (J1939), black
EP11	DT	Plug with enhanced seal retention (P012), shrink boot adapter, black
EP12	DT	Bussed receptacle, 4 and 6 way only, 1 buss, black, gold plated pins
EP13	DT	Bussed receptacle, 4 and 6 way only, 1 buss, black, nickel plated pins
EP14	DT	Bussed receptacle, 6 way, 2 busses, black, nickel plated pins
EP20	DT	Plug with enhanced seal retention (P012), shrink boot adapter
F		
F001	HDN	Inserts within connector made of Ultem
G		
G001	DRC	Gold plated pins
G002	DRC	Outside rows of pins are gold plated and rest are tin plated
G003	DT13/15	Gold plated pins
G004	DRC	Interface side pins are nickel plated, PCB side pins are tin plated
GR		
GR01	DTM13 (EEC headers)	Snap-in DTM PCB mounted header for DTM EEC enclosure, 12 and 24 pins, gold plated pins
H		
H001	HD30	Plated with yellow chromate conversion
HL		
HL01	HD30	Dust cap plated with yellow chromate conversion, sash chain with eyelet for #10 screw

DEUTSCH Modification List

Mod #	Series	Description
HL02	HD30	Adapter for cable clamp (-072) plated with yellow chromate conversion
J		
J001	HD30	Reverse cavity marking identification on grommet
J059	HD30	Reverse cavity marking identification on grommet, cable clamp (-059)
K		
K001	AEC	Molded-in shell marking, remove blue stripe, end cap
K003	DT16	Plug, 15 cavity DT with two size 12 contacts and 13 size 16 contacts, enhanced seal retention (P012), end cap, black
K004	DT16	Plug, 18 cavity DT with 18 size 16 contacts, enhanced seal retention (P012), end cap, black
KP		
KP01	DT16	Plug, six cavity DT with 6 size 16 contacts, enhanced seal retention (P012), end cap, green
L		
L001	HD30	Same as -059 (cable clamp)
L003	HD30	Cable clamp adapter (-072)
L005	HD30	Cable clamp adapter (-072) without drain holes
L006	HD30	-059 modification using adapter without drain holes
L009	DTHD	Sealed flange, inside mount
L011	DRC	Wire router
L012	DT, DTP, DTM	Welded flange
L013	DTHD	Sealed flange, outside mount
L015	HDP20	Threaded adapter for backshell strain relief
L017	HDP20	Ring adapter for backshell strain relief
L018	DRB	Wire router
L020	HD30, HD50	Removes #10 eyelet from the dust cap chain
L024	HDP20	Wide threaded adapter for backshell strain relief
L072	HD30	Adapter ring
LE		
LE01	DT	Sealed flange, inside mount, gasket, end cap
LE03	DT	Sealed flange, outside mount, o-ring sold separately, end cap, NOTE: DT04-08PA-LE03 comes with shrink boot adapter and o-ring on flange
LE05	DT	Sealed flange, inside mount, gasket, end cap
LE06	DT	Sealed flange, inside mount, reduced diameter seals (E seal), end cap
LE07	DT, DTP	Welded flange, end cap
LE08	DT	Welded flange, shrink boot adapter, gray
LE09	DT	Sealed flange, o-ring, end cap, black
LE10	DT	Sealed flange, inside mount, gasket, end cap, black
LE11	DT	Welded flange, end cap, black
LE12	DT	Welded flange, shrink boot adapter, black
LE13	DT	Special adapter, round housing, end cap

DEUTSCH Modification List

Mod #	Series	Description
LE14	DT	Welded flange, black
LE17	DT	Receptacle with extended shell and enhanced keys (B016), sealed flange, gasket sold separately, end cap, black
LE21	DT	Receptacle with extended shell and enhanced keys (B016), sealed flange, reduced diameter seals (E seal), end cap, one piece connector design, threaded stainless steel flange inserts
N		
N005	HD10	Receptacle with molded-in PCB pins, modified shell
N006	DT	Receptacle with 90° molded-in contacts
N012	DRC	Receptacle, one piece connector design
P		
P005	AEC	Special oversized seal on AEC Series plugs and dust caps
P006	DT, DTM	120 ohm terminating resistor (J1939)
P007	DT, DTM	Receptacle "Y" connector (J1939)
P012	DT	Plug with enhanced seal retention, 2-6 way are black, 8 and 12 way "A" key is gray, "B" key is black, "C" key is green, "D" key is brown
P013	DRC	Plug with bonded front seal, silicone adhesive
P016	DT	Bussed receptacle, 12 way, gold plated contacts
P017	DRC	Stainless steel retention clip for jackscrew
P018	DTP	Receptacle with 12 AWG wires attached
P019	DRC	Zinc chromate retention clip for jackscrew
P021	DT	Bussed receptacle, 6, 8, and 12 way, one buss, nickel plated pins
P026	DT	Bussed receptacle, 8 and 12 way, two busses, nickel plated pins
P027	DT	Bussed receptacle, 12 way, two busses, gold plated pins
P028	DT	Bussed receptacle, 8 way, two busses, nickel plated pins
P030	DT	Bussed receptacle, 12 way, four busses, nickel plated pins
P031	DT	Bussed receptacle, 12 way, four busses, gold plated pins
P032	DT	Integrated shrink boot adapter (J1939), black
P060	DT	Bussed receptacle, 2 way, one buss, nickel plated pins
P064	HD30, HDP20	24-91 arrangement without internal jumper
P075	DT	Bussed receptacle, 12 way, three busses, nickel plated pins
P080	HD10	J1939 Type II, green
PE		
PE01	DT	Latch guard, resistor, gold contacts
PP		
PP01	DT	Plug with enhanced seal retention (P012), 120 ohm terminating resistor (J1939), end cap, black
R		
R004	DTM13	Custom enclosure header, 90° pins
R005	DTM13	Custom flange, 90° pins
R008	DTM13 (EEC headers)	Snap-in DTM PCB mounted header for DTM EEC enclosure, 12 and 24 pins

DEUTSCH Modification List

Mod #	Series	Description
R015	DT13 (EEC headers)	Snap-in DT PCB mounted header for DT EEC enclosure, 12, 24, 36, and 48 pins
RT		
RT01	DT	Receptacle with MUR 460 diode
RT02	DT	Receptacle with Toshiba diode 3GZ41
RT03	DT	Receptacle with MUR 460 diode, 4 way available
RT06	DT	Receptacle with Phillips T.V.S diode 1.5KE130CA, green
RT25	DT	Receptacle with 27k ohm resistor, black
#'s		
059	HD30	Addition of threaded adapter and cable clamp assembly
072	HD30	Addition of threaded adapter
1E	HD30	Removes rivet and chain from protective dust cap

Glossary of Terms

Term	Definition
A	
Adapter	Device attached to a connector to allow connection to a second device that it would not otherwise be able to attach.
Applicator	Tooling used in automatic machines to crimp stamped and formed contacts.
AWG	American wire gauge. Standardized system of wire diameter measurement. Commonly referred to as wire gauge. (Reference: National Bureau of Standards, Copper Wire Table [Handbook 100] AVS.)
B	
Backshell	A secondary attachment for the rear of a connector to provide strain relief, environmental protection, and/or improved aesthetics.
Blocked Cavities	Unused holes or contact positions in a connector which have been filled with sealing plugs or made inaccessible by modification to the rear grommet.
Breakaway	Connector with a slotted coupling ring. Coupling ring is intended to fragment and allow connectors to separate without damage to the implement in the event of an unintended pull-away.
Boot	Attachment for the back of a connector. Boots are typically flexible, made from plastic or plastisol, and may provide wire strain relief, environmental protection, and/or improved aesthetics.
Bulkhead	Dividing wall or partition. Bulkhead connectors are designed to be mounted to a dividing wall through a cutout.
Buss	A thin conductive strip connecting multiple contacts within the body of a connector. Used to distribute electrical current to the branches of a circuit.
C	
Cable Clamp	An attachment to provide support and strain relief to the wire bundle where it exits the connector.
Cap (Pin Housing)	One half of a mated pair of connectors. AMPSEAL 16 pin housings mate with a receptacle contact housing (plug) and house pin contacts.
Cavity	Hole in the connector grommet and housing, into which the contact must fit.
Compression Nut	Secondary backshell assembly. Threads onto rear of backshell to compact the wire bundle and provide additional support.
Contact	Conductive device crimped or soldered onto the end of conductor wire to allow the transfer of electricity or data to a second conductor. Contacts are most frequently used in multiples in connectors. Also commonly referred to as terminals, pins and/or sockets.
Contact Rating	The maximum recommended amperage to be passed through a wire terminal.
Coupling Ring	Attached cylindrical ring used to lock mated connectors together.
Crimp	The physical compression of a contact barrel around a conductor to make an electrical connection.
Crimping Die	The part of a crimping tool that physically compresses the contact barrel and shapes the crimp.
D	
Diode	Electronic component that allows electrical flow in one direction only.
Dust Cover	Cap used to protect and conceal the interface of an unmated connector.
E	
End Cap	A protective cover integral to, or sonically welded onto the rear of a connector.
Enhanced Keying	Additional keying or polarization to help prevent mis-mating.
Enhanced Seal Retention	Modification to the plug, front seal, and wedgelock to help prevent the seal from separating from the connector during unmating.
“E” Seal	Reduced diameter insert cavity in the rear grommet. Creates a proper seal with smaller than standard wire or insulation. Also referred to as extra thin or European seal. “E” seals are smaller than “N” and “T” seals.

Glossary of Terms

Term	Definition
F	
Flange	A flat, perpendicular extension of the connector body. Flanges are used for mounting and are typically found on receptacles.
Flange Seal	Elastomeric silicone seal used between flange and mounting surface to prevent leakage around the mounting cutout.
Front Seal	Elastomeric silicone seal or o-ring on the mating face of a connector. The front seal is also referred to as an interfacial seal and is usually found on the plug.
G	
Grommet	Rubber or elastomeric seal. On connectors the grommet is on the rear or cable end of the connector and has the cavities through which the contact is inserted into the connector body.
H	
Header	Flanged connector designed for wire to printed circuit board applications.
I	
In-line	Connectors that are not intended for use in mounted or PCB applications.
Interface	The surfaces of a mating pair of connectors that face each other when connected.
Internal Seal	Waterproof form, typically made of silicone elastomer, that is inside the body of the connector. Provides moisture and fluid resistance when connectors are properly mated.
K	
Key	Unique pattern of corresponding notches and projections on a set of mating connectors. The projections are intended to match the notches and prevent mis-mating.
Keying Pin	Solid plastic rod designed to be inserted into an empty socket cavity to help prevent mis-mating.
L	
Locator	A device in a crimp tool to help provide proper contact position during crimping.
Lockwasher	Thin metal ring used between the panel nut and mounting surface to create spring force to ensure a tight fitting mount.
M	
Mounting Clip	A plastic or metal piece that attaches to a non-flanged connector to allow surface mounting.
N	
“N” Seal	Normal wire seal diameter.
O	
O-Ring	Circular seal found around the inside diameter of a receptacle: typically made from elastomeric or silicone material. Provides an environmental seal.
P	
Panel Nut	A hexagonal threaded plastic or metal ring. Along with a lockwasher, a panel nut is used for mounting.
Partial Strip	A quantity less than a standard full reel of stamped & formed contacts.
PCB Mount	Connectors designed for wire to printed circuit board applications.

Glossary of Terms

Term	Definition
Pin	Wire termination with solid mating end. Provides connection by insertion into a female or socket contact. Also referred to as male contact.
Plug	One half of a mated pair of connectors. Plugs typically have the locking mechanism for the mated pair, usually house the sockets, and mate with a receptacle.
Primary Latch Reinforcement (PLR)	Locking mechanism that snaps into place on the mating face of a connector after the connector is populated. A PLR holds contacts in correct alignment for mating and prevents them from being removed.
R	
Receptacle	One half of a mated pair of connectors. Receptacles mate with a plug and usually house pins.
Receptacle (contact)	Wire termination with hollow mating end into which the pin or male terminal is inserted. Also referred to as a female contact.
Reduced Diameter Seal	Smaller than standard holes in the connector grommet.
Removal Tool	Device to disengage contacts from connector body.
Retaining Bolt	Screw used to draw and hold mating connectors together.
Retaining Sleeve	Lining sheath that fits into receptacle body to maintain internal seal and provide keying.
Reverse Arrangement	Non-standard cavity/contact assignment (eg. Plug connectors that require pin contacts, and receptacles that require socket contacts).
Ring Adapter	Cylindrical rim or collar attached to the rear of a connector to allow the attachment of backshells or strain relief.
S	
Sealed Flange	A flange that is molded or tooled as an integral part of the connector body to help prevent leakage at the mounting site.
Sealing Plug	A non-conductive dummy pin inserted to fill an open cavity in a connector. Sealing plugs are required to maintain the integrity of the environmental seal.
Selective Plating	Application of a thin coating of a finish metal to specific parts of a contact, but not to others. If selective plating is used, plating is typically applied to the mating surface to provide better conductivity and reduce wear and corrosion.
Shrink Boot Adapter	Thermoplastic rear adapter designed to provide a lip for heat shrink to form around to attach it securely to a connector.
Socket	Wire termination with hollow mating end into which the pin or male terminal is inserted. Also referred to as a female contact.
Solid Contact	Closed barrel terminal manufactured using a cold heading process.
Stamped & Formed Contact	Open barrel terminal manufactured using a precision stamping process.
Strain Relief	Hard plastic or metal device that attaches to the rear of a connector to provide wire support.
T	
"T" Seal	Reduced diameter insert cavity in the rear grommet. Also referred to as thin seal, a "T" seal allows for the use of smaller wire or thinner insulation diameter. A "T" seal is larger than an "E" seal and smaller than an "N" seal.
Terminal Position Assurance (TPA)	A secondary locking mechanism. Snapped into place on the mating face of a connector after the connector is populated, a TPA holds contacts in correct alignment for mating and prevents them from being removed.
Terminating Resistor	A connector that includes a device to create electrical resistance. Commonly used on J1939 applications to end the main trunk line or bus network.
Threaded Adapter	A cylindrical device with screw threads attached to rear of connector to allow the attachment of a threaded backshell or strain relief.

Glossary of Terms

Term	Definition
Threaded Rear	Screw threads at the non-mating end of a connector to allow the attachment of a threaded backshell or strain relief.
W	
Wedglock	A device inserted into or onto the mating face of a connector to position and hold contacts in correct alignment.
Wire Router	Protective device attached to the rear of connector to provide wire bundle strain relief.

While LADD Distribution, LLC has made every reasonable effort to ensure the accuracy of the information in this catalog, LADD does not guarantee that it is error-free, nor does LADD make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current.

LADD reserves the right to make any adjustments to the information contained herein at any time without notice. LADD expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose.

The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult LADD for the latest dimensions and design specifications.



Corporate Headquarters

LADD Distribution

4849 Hempstead Station Drive

Kettering, OH 45429

Tel: +1-800-223-1236

Fax: +1-937-438-9755

Email: ladd.us@te.com, ladd.canada@te.com

laddinc.com